

2/20/2013 2/20/2013 2/22/2013

| STA. | TO STA. | FED. ROAD | DIST. NO. ILLINOIS FED. A | | | |
|--------------|---|----------------|---------------------------------------|-----------------------|------------------------|--------------|
| | | 0010 | | CONTRACT | | 152 54J68 |
| 2 STANDARD | | RTE. 5756 | SECTION (81-1)M | COUNTY ROCK ISLAND | TOTAL SHEETS 217 | NO. |
| | | F.A.U | | ac | TOTAL | SHEE. |
| Filler (Typ) | ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED. | | | | | |
| cing | Omit detectable warnings when distance between back of curbs is less than 6'. | | | | | |
| | combination curb & gutter, sidewalk, aggregate fill, concrete median surface, and solid concrete median. | | | | | |
| | Medians and large islands shall consist of PCC Sidewalk 5, Concrete Median Surface 4, and Combination Concrete Curb & Gutter, Type M or B of the size specified. Median island can also be solid concrete medians. Locations, layouts, and widths of the flush sidewalk area, shall be determined by the designer and shown on the plans. The intermediate and small islands will be measured for payment from E.O.P. to E.O.P. using either option 1 or option 2, as directed by the Engineer, and will be paid for at the contract unit price per SQ FT for CONCRETE MEDIAN (SPECIAL) which shall include the | | | | | |
| | | | | | | |
| | | | | | | |
| n (Special) | Keyed longitudinal construction joints shall be constructed without tie bars. | | | | | |
| | The sidewalk should not be closer than 36 from the corner of the island. | | | | | |
| IN | Curb & gutter adjacent to the walkway in the interior of the island shall have 6 gutter flags. | | | | | |
| an | See the plan general notes for the type of curb & gutter to be used on islands. | | | | | |
| | The sidewalk should drain to the low side of the island. If necessary the sidewalk shall be sloped to drain at a maximum 2% grade. | | | | | |
| | See Standard 424031 for sidewalk details not shown. | | | | | |
| | | 60630 sets, | 1 and plan sheet radii, dimensions | | | |
| | | | | | | |