



- NOTES:**
1. LOCATE EXISTING CONDUIT AND SPLICE TO NEW 2" PVC CONDUIT. REMOVE AND REPLACE EXISTING TRIPLEXED NO. 6 CABLE BETWEEN UNDERPASS LIGHTING MAIN JUNCTION BOX AND EXISTING CDOT TRANSCLOSURE #2. THE COST OF CABLE REMOVAL IS INCLUDED IN THE COST OF THE NEW CABLE.
 2. 4" X 4" X 3" JUNCTION BOXES LOCATED AT EACH UNDERPASS LUMINAIRE ARE NOT SHOWN FOR CLARITY.

EJM **EJM ENGINEERING, INC.**
 411 South Wells Street Suite 1000
 Chicago, Illinois 60607

FILE NAME :	USER NAME = rswanson	DESIGNED - JWL	REVISED -
		DRAWN - BHH	REVISED -
	PLOT SCALE = 50.000' / IN.	CHECKED - MKR	REVISED -
	PLOT DATE = 3/29/2013	DATE - 3/29/13	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

STONY ISLAND EXTENSION OVER 103RD STREET
CDOT UNDERPASS LIGHTING PLAN

SCALE: 1"=20' SHEET NO. OF SHEETS STA. TO STA.

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
94	2012-059-BR	COOK	631	311
ILLINOIS FED. AID PROJECT			CONTRACT NO. 60J12	

LT-33

s:\projects\2010 stony island feeder - bba\project work\cadd sheets\160J12-int-light-33 Prep UPL.dgn