





FILE NAME =




EXISTING TYPICAL SECTION

STA 10+09.34 TO STA 23+63.34, 112TH STREET




PROPOSED TYPICAL SECTION

STA 10+09.34 TO STA 23+63.34, 112TH STREET



EXISTING TYPICAL SECTION

STA 30+09.96 TO STA 55+91.83, 115TH STREET



PROPOSED TYPICAL SECTION

STA 30+09.96 TO STA 55+91.83, 115TH STREET

HOT-MIX ASPHALT MIXTURE REQUIREMENTS

MIXTURE TYPE	AIR VOIDS
STABILIZED DRIVEWAY PAVEMENT	
HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N50, (IL 9.5mm) 3"	4% Ø 50 GYR

NOTES:

THE UNIT WEIGHT USED TO CALCULATE ALL HIMA SURFACE MIXTURE QUANTITIES IS 112 LBS/SY/IN.

THE 'AC TYPE' FOR POLYMERIZED HMA MIXES SHALL BE 'SBS/SBR PG 76-22' AND FOR NON-POLYMERIZED HMA THE 'AC-TYPE' SHALL BE 'PG 64-22' UNLESS MODIFIED BY DISTRICT ONE SPECIAL PROVISIONS. FOR "PERCENT OF RAP" SEE DISTRICT ONE SPECIAL PROVISIONS.

ME = 12402-FYPX-01 - P01	USER NAME =	DESIGNED MRS	REVISED —		SIDEWALK IMPROVEMENTS	F.A.U. SECTION COUNTY TOTAL SHEET
		CHECKED - PKB	HECOSO —	STATE OF ILLINOIS	TYPICAL SECTIONS	12-60062-60-SW COOK 10 3
	PLOT SCALE = N/A	DRAWN RG	REVISED —	DEPARTMENT OF TRANSPORTATION	VILLAGE OF WORTH	CONTRACT NO. 63836
	PLOT DATE = 3-21-13	CHECKED AG	REVISED —		SCALE: NONE SHEET NO 3 OF 10 SHEETS STA TO STA	FED BOAD DIST NO. 1 JULINOIS FED AID PROJECT SOTS 4000/170)