



INSIDE ELEVATION OF BARRIER WALL NO. 3





BAR LAP	
#5	2'-7"



SECTION THRU BARRIER WALL




SECTION THRU BARRIER WALL TRANSITION




**BARRIER WALL NO. 3
BILL OF MATERIAL**

Bar	No.	Size	Length	Shape
a4(E)	198	#7	7'-8"	—
a5(E)	198	#7	6'-10"	—
b1(E)	88	#5	14'-8"	—
b3(E)	48	#5	29'-8"	—
d(E)	330	#5	11'-2"	⌋
d1(E)	12	#5	5'-7"	⌋
e(E)	110	#6	14'-8"	—
e1(E)	2	#4	7'-8"	—
Item		Unit	Quantity	
Concrete Superstructure		Cu. Yd.	83.1	
Protective Coat		Sq. Yd.	158	
Reinforcement Bars, Epoxy Coated		Pound	15,050	



BARRIER WALL JOINT DETAILS



DETAIL C

- NOTES:**
- 1.) See Sheet P1 for location of Barrier Wall.
 - 2.) See Sheet P1 for location of Detail C.
 - 3.) Bars indicated thus 8x6-#5 etc. indicates 8 lines of bars with 6 lengths per line.
 - 4.) E.F. denotes Each Face.
 - 5.) Maximum Allowance Soil Bearing Capacity = 4.0 ksf.