| F.A.P. RTE. | SE | CTION | | COUN | TY | TOTAL SHEETS | SHEET NO. | | |
|----------------|---------|-------|-----|-------|-------|-----------------|--------------|--|--|
| 311 | 9 | Y-N- | 2 C | 00K/D | UPAGE | 39 | 11 | | |
| STA. TO STA. | | | | | | | | | |
| FC0 00 | AD DICT | 110 | | i cco | 4.50 | 000 100 | - | | |

LEGEND

- 1) EXISTING P.C.C. PAVEMENT, ± 9"
- 2 EXISTING HMA OVERLAY, ± 3"
- 3 EXISTING CURB AND GUTTER
- 4 EXISTING P.C.C. SIDEWALK
- 5) EXISTING P.C.C. MEDIAN
- 6 EXISTING CRUSHED STONE
- (7) EXISTING PC CONCRETE CURB
- 8 EXISTING CONCRETE MEDIAN SURFACE
- 9 EXISTING HMA SHOULDER
- (10) PROPOSED POLYMERIZED LEVELING BINDER (MACHINE METHOD), IL-4.75, N50, 3/4"
- PROPOSED POLYMERIZED HMA SURFACE COURSE, MIX "F", N90, 1 3/4"
- (12) PROPOSED P.C.C. BASE COURSE, 9 1/2"
- PROPOSED SUB-BASE GRANULAR MATERIAL, TYPE B, 6"
- PROPOSED SUB-BASE GRANULAR MATERIAL, TYPE B, 4"
- PROPOSED CURB AND GUTTER, TYPE B-6.24
- (15A) PROPOSED CURB AND GUTTER, TYPE M-4.24
- (16) PROPOSED P.C.C. SIDEWALK
- (17) PROPOSED HMA SURFACE REMOVAL, 2 1/2"
- (18) PROPOSED HMA SURFACE REMOVAL
- 19) PROPOSED 8" HMA SHOULDER
- PROP. DRILL AND GROUT #4 TIE BAR,24" LONG, SHAPE (24" C-C), COST INCLUDED IN CONCRETE CURB AND GUTTER, TYPE B-6.12 PAY ITEM
- (21) PROPOSED MEDIAN REMOVAL

NOTES

- * STA. 95+11 TO STA. 96+67 STA. 97+17 TO STA. 98+22 STA. 98+38 TO STA. 99+56
- ** CURB AND GUTTER REMOVAL AND REPLACEMENT LOCATIONS SHOWN ON EXISTING AND PROPOSED ROADWAY PLAN
- *** HMA SHOULDER REMOVAL AND REPLACEMENT SHOWN ON EXISTING AND PROPOSED ROADWAY PLAN


SAW CUTTING LOCATIONS SHOWN ON PROPOSED ROADWAY PLAN

| REVISIONS TILITMOTS | DEPARTMENT OF TRANSPORTATION | | | |
|---------------------|------------------------------|--|--|--|
| NAME DATE ILLINOIS | DEFARTMENT OF HIGHSTON | | | |
| | | | | |
| | US 34 | | | |
| т\ | TYPICAL SECTIONS | | | |
| | IFICAL SECTIONS | | | |
| | | | | |
| SCALE: VERT. | DRAWN BY | | | |
| HORIZ. | CHECKED BY | | | |

| | Southbound I-294 Ramp to Westbound U.S. Route 34 £ | | | | | | | |
|-------|--|----------------|--------|--|--|--|--|--|
| | Shoulder | | Gore | | | | | |
| | 0'-9' | 16′ | 2'-12' | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | existîrg slope | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| ** (3 | 9 | | 9 18 | | | | | |

Typical Existing Cross Section

J-294 Ramp Sta. 102 + 63 - 103 + 75



Typical Proposed Cross Section

I-294 Ramp Sta. 102 + 63 - 103 + 75

. Aprojects \c:00000Ades:gree.day 2/15/2007 2 t5:32 PM decreanable