SECTION COUNTY 725 (10-72VB)BRD CHAMPAIGN

D-95-009-07

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

LOCATION OF SECTION INDICATED THUS:

PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS


STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS**

PROPOSED HIGHWAY PLANS

FAP ROUTE 725 (I-72) SECTION (10-72VB)BDR **CHAMPAIGN COUNTY**

> C-95-009-07 **BRIDGE DECK REPAIR**

CHAMPAIGN



TOTAL LENGTH OF SECTION & PROJECT = 252.22 FEET = 0.048 MILES

NET LENGTH OF SECTION & PROJECT = 252.22 FEET = 0.048 MILES


FOR INDEX OF SHEETS, SEE SHEET NO. 2 FOR SUMMARY OF QUANTITIES, SEE SHEET NO. 4

CURRENT TRAFFIC DATA

SU = 175 MU = 400

DESIGN DESIGNATION N.A.

STRUCTURE NO. 010-0037 F.A.P. ROUTE 725 (WEST BOUND) BEGIN STATION 2012N+05.51 END STATION 2014N+57.73



ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION 1-800-892-0123

CONTRACT NO. 70639

CHAMPAIGN COUNTY SECTION (10-72VB)BRD F.A.P. ROUTE 725

c+\nrolects\d500907_lv8\\70639cover.dag

RTE. SECTION COUNTY TOTAL SHEETS NO. 725 (10-72VB)BRD CHAMPAIGN 15 2

INDEX OF SHEETS

SHEET NO.	ITEM
1	COVER SHEET
2	INDEX OF SHEETS AND HIGHWAY STANDARDS
3	GENERAL NOTES
4	SUMMARY OF QUANTITIES
5	EXISTING TYPICAL CROSS SECTION
6	PROPOSED TYPICAL CROSS SECTION
7	PLAN VIEW
8	LOCATION OF FULL DEPTH PATCHING
9	STAGE I CONSTRUCTION
10	STAGE II CONSTRUCTION
11	STAGE I CONSTRUCTION PLAN
12	STAGE II CONSTRUCTION PLAN
13-14	WIDTH RESTRICTION SIGNING DETAILS
15	PAVEMENT MARKING (INTERSTATE & MULTI-LANE APPLICATIONS)

LIST OF STANDARDS

STANDARD NO.	NAME OF STANDARD
000001-04	STANDARD SYMBOLS, ABBREVIATIONS AND PATTERNS
001006	DECIMAL OF AN INCH AND OF A FOOT
635006-02	REFLECTOR AND TERMINAL MARKER PLACEMENT
635011-01	REFLECTOR MARKER AND MOUNTING DETAILS
701423-01	LANE CLOSURE, MULTILANE, WITH BARRIER, FOR SPEEDS >= 45 MPH TO 55 MPH
701426-02	LANE CLOSURE, MULTILANE, INTERMITTENT OR MOVING OPER., FOR SPEED >= 45 MPH
702001-06	TRAFFIC CONTROL DEVICES
704001-03	TEMPORARY CONCRETE BARRIER
780001-01	TYPICAL PAVEMENT MARKINGS

GENERAL NOTES

PLAN DIMENSIONS AND DETAILS RELATIVE TO THE EXISTING STRUCTURE HAVE BEEN TAKEN FROM EXISTING PLANS AND ARE SUBJECT TO NOMIAL CONSTRUCTION VARIATIONS. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VARIFY SUCH DIMENSIONS AND DETAILS IN THE FIELD AND MAKE NECESSARY APPROVED ADJUSTMENTS PRIOR TO CONSTRUCTION OR ORDERING OF MATERIALS. SUCH VARIATIONS SHALL NOT BE CAUSE FOR A CHANGE IN SCOPE OF WORK. HOWEVER, THE CONTRACTOR WILL BE PAID FOR THE QUANTITY ACTUALLY FURNISHED AT THE UNIT PRICE BID FOR THE WORK.

G. N. - 100

ENGLISH UNITS OF MEASUREMENT SHALL GOVERN OVER AND SUPERSEDE ANY METRIC UNITS SHOWN IN THIS CONTRACT. WHERE INCLUDED, METRIC UNITS ARE FOR INFORMATION ONLY.

G. N. - 107.12

THE NAME, ADRESS AND TELEPHONE NUMBER OF THE LOCAL RAILROAD CONTACT IS:

MR. HARDY TAYLOR 1907 MARION AVENUE MATTOON, IL 61938 (217) 238-2443

SPECIAL ATTENTION IS CALLED TO ARTICLE 107.12 REGARDING RAILROAD FLAGGERS. THE NAME, ADDRESS AND TELEPHONE NUMBER OF THE RAILROAD CONTACT PERSON FOR FLAGGERS IS:

MR. TOM TUCKER 2800 LIVERNOIS ROAD TROY. MI 48083 (248) 740-6227

G. N. - 107.31

UTILITY LINES WERE PLOTTED FROM INFORMATION FURNISHED BY THE VARIOUS UTILITY COMPANIES INVOLVED (QUALITY LEVEL C &/OR QUALITY LEVEL D) AND THE ACCURACY SHOULD BE CONSIDERED APPROXIMATE ONLY.

UTLILITY COMPANIES MAY BE ADJUSTING THEIR FACILITIES DURING CONSTRUCTION. THE CONTRACTOR SHALL COOPERATE WITH THESE ORGANIZATIONS WHILE THESE ADJUSTMENTS ARE BEING PERFORMED. J.U.L.I.E. - JOINT UTILITY LOCATION INFORMATION FOR EXCAVATORS SYSTEM (800) 892-0123.

G. N. - 406

THE QUANTITIES INCLUDED IN THE PLANS FOR HOT-MIX ASPHALT RESURFACING ARE INTENDED TO GIVE THE COVERAGE SHOWN ON THE TYPICAL CROSS SECTIONS. IT IS NOT INTENDED TO INCREASE THE THICKNESS OF THE HOT-MIX ASPHALT MIXTURE IN ORDER TO USE ALL OF THE QUANTITIES INCLUDED IN THE CONTRACT.

G. N. - 406H

MIXTURE REQUIREMENTS

The following mixture requirements are applicable for this project:

Location(s): FAP 725 Mixture Use(s): BRIDGE SURFACE AC/PG: PG 64-22 RAP %: (Max)**: 10% Design Air Voids: 4.0% @ Ndes = 90 Mixture Composition (Gradation Mixture): IL 9.5 Friction Aggregate: MIX "D"

G. N. - 609

PRIOR TO ROUTING TRAFFIC ONTO THE SHOULDERS AS SHOWN IN THE STAGING PLANS, THE CONTRACTOR SHALL SECURE THE GRATINGS ON SHOULDER INLETS AS DIRECTED BY THE ENGINEER. THIS WORK WILL BE PAID FOR ACCORDING TO ARTICLE 109.04.

G. N. - 1004.01

COARSE AGGREGATE GRADATION CA-10 MAY BE USED WHENEVER COARSE AGGREGATE CA-6 IS SPECIFIED IN THE STANDARD SPECIFICATIONS.

COMMITMENTS:

THERE ARE NO COMMITMENTS FOR THIS PROJECT.

SUMMARY OF QUANTITIES


LOCATION OF WORK: FAP 725 (I-72 / CHURCH STREET) SN 010-0037 OVER ICRR CHAMPAIGN COUNTY URBAN ROADWAY / STRUCTURE IMPROVEMENTS FAP 725 STA. 2012N+05.51 STA. 2014N+57.73 100% STATE SFTY-2A

CONSTRUCTION TYPE CODE:

		CONSTRUCTION TIPE CODE:			51 11-ZA
	CODE NO	ITEM	UNIT	TOTAL QUANTITY ———————————————————————————————————	QUANTITY
	40600100	BITUMINOUS MATERIALS (PRIME COAT)	GALLON	92.0	92.0
	40600300	AGGREGATE (PRIME COAT)	TON	2.0	2.0
	40603345	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N90	TON	90.0	90.0
	44000915	HOT-MIX ASPHALT SURFACE REMOVAL (DECK)	SQ YD	918.0	918.0
	50157300	PROTECTIVE SHIELD	SQ YD	604.0	604.0
	67100100	MOBILIZATION	L SUM	1.0	1.0
	70100325	TRAFFIC CONTROL AND PROTECTION, STANDARD 701423	EACH	1.0	1.0
	70301000	WORK ZONE PAVEMENT MARKING REMOVAL	SQ FT	946.0	946.0
-	70400100	TEMPORARY CONCRETE BARRIER	FOOT	500.0	500.0
	70400200	RELOCATE TEMPORARY CONCRETE BARRIER	FOOT	500.0	500.0
*	78001110	PAINT PAVEMENT MARKING - LINE 4"	FOOT	3, 192. 0	3, 192. 0
	78300100	PAVEMENT MARKING REMOVAL	SQ FT	874.0	874.0
	X0325205	MONODIRECTIONAL REFLECTORS TYPE C	EACH	28.0	28.0
	X7015005	CHANGEABLE MESSAGE SIGN	CAL DA	14.0	14.0
*	X7200201	WIDTH RESTRICTION SIGNING	L SUM	1.0	1.0
	Z0016001	DECK SLAB REPAIR (FULL DEPTH, TYPE I)	SQ YD	48.0	48.0
	Z0016002	DECK SLAB REPAIR (FULL DEPTH, TYPE II)	SQ YD	140.0	140.0
	Z0016200	DECK SLAB REPAIR (PARTIAL)	SQ YD	89.0	89.0
*	Z0030250	IMPACT ATTENUATORS, TEMPORARY (NON-REDIRECTIVE), TEST LEVEL 3	EACH	1.0	1.0
*	Z0030350	IMPACT ATTENUATORS, RELOCATE (NON-REDIRECTIVE), TEST LEVEL 3	EACH	1.0	1.0
	Z0048665	RAILROAD PROTECTIVE LIABILITY INSURANCE	L SUM	1.0	1.0

* SPECIALTY ITEMS

EXISTING TYPICAL CROSS SECTION STATION 2012N + 05.51 TO STATION 2014N + 57.73 (LOOKING EAST)




ILLINOIS DEPARTMENT OF TRANSPORTATION

EXISTING TYPICAL CROSS SECTION

F.A.P. ROUTE 725
SECTION (10-72VB)BRD
CHAMPAIGN COUNTY
S.N. 010-0037

SCALE: NA DATE: 03/13/07 DRAWN BY: JRP
CHECKED BY:

PROPOSED TYPICAL CROSS SECTION STATION 2012N + 05.51 TO STATION 2014N + 57.73 (LOOKING EAST)




ILLINOIS DEPARTMENT OF TRANSPORTATION

PROPOSED TYPICAL CROSS SECTION

F.A.P. ROUTE 725 SECTION (10-72VB)BRD CHAMPAIGN COUNTY S.N. 010-0037

SCALE: NA DATE: 03/13/07

DRAWN BY: JRP
CHECKED BY:



PLAN VIEW S.N. 010-0037 W.B.

BILL OF MATERIAL	S	
ITEM	UNITS	QUANTITY
BITUMINOUS MATERIALS (PRIME COAT)	GALLON	92.0
AGGREGATE (PRIME COAT)	TON	2.0
HOT-MIX ASPHALT SURFACE REMOVAL (DECK)	SQ YD	918.0
HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N90	TON	90.0
DECK SLAB REPAIR (FULL DEPTH, TYPE I)	SQ YD	48.0
DECK SLAB REPAIR (FULL DEPTH, TYPE II)	SQ YD	140.0
DECK SLAB REPAIR (PARTIAL)	SQ YD	89.0
PROTECTIVE SHIELD	SQ YD	604.0
		·

GENERAL NOTES

PLAN DIMENSIONS AND DETAILS RELATIVE TO THE STRUCTURE HAVE BEEN TAKEN FROM EXISTING PLANS AND ARE SUBJECT TO NOMINAL CONSTRUCTION VARIATIONS. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY SUCH DIMENSIONS AND DETAILS IN THE FIELD AND MAKE THE NECESSARY APPROVED ADJUSTMENTS PRIOR TO CONSTRUCTION OR ORDERING OF MATERIALS. SUCH VARIATIONS SHALL NOT BE CAUSE FOR ADDITIONAL COMPENSATION OR A CHANGE IN THE SCOPE OF WORK, HOWEVER, THE CONTRACTOR WILL BE PAID FOR THE QUANTITY ACTUALLY FURNISHED AT THE CONTRACT UNIT PRICE FOR THE WORK.

THE DECK SLAB REPAIR (PARTIAL & FULL DEPTH) QUANTITY IS ESTIMATED AND THE ACTUAL LOCATIONS ARE TO BE DETERMINED IN THE FIELD BY THE ENGINEER AFTER THE HOT-MIX ASPHALT OVERLAY AND WATERPROOFING ARE REMOVED. THE ENGINEER SHALL SHOW ACTUAL LOCATIONS OF DECK REPAIRS ON AS-BUILT PLANS ON SHEET 8 OF 15.

ILLINOIS DEPARTMENT OF TRANSPORTATION


GENERAL PLAN

F.A.P. ROUTE 725 SECTION (10-72VB)BRD CHAMPAIGN COUNTY S.N. 010-0037 DRAWN BY: JRP

SCALE: 1" = 30' DATE: 03/12/07

LOCATION OF FULL DEPTH PATCHING S.N. 010–0037 WESTBOUND





PLAN VIEW OF AS-BUILT PATCHES

NOTES:

AREAS OF PARTIAL AND FULL DEPTH PATCHES SHALL BE DETERMINED BY THE ENGINEER AFTER THE HOT-MIX ASPHALT OVERLAY AND WATERPROOFING ARE REMOVED.

QUANTITIES OF DECK REPAIR HAVE BEEN ESTIMATED. THE ENGINEER SHALL SHOW ACTUAL LOCATIONS OF DECK REPAIRS ON AS-BUILT PLANS.

ILLINOIS DEPARTMENT OF TRANSPORTATION


LOCATION OF FULL DEPTH PATCHING

F.A.P. ROUTE 725 SECTION (10-72VB)BRD CHAMPAIGN COUNTY S.N. 010-0037

SCALE: NA DATE: 03/22/07 DRAWN BY: KJB
CHECKED BY:

| F.A.P. | SECTION | COUNTY | SHEETS | T25 | (10-72/8)BRD | CHAMPAIGN | 15 |

STAGE I CONSTRUCTION STATION 2012N + 05.51 TO STATION 2014N + 57.73 (LOOKING EAST)



ILLINOIS DEPARTMENT OF TRANSPORTATION

STAGE I CONSTRUCTION

F.A.P. ROUTE 725 SECTION (10-72VB)BRD CHAMPAIGN COUNTY S.N. 010-0037

SCALE: NA DATE: 03/23/07


| DATE = 3/39/2007 | NAME = ci)projecs/U5009 | SCALE = 105.8824 * / IN. | NAME = philippy

CONTRACT NO. 70639

COUNTY TOTAL SHEETS NO.

CHAMPAIGN 15 10 RTE. SECTION COUNTY TOTAL SHEETS 725 (10-72VB)BRD CHAMPAIGN 15

STAGE II CONSTRUCTION STATION 2012N + 05.51 TO STATION 2014N + 57.73 (LOOKING EAST)



ILLINOIS DEPARTMENT OF TRANSPORTATION

STAGE II CONSTRUCTION

F.A.P. ROUTE 725
SECTION (10-72VB)BRD
CHAMPAIGN COUNTY
S.N. 010-0037
DRAWN BY: JRP

SCALE: NA

STAGE I CONSTRUCTION PLAN (WESTBOUND)

7

MONODIRECTIONAL REFLECTORS TYPE C

STATION TO STATION EACH

2011+81.73 2014+81.73 14.00

TOTAL = 14.00

TEMPORARY CONCRETE BARRIER

STATION

2016+81.73

IMPACT ATTENUATORS, TEMPORARY

(NON-REDIRECTIVE), TEST LEVEL 3

STATION/OFFSET TO STATION/OFFSET FOOT


EACH

1

TOTAL = 1

2011+81.73/4.00' RT 2016+81.73/12.00' LT 500.00

TOTAL = 500.00



WORK ZONE PAVEMENT MARKING REMOVAL

 STATION
 TO
 STATION
 SQ FT

 2011+81.73
 2026+00.00
 4" SOLID WHITE
 473.00

TOTAL = 473.00

PAVEMENT MARKING REMOVAL

STATION	<u>TO</u>	STATION					SQ FT
2011+81.73		2012+05.51	RT	4′′	SOLID		8.00
2011+81.73		2012+05.51	CL	4′′	SKIP		1.00
2014+57.73		2026+00.00	RT	4′′	SOLID		381.00
2014+57.73		2026+00.00	CL	4′′	SKIP		95.00
					TOTAL	=	485.00

NOTES:

TRAFFIC DETAILS NOT SHOWN ARE TO CONFORM WITH STANDARD 701423.

MESSAGE BOARDS WILL BE IN PLACE TWO WEEKS PRIOR TO CONSTRUCTION AND MAY BE ADJUSTED TO MEET FIELD CONDITIONS.

RESIDENT ENGINEER AND TRAFFIC CONTROL SUPERVISOR WILL PROVIDE APPROPRIATE MESSAGE FOR THE CHANGEABLE MESSAGE SIGN.

RAISED REFLECTIVE PAVEMENT MARKERS AFFECTED BY THE PROPOSED TRAFFIC CONTROL PLAN WILL BE COVERED IN A SUITABLE MANNER AND APPROVED BY THE RESIDENT ENGINEER. THIS COST WILL BE INCIDENTAL TO THE APPROPRIATE TRAFFIC CONTROL PAY ITEM.

TYPE C MONODIRECTIONAL REFLECTORS WILL BE ADDED TO THE EXISTING PARAPETS. THE REFLECTOR COLOR, DEPENDING ON THE STAGE, WILL MATCH THE TEMPORARY PAINT PAVEMENT MARKING LINE 4". SEE STANDARD 701423, DETAIL A, FOR PROPER PLACEMENT.

ATTACH VERTICAL PANELS TO THE LEFT GUARDRAIL AT 25 FOOT CENTERS DURING STAGE II. THIS COST WILL BE INCIDENTAL TO STANDARD 701423.

PRIOR TO ROUTING TRAFFIC ONTO THE SHOULDERS AS SHOWN IN THE STAGING PLANS, THE CONTRACTOR SHALL SECURE THE GRATINGS ON ANY INLETS AS DIRECTED BY THE ENGINEER. THIS WORK WILL BE PAID ACCORDING TO ARTICLE 109.04.

ILLINOIS DEPARTMENT OF TRANSPORTATION

STAGE I CONSTRUCTION PLAN

F.A.P. ROUTE 725 SECTION (10-72VB)BRD CHAMPAIGN COUNTY S.N. 010-0037

SCALE: 1" = 30'
DATE: 03/23/07

DRAWN BY: JRP

PLOT DATE = 4/4/2007 FILE NAME = cr\projects\d500907 (v8\\70639cover.d\ PLOT SCALE = 63.5294 '/ IN.

F.A.P. SECTION 725 (10-72VB)BRD TOTAL SHEET SHEETS NO. COUNTY CHAMPAIGN 15 12

IMPACT ATTENUATORS, RELOCATE (NON-REDIRECTIVE), TEST LEVEL 3

STATION

EACH

2016+81.73

1

TOTAL = 1

MONODIRECTIONAL REFLECTORS TYPE C

STATION EACH STATION ΤO

2011+81.73 2014+81.73 14.00

> TOTAL = 14.00

STAGE II CONSTRUCTION PLAN

(WESTBOUND)

PAINT PAVEMENT MARKING - LINE 4"

STATION STATION TΟ

2011+81.73 CL

2011+81.73 LT 2026+00.00 LT SOLID WHITE 2011+81.73 RT 2026+00.00 RT SOLID YELLOW

2026+00.00 CL

SKIP WHITE

355.00

FOOT

1418.50

1418.50

3192.00

RELOCATE TEMPORARY CONCRETE BARRIER


STATION/OFFSET

ΤO STATION/OFFSET FOOT

500.00

2011+81.73/3.00' LT 2016+81.73/12.00' RT

> TOTAL = 500.00



2014+81.73 3.00' LT

2016+81.73 12.00' RT

PAVEMENT MARKING REMOVAL

STATION	<u>TO</u>	STATION			SQ FT
2011+81.73 2014+57.73		2012+05.51 2026+00.00	LT LT	4" SOLID 4" SOLID	8.00 381.00
				TOTAL =	389.00

WORK ZONE PAVEMENT MARKING REMOVAL

STATION	10	STATION			SQFI
2011+81.73		2026+00.00	4" SOLID	YELLOW	473.00
				TOTAL =	473.00

NOTES:

TRAFFIC DETAILS NOT SHOWN ARE TO CONFORM WITH STANDARD 701423.

MESSAGE BOARDS WILL BE IN PLACE TWO WEEKS PRIOR TO CONSTRUCTION AND MAY BE ADJUSTED TO MEET FIELD CONDITIONS.

RESIDENT ENGINEER AND TRAFFIC CONTROL SUPERVISOR WILL PROVIDE APPROPRIATE MESSAGE FOR THE CHANGEABLE MESSAGE SIGN.

RAISED REFLECTIVE PAVEMENT MARKERS AFFECTED BY THE PROPOSED TRAFFIC CONTROL PLAN WILL BE COVERED IN A SUITABLE MANNER AND APPROVED BY THE RESIDENT ENGINEER. THIS COST WILL BE INCIDENTAL TO THE APPROPRIATE TRAFFIC CONTROL PAY ITEM.

TYPE C MONODIRECTIONAL REFLECTORS WILL BE ADDED TO THE EXISTING PARAPETS. THE REFLECTOR COLOR, DEPENDING ON THE STAGE, WILL MATCH THE TEMPORARY PAINT PAVEMENT MARKING LINE 4". SEE STANDARD 701423, DETAIL A, FOR PROPER PLACEMENT.

ATTACH VERTICAL PANELS TO THE LEFT GUARDRAIL AT 25 FOOT CENTERS DURING STAGE II. THIS COST WILL BE INCIDENTAL TO STANDARD 701423.


PRIOR TO ROUTING TRAFFIC ONTO THE SHOULDERS AS SHOWN IN THE STAGING PLANS, THE CONTRACTOR SHALL SECURE THE GRATINGS ON ANY INLETS AS DIRECTED BY THE ENGINEER. THIS WORK WILL BE PAID ACCORDING TO ARTICLE 109.04.


ILLINOIS DEPARTMENT OF TRANSPORTATION

STAGE II CONSTRUCTION PLAN

F.A.P. ROUTE 725 SECTION (10-72VB)BRD CHAMPAIGN COUNTY S.N. 010-0037


SCALE: 1" = 30" DATE: 03/23/07 DRAWN BY: JRP





W12-2(0)-48"x48"(1200x1200)


- SIGN (A) 2 SIGNS W12-2(0)-48"x48"(1200x1200) ARE TO BE PLACED AT EACH END OF THE REPAIR IN EACH DIRECTION ALONG ROUTE .
- SIGN B 2 SIGNS (SIGN PANEL, TYPE II) AS SHOWN ARE TO BE PLACED APPROXIMATELY MILES EACH SIDE OF THE PROJECT ON ROUTE .



SIGN PANEL, TYPE II

GENERAL NOTES


- 1. ALL TRAFFIC CONTROL DEVICES SHALL BE FURNISHED, ERECTED AND MAINTAINED BY THE CONTRACTOR.
- 2. ALL B SIGNS SHALL HAVE FLAGS INSTALLED UNLESS OTHERWISE DIRECTED.
- LOCATIONS OF TRAFFIC CONTROL DEVICES MAY BE ADJUSTED BY THE ENGINEER.
- 4. ALL TRAFFIC CONTROL SHOWN ON THIS SHEET SHALL BE PAID FOR AT THE CONTRACT LUMP SUM PRICE FOR WIDTH RESTRICTION SIGNING.
- 5. THE ILLINOIS DEPARTMENT OF TRANSPORTATION WILL SUPPLY ALL "ROUTE MARKER" SIGNS, IF APPLICABLE. THE CONTRACTOR SHALL NOTIFY THE DISTRICT BUREAU OF OPERATIONS A MINIMUM OF 10 WORKING DAYS PRIOR TO PLACEMENT OF WIDTH RESTRICTION SIGNING TO ENSURE AVAILABILITY OR FABRICATION OF THE "ROUTE MARKER" SIGNS.
- 6. ALL SIGNS SHALL BE POST MOUNTED UNLESS OTHERWISE DIRECTED.
- 7. ALL SIGNS SHOWN ORANGE (0) SHALL BE FLUORESCENT ORANGE.



Note: All dimensions are in INCHES (millimeters) unless otherwise shown.

DATE	REVISIONS	NAME	ILLINOIS DEPARTMENT OF TRANSPORTATION
11/06	REPLACED DETAIL F-5.00	TJB	TELINOIS BELIANTIMENT OF TRANSFORTATION
			WIDTH RESTRICTION
			SIGNING
			DISTRICT 5 DETAIL NO. X7200201

PLOT DATE = 3/30/2007 FILE NAME = ciprojects\d500907 (v8)\70639cover.d PLOT SCALE = 105.8824 '/ IN,



PLOT DATE = 3/30/2007 FILE NAME = cibrojects/d500907 (v8)/70639cover.dgn PLOT SCALE = 105.8824 '/ IN,