TRAFFIC SIGNAL LEGEND

ITEM	REMOVAL	EXISTING	PROPOSED	<u>ITEM</u>	REMOVAL	EXISTING	PROPOSED	<u>ITEM</u>	REMOVAL	EXISTING	PROPOSED
CONTROLLER CABINET	₹ P			EMERGENCY VEHICLE LIGHT DETECTOR	R≪		•	ELECTRIC CABLE IN CONDUIT, TRACER, NO. 14 1/C, UNLESS NOTED OTHERWISE			
AILROAD CONTROL CABINET		R R	₽	CONFIRMATION BEACON	R_{o-1}	0-0	⊶(~	
COMMUNICATIONS CABINET	C C	ECC	CC	HANDHOLE	R			COAXIAL CABLE		—,0—	<u> </u>
MASTER CONTROLLER		EMC	MC	HEAVY DUTY HANDHOLE	R	[H		VENDOR CABLE FOR CAMERA		(v)	(v)
MASTER MASTER CONTROLLER	R UPS	EMMC	MMC UPS	HEAVY DUTY HANDHOLE DOUBLE HANDHOLE	R			COPPER INTERCONNECT CABLE.			_
UNINTERRUPTIBLE POWER SUPPLY SERVICE INSTALLATION,				JUNCTION BOX	R (ii)		0	NO. 18 3 PAIR TWISTED, SHIELDED		6	6-
(P) POLE OR (G) GROUND MOUNT	- <u></u> -	- <u>-</u> -	- ■ P	GALVANIZED STEEL CONDUIT				FIBER OPTIC CABLE NO. 62.5/125, MM12F		— <u>12</u> F	
TELEPHONE CONNECTION (P) POLE OR (G) GROUND MOUNT	R	P	P	IN TRENCH (T) OR PUSHED (P)		,		FIBER OPTIC CABLE		—(24F)—	24F
STEEL MAST ARM ASSEMBLY AND POLE	R	Ó	•	TEMPORARY SPAN WIRE, TETHER WIRE, AND CABLE	<u>R</u>			NO. 62.5/125, MM12F SM12F			
ALUMINUM MAST ARM ASSEMBLY AND POLE	R O			COMMON TRENCH			СТ	FIBER OPTIC CABLE NO. 62.5/125, (NUMBER OF FIBERS & TYPE TO BE		-	
STEEL COMBINATION MAST ARM ASSEMBLY AND POLE WITH LUMINAIRE	R	<u> </u>	• 	COILABLE NONMETALLIC CONDUIT (EMPTY)			CNC	NOTED ON PLANS)		•	
STEEL COMBINATION MAST ARM	R	C	•	SYSTEM ITEM		S	S	GROUND ROD AT (C) CONTROLLER, (H) HANDHOLE, (P) POST, (M) MAST ARM,		C 11	^C il├•
ASSEMBLY AND POLE WITH PTZ CAMERA	PZI	PTZN	PIZ	INTERSECTION ITEM		I	IP	OR (S) SERVICE	DOE		
SIGNAL POST	R _O	0	, •	REMOVE ITEM RELOCATE ITEM	R RI			CONTROLLER CABINET AND FOUNDATION TO BE REMOVED	RCF		
TEMPORARY WOOD POLE (CLASS 5 OR BETTER) 45 FOOT (13.7m) MINIMUM	R⊗	\otimes	•	ABANDON ITEM	A			STEEL MAST ARM POLE AND	RMF		
GUY WIRE	>R	>	>-	12" (300mm) TRAFFIC SIGNAL SECTION	.,	R	R	FOUNDATION TO BE REMOVED	0		
SIGNAL HEAD	R 	->	-					ALUMINUM MAST ARM POLE AND FOUNDATION TO BE REMOVED	RMF		
SIGNAL HEAD CONSTRUCTION STAGES NUMBERS INDICATE THE CONSTRUCTION STAGE)	lacon.		2	12" (300mm) RED WITH 8" (200mm) YELLOW AND GREEN TRAFFIC SIGNAL FACE				STEEL COMBINATION MAST ARM ASSEMBLY AND POLE WITH LUMINAIRE AND	RMF O-X		
SIGNAL HEAD WITH BACKPLATE	+CR	+	+			R	R	FOUNDATION TO BE REMOVED	<u> </u>		
SIGNAL HEAD OPTICALLY PROGRAMMED		>′′₽′′	-≻ "P"	SIGNAL FACE		6	G	SIGNAL POST AND FOUNDATION TO BE REMOVED	RMF		
FLASHER INSTALLATION S DENOTES SOLAR POWER)	R O- ⊃′′F′′	O-□''F''	●- —"F"			(4 Y) (4 G)	∢ Y ∢ G	INTERSECTION & SAMPLING (SYSTEM) DETECTOR		[IS]	IS
PEDESTRIAN SIGNAL HEAD	R -	-[]	-1			R	R	SAMPLING (SYSTEM) DETECTOR		S	S
PEDESTRIAN PUSHBUTTON DETECTOR	R (6)	<u>(</u>	•	SIGNAL FACE WITH BACKPLATE. "P" INDICATES PROGRAMMED HEAD			Y G ∢Y ∢G	EXISTING INTERSECTION LOOP DETECTOR PROPOSED INTERSECTION AND SAMPLING (SYSTEM) DETEC	r OB	(P)	
ACCESSIBLE PEDESTRIAN PUSHBUTTON DETECTOR	R APS	@APS	APS						·		
ILLUMINATED SIGN	R					"P"	"P"	EXISTING PREFORMED INTERSECTION LOOP DETECTOR PROPOSED INTERSECTION AND SAMPLING (SYSTEM) DETEC	TOR	[PP]	
"NO LEFT TURN"		9	lacktriangle	12" (300mm) PEDESTRIAN SIGNAL HEAD		OW (w)		PREFORMED INTERSECTION AND SAMPLING		PIS	PIS
ILLUMINATED SIGN "NO RIGHT TURN"	R	0	®	WALK/DON'T WALK SYMBOL 12" (300mm) PEDESTRIAN SIGNAL HEAD		(contained		(SYSTEM) DETECTOR PREFORMED SAMPLING (SYSTEM) DETECTOR		6— —ò	
DETECTOR LOOP, TYPE I			month diseased	INTERNATIONAL SYMBOL, OUTLINED				FREFURMED SAMPLING (STSTEM) DETECTOR		[PS]	PS
PREFORMED DETECTOR LOOP			P	12" (300mm) PEDESTRIAN SIGNAL HEAD INTERNATIONAL SYMBOL, SOLID		()	*	RAILROAD SYMBOLS			
MICROWAVE VEHICLE SENSOR	R M	(M)	M	PEDESTRIAN SIGNAL HEAD, INTERNATIONAL SYMBOL, WITH COUNTDOWN TIMER		O C S D	C A D			EXISTING	PROPOSED
VIDEO DETECTION CAMERA	R VD		V	RADIO INTERCONNECT	##*O			RAILROAD CONTROL CABINET		R ✓ B	
VIDEO DETECTION ZONE								RAILROAD CANTILEVER MAST ARM		XOX X X	X OX X
	R			RADIO REPEATER	RERR	ERR	RR	FLASHING SIGNAL			
PAN, TILT, ZOOM CAMERA		PTZ)1	PIZ (DENOTES NUMBER OF CONDUCTORS, ELECTRIC CABLE NO. 14, UNLESS NOTED OTHERWISE,		5					
WIRELESS DETECTOR SENSOR	RW	W	W	ALL DETECTOR LOOP CABLE TO BE SHIELDED		/		CROSSING GATE		X0 X>	XOX
WIRELESS ACCESS POINT PYRIGHT © 2012 ENGINEERING ENTERPRISES, INC.	R			GROUND CABLE IN CONDUIT NO. 6 SOLID COPPER (GREEN)		(1)	(1)	CROSSBUCK		75	*
Engineering Enterprises, Inc. USER NAME = bauendl CONSULTING ENGINEERS dgn		SIGNED - DAG/BCK	REVISED -	STATE	OF ILLINOIS			DISTRICT ONE STANDARD TRAFFIC SIGNAL DESIGN DETAILS	F.A.P. RTE. 326	SECTION 10-00023-00-ES	COUNTY TOTAL SHEETS KANE 70
CONSULTING ENGINEERS dgn 52 Wheeler Road Sugar Grove, Illinois 60554 630.466.6700 / www.eeiweb.com PLOT DATE = 11/4/2009	IN. CH	ECKED - DAD TE - 10-28-09	REVISED -	DEPARTMENT	OF TRANSPO	TRANSPORTATION		SCALE: NONE SHEET NO. 6 OF 6 SHEETS STA. N/A TO STA. N/A FED. ROAD DIST.			CONTRACT NO