

MAINLINE						
LOCATIONS MILE MARKERS	LENGTH	HMA SURF	MIX FOR JTS	BIT MAT	AGG.	POLY HMA SURF
		REM 2" SQ YD	CRKS & FLANG TON	PRIME COAT GALLON	PR CT TON	CSE "D", N90 TON
SOUTHBOUND DRIVING LANE						
287.8-288.3	2640	3813	1.1	305	7.6	427.1
291.5-292.0	2640	3813	1.1	305	7.6	427.1
SOUTHBOUND PASSING LANE						
288.4-288.8	2112	3051	0.9	244	6.1	341.7
291.7-292.0	1584	2288	0.7	183	4.6	256.3
NORTHBOUND DRIVING LANE						
285.7-286.1	2112	3051	0.9	244	6.1	341.7
287.5-287.7	1056	1525	0.5	122	3.1	170.8
288.5-288.6*	528	763	0.2	61	1.5	85.4
288.9-289.3	2112	3051	0.9	244	6.1	341.7
289.4-289.9	2640	3813	1.1	305	7.6	427.1
290.1-290.6	2640	3813	1.1	305	7.6	427.1
290.8-291.1	1584	2288	0.7	183	4.6	256.3
291.7-292.1	2112	3051	0.9	244	6.1	341.7
NORTHBOUND PASSING LANE						
288.5-288.6*	528	763	0.2	61	1.5	85.4
TOTALS	34288	49527	15	3962	99	5547

*OMIT SN 038-0011

SHOULDER REPAIR			
LOCATIONS MILE MARKERS	HMA SURF	BIT MAT	HMA
	REM 4" SQ YD	PRIME COAT GALLON	SHLDS TON
VARIOUS LOCATIONS			
285.6-292.8	1500	120	336
TOTALS	1500	120	336

PATCHING SCHEDULE							
SOUTHBOUND				NORTHBOUND			
MILE MARKER	HMA REMOVAL OVER PATHCES 5"		HMA REPLACEMENT OVER PATCHES TONS	MILE MARKER	HMA REMOVAL OVER PATHCES 5"		HMA REPLACEMENT OVER PATCHES TONS
	SO YD	SO YD			SO YD	SO YD	
	PL	DL			PL	DL	
MM				MM			
292.9			2.24	292.8(1)			2.24
292.9	8	8	2.24	292.7(2)	16		4.48
292.6	16		4.48	292.2	8		2.24
292.4		8	2.24	292.1	8		2.24
292.1		8	2.24	292	8		2.24
292		8	2.24	291.9		16	4.48
291.8		16	4.48	291.6	8		2.24
291.3	8	8	4.48	291.5		16	4.48
290.4		8	2.24	291.3	8		2.24
290.4	8		2.24	291.2	8		2.24
289.85	8	8	4.48	290.7	8		2.24
290.2	8		2.24	290.6		8	2.24
290.2	8	8	4.48	290.55		8	2.24
290		8	2.24	290.3	8		4.48
289.9	8	8	4.48	290.2		8	2.24
289.6		8	2.24	290.1	8		2.24
289.4	8		2.24	289.3		8	2.24
288.7	8	8	4.48	288.6	8		4.48
288.65	8		2.24	288.58	8		4.48
288.3	8	8	4.48	288.56	8		4.48
287.8	16	16	8.96	288.55	8		4.48
287.1		16	4.48	288.54	8		4.48
286.7	16	16	8.96	288.1	8		4.48
286.1	8		2.24	287.8	8		4.48
285.7	8	8	4.48	287.7	8		4.48
285.6	8		2.24	286.8		8	2.24
				286.6	8		4.48
				285.58	8		2.24
SUBTOTAL	160	176	94.08		168	160	91.84
GRANDTOTAL						664	186

(1)ON ENTRANCE RAMP-TWO PATCHES
(2)ON EXIT RAMP-TWO PATCHES

PAVEMENT MARKING								
LOCATIONS MILE MARKERS	LENGTH	EPOXY PVT MRKS	GROOVING FOR	PREF PLAST	RAISED REFL	RAISED REFL	SHORT TERM	WORK ZONE
		LINE 4" FOOT	RECESSED PVT MRKS-5" FOOT	TY B INLAID 6" FOOT	PAVT MARK EACH	PAVT MARK REM EACH	PAVT MARK FOOT	PAVT MARK REM SQ FT
SOUTHBOUND DRIVING LANE								
287.8-288.3	2640	2640	2640	660	66	66	264	87.1
291.5-292.0	2640	2640	2640	660	66	66	264	87.1
SOUTHBOUND PASSING LANE								
288.4-288.8	2112	2112	2112	530	52	52	211	69.7
291.7-292.0	1584	1584	1584	400	40	40	158	52.3
NORTHBOUND DRIVING LANE								
285.7-286.1	2112	2112	2112	530	52	52	211	69.7
287.5-287.7	1056	1056	1056	260	26	26	106	34.8
288.5-288.6*	528	528	528	130	14	14	53	17.4
288.9-289.3	2112	2112	2112	530	52	52	211	69.7
289.4-289.9	2640	2640	2640	660	66	66	264	87.1
290.1-290.6	2640	2640	2640	660	66	66	264	87.1
290.8-291.1	1584	1584	1584	400	40	40	158	52.3
291.7-292.1	2112	2112	2112	530	52	52	211	69.7
NORTHBOUND PASSING LANE								
288.5-288.6*	528	528	528	130	14	14	53	17.4
PVT MK NEEDED FOR PATCHING AREAS -SEE PATCHING SCHEDULE FOR LOCATIONS								
		540	540	540	20	20	100	33.0
TOTALS	31648	24828	24828	6620	626	626	2529	835