INDEX OF SHEETS

SHT NO DESCRIPTION

1 COVER SHEET

2 INDEX OF SHEETS, STANDARDS, MIXTURES REQUIREMENTS

3-4 SUMMARY OF QUANTITIES

5 TYPICAL SECTIONS

6 SCHEDULES OF QUANTITIES

7 PROPOSED REMOVAL AND CONSTRUCTION

STANDARDS

000001-06	STANDARD SYMBOLS, ABBREVIATIONS, AND PATTERNS
001001-02	AREAS OF REINFORCEMENT BARS
001006	DECIMAL OF AN INCH AND OF A FOOT
420001-07	PAVEMENT JOINTS
420101-04	24' JOINTED PCC PAVEMENT
483001-04	PCC SHOULDER
606001-04	CONCRETE CURB TYPE B AND COMBINATION CONCRETE
	CURB AND GUTTER
701001-02	OFF-RD OPERATIONS, 2L 2W, MORE THAN 15' AWAY
701006-03	OFF-RD OPERATIONS, 2L 2W, 15' (4.5m) to 24" (600 mm) FROM PAVEMENT EDGE
701201-04	LANE CLOSURE, 2L, 2W, DAY ONLY, FOR SPEEDS 2 45 MPH
701206-03	LANE CLOSURE, 2L, 2W, NIGHT ONLY, FOR SPEEDS > 45 MPH
701301-04	LANE CLOSURE, 2L, 2W, SHORT TIME OPERATIONS.
701311-03	LANE CLOSURE, 2L, 2W, MOVING OPERATIONS - DAY ONLY
701901-02	TRAFFIC CONTROL DEVICES
780001-03	TYPICAL PAVEMENT MARKINGS
BLR 21-09	

GENERAL NOTES

1. FACTORS USED FOR ESTIMATING PLAN QUANTITIES ARE AS FOLLOWS AND SHALL NOT BE USED FOR THE BASIS OF FINAL QUANTITIES:

ALL HOT MIX ASPHALT
2. 016 TONS/CU YD

ALL AGGREGATE
2. 05 TONS/CU YD

BITUMINOUS MATERIALS:
ON PAVEMENT
ON PAVEMENT
ON PAVEMENT
ON GRAL/SO YD
ON AGGREGATE SURFACE
AGGREGATE (PRIME COAT)
ON OO15 TONS/SO YD
RIPRAP
1. 50 TONS/CU YD

- 2. THE QUANTITY OF SHORT TERM PAVEMENT MARKING SHOWN IN THE PLANS IS BASED ON ONE APPLICATION EACH FOR THE PRIME COAT, SURFACE COURSE, AND BINDER COURSE.
- 3. AT ALL LOCATIONS WHERE THE PROPOSED HOT MIX ASPHALT OR CONCRETE PAVEMENT JOINS AN EXISTING HOT MIX ASPHALT OR CONCRETE PAVEMENT, A FULL DEPTH SAWED JOINT SHALL BE CONSTRUCTED. THE COST OF THIS JOINT WILL BE INCLUDED IN THE COST OF THE TYPE OF PAVEMENT BEING CONSTRUCTED.
- 4. FORMS FOR COMBINATION CONCRETE CURB AND GUTTER SHALL BE OF METAL ONLY, EXCEPT THAT WOOD FORMS MAY BE USED ON SHORT RADIUS CURVES.
- 5. PRIOR TO PLACEMENT OF THE FINAL PAVEMENT MARKINGS THE RESIDENT ENGINEER SHOULD CONTACT THE BUREAU OF OPERATIONS AND ARRANGE FOR INSPECTION AND APPROVAL OF THE PAVEMENT MARKING LAYOUT.
- 6. A QUANTITY OF 100 FT OF COMBINATION CURB AND GUTER, TYPE M-6.06 HAS BEEN ESTIMATED FOR THE MEDIAN OF IL 13 EAST OF IL 1. THE EXACT LOCATION WILL BE DETERMINED BY THE ENGINEER.

COMMITMENTS:

NONE

Prepared By:

District Studies & Plans, ENGINEER

Examined By:

District Program Development Engineer

Examined By:

District Operations Engineer

Examined By:

District Operations Engineer

Examined By:

District Program Development Engineer

Examined By:

District Operations Engineer

Examined By:

District Project Implementation Engineer

Examined By:

District Project Implementation Engineer

FILE NAME = USER NAME = greenleesm DESIGNED - REVISED -	F.A.P. SECTION COUNTY TOTAL SHEET
ct\pw.work\pwidot\greenleesm\d0300818\7\$299-sht-plan.dgn DRAWN - REVISED - STATE OF	ILLINOIS INDEX OF SHEETS, STANDARDS, GENERAL NOTES INDEX OF SHEETS, STANDARDS, GENERAL NOTES 331 D9 CM PAVEMENT REPAIR 2013-1 GALLATIN 7 2
PLOT SCALE = 100.0000 1/ In. CHECKED - REVISED - DEPARTMENT OF 1	
PLOT DATE = 3/29/2012 DATE - REVISED -	SCALE: SHEET OF SHEETS STA. TO STA. ILLINOIS FED. AID PROJECT