FOR INDEX OF SHEETS SEE SHEET 2

ROUTE SECTION COUNTY SHEETS NUMBER

VARIOUS 2005-042I COOK & MCHENRY 12 1

STATE OF ILLINOIS
DEPARTMENT OF
TRANSPORTATION
DIVISION OF HIGHWAYS
DISTRICT ONE

PROPOSED HIGHWAY PLANS

VARIOUS ROUTES
VARIOUS LOCATIONS
SECTION 2005-042I
BRIDGE JOINT REPAIR
COOK & MCHENRY COUNTIES
C-91-275-05

McHenry Lake

Rane

DuPage

Cook

Will

LOCATION OF IMPROVEMENT INDICATED THUS:

IMPROVEMENTS ARE LOCATED IN THE CITY OF CHICAGO, CITY OF DES PLAINES, RICHMOND TOWNSHIP AND MCHENRY TOWNSHIP

- 1) S.N. 016-0406: IL 50 (CICERO AVE.) OVER I-290 & CTA RR
- 2) S.N. 016-0238: US 14 (MINER ST.) OVER DES PLAINES RIVER
- 3) S.N. 016-2081: HALSTED OVER I-290 & CTA RR
- 4) S.N. 016-2113: MORGAN ST. OVER I-290 & CTA RR
- 5) S.N. 056-0037: IL 31 OVER NIPPERSINK CREEK
- 6) S.N. 056-0057: US 12 OVER NIPPERSINK CREEK

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

SUBMITTED:

<u>3/30</u>

DEPUTY DIRECTOR OF HIGHWAYS, REGION ENGINEER

May 12, 2006

ENGINEER OF DESIGN AND ENVIRONMENT

Multon R. See P. E. K. DIRECTOR, DIVISION OF HIGHWAYS

CONTRACT NO: 60A14

D-91-275-05

PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

J.U.L.I.E.: JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION (800) 892-0123

C.U.A.N. CHICAGO UTILITY ALERT NETWORK (312)744-7000

T ONE – 3 / ROBE

CONTRACT NO. 60A14

			TOTAL	SHEET
ROUTE	SECTION	COUNTY	SHEETS	NUMBER
VARIOUS	2005-0421	VARIOUS	12	2

INDEX OF SHEETS

1	TITLE SHEET
2	INDEX OF SHEETS, STATE STANDARDS AND GENERAL NOTES
3 - 4	LOCATION MAPS
5	SUMMARY OF QUANTITIES
6 - 11	BRIDGE JOINT REPAIR
12	TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTION
	AND DRIVEWAYS

STATE STANDARDS

701606-04 URBANILAHE CLOSURE, MULTI-LANE, 241 W/
MOUNTABLE MEDIANI
701426-02 LANE CLOSURE, MULTI-LANE, INTERMITTENT OR
MOVING OPERATION, FOR SPEEDS > 45MPH

701801-03 LANE CLOSURE MULTI-LANE 1W OR 2W CROSSWALK OR SIDEWALK CLOSURE

702001-06 TRAFFIC CONTROL DEVICES

GENERAL NOTES

BEFORE STARTING ANY EXCAVATION, THE CONTRACTOR SHALL CALL "JULIE" (JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION) AT 800-892-0123 OR "CUAN" (CHICAGO UTILITY ALERT NERTWORK) AT 312-744-7000 FOR FIELD LOCATIONS OF BURIED ELECTRIC, TELEPHONE & GAS FACILITIES. (48 HOURS NOTIFICATION REQUIRED)

THE CONTRACTOR WILL NOT BE ALLOWED TO SET UP A YARD OR FIELD OFFICE ON STATE OR TOLLWAY PROPERTY WITHOUT WRITTEN PERMISSION FROM THE DEPARTMENT.

THE CONTRACTOR SHALL CONTACT THE DISTRICT ONE TRAFFIC CONTROL SUPERVISOR AT (847) 705-4470 FOR ARTERIALS A MINIMUM OF 72 HOURS IN ADVANCE OF BEGINNING WORK.

IT SHALL BE THE CONTRACTORS' RESPONSIBILITY TO VERIFY ALL DIMENSIONS & CONDITIONS EXISTING IN THE FIELD PRIOR TO CONSTRUCTION & ORDERING OF MATERIAL.

THE CONTRACTOR SHALL BE REQUIRED TO PROVIDE ACCESS TO ABUTTING PROPERTY AT ALL TIMES DURING THE CONSTRUCTION OF THIS PROJECT.

ALL DAMAGE TO THE TRAFFIC CONTROL DEVICES OR MARKING AS A RESULT OF BRIDGE JOINT REPAIR SHALL BE REPLACED OR REPAIRED AT THE CONTRACTOR'S EXPENSE


Plan dimensions and details relative to existing structure have been taken from existing plans and are subject to nominal construction variations. It shall be the Contractor's responsibility to verify such dimensions and details in the field and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in the scope of the work, however, the Contractor will be paid for the quantity actually furnished at the unit price bid for the work.

ILLINOIS DEPARTMENT OF TRANSPORTATION

INDEX OF SHEETS STATE STANDARDS GENERAL NOTES

Rev.


ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NUMBER	
VARIOUS	2005-0421	VARIOUS	12	3	



LOCATION 1: FAP 350: IL 50 (CICERO AVE.) OVER I-290 & CTA RR S.N. 016-0406 TRAFFIC DATA- CICERO AVE.

2005 ADT = 30,500 POSTED SPEED LIMIT = 30 MPH

WEST CHICAGO TOWNSHIP




				CONTRA	ACT NO.: 60A14
	ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NUMBER
l L	VARIOUS	2005-0421	VARIOUS	12	4
WEST CHICAGO TOWNSHIP LOCATION 5: FAP 336: IL 31 OVER NIPPERSINK C S.N. 056-0037 TRAFFIC DATA – IL 31 2005 ADT = 7,700 SPEED LIMIT = 55 MPH	VARIOUS MONPOE ST 11/00 ESON ST ORES PLANTS 5000 CREEK	LOCATION I-290 & CT S.N. 016-20 TRAFFIC I 2002 ADT = SPEED LIN LOCATION S.N. 016-21 TRAFFIC I 1997 ADT = SPEED LIN	VARIOUS N. 3: FAU 3730: HALSTED ARR 181 DATA – HALSTED ST. = 16,300 MIT = 35 MPH N. 4: MORGAN ST. OVER 13 DATA – MORGAN ST. = 5,009 MIT = 35 MPH R 8 E R R 8 E R	TOTAL SHEETS 12 D ST. OVER 1-290 & CTA RR	SHEET NUMBER
LOCATION 6: FAP 334: US 12 OVER NIPPERSINES.N. 056-0057 TRAFFIC DATA – US 12 2005 ADT = 19,600 SPEED LIMIT = 45 MPH	K CREEK	39			
			RICHMOND TOWNSHII McHENRY TOWNSHIE		


			TOTAL	SHEET
ROUTE	SECTION	COUNTY	SHEETS	NUMBER
VARIOUS	2005-0421	VARIOUS	12	5


CONSTRUCTION TYPE CODE SFTY-2A


SUMMARY OF QUANTITIES			URBAN TOTAL	COOK COUNTY			McHENRY COUNTY		
CODE NO.	ITEMS	UNITS	QUANTITIES	016-0406 LOCATION 1	016-0238 LOCATION 2	016-2081 LOCATION 3	016-2113 LOCATION 4	056-0037 LOCATION 5	056-0057 LOCATION 6
67000400	ENGINEER'S FIELD OFFICE, TYPE A	CAL MO	2	0.33	0.33	0.33	0.33	034	0.34
67100100	MOBILIZATION	L SUM	1	0.17	0.17	0.17	0.17	0.16	0.16
7010 <i>2625</i>	TRAFFIC CONTROL AND PROTECTION, STANDARD 701606	L SUM	1	0.17	0.17	0.17	0.17	0.16	0.16
			± u				·		
70102640	TRAFFIC CONTROL AND PROTECTION, STANDARD 701801	L SUM	1	0.20	0.20	0.20	0.20		0.20
X0321743	SILICONE JOINT SEALER, 1"	FOOT	143		143				
X0323076	SILICONE JOINT SEALER, 1 3/4"	FOOT	186					53	133
X0321744	SILICONE JOINT SEALER, 2"	FOOT	306	183			123		
X0322933	SILICONE JOINT SEALER, 2 1/2"	FOOT	410			410			i de la companya de
X0323077	SILICONE JOINT SEALER, 2 3/4"	FOOT	128		75			53	
X0320887	POLYMER CONCRETE	CU FT	57.5	17.6		39.9			
X0322467	TEMPORARY INFORMATION SIGNING FOR LANE CLOSURE	SQ FT	288	48	48	48	48	48	48
Z0048665	RAILROAD PROTECTIVE LIABILITY INSURANCE	L SUM	,	0.33		0.34	0.33		


ILLINOIS DEPARTMENT OF TRANSPORTATION SUMMARY OF QUANTITIES















SECTION COUNTY FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT



TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS

NOTES:

A. FOR NO LANE RESTRICTION ON THE SIDE ROAD OR DRIVEWAYS

- 1. SIDE ROAD WITH A SPEED LIMIT OF 60 km/h (40 MPH) OR LESS AS SHOWN ON THE DRAWING AND AS DIRECTED BY THE ENGINEER:
- O) ONE ROAD CONSTRUCTION AHEAD SIGN 900×900 (36×36) WITH A FLASHER AND FLAG MOUNTED ON IT APPROXIMATELY 60 m (200') IN ADVANCE OF THE MAIN ROUTE.
- b) THE CLOSED PORTION OF THE MAIN ROUTE SHALL BE PROTECTED BY BLOCKING WITH TYPE I, TYPE II OR TYPE III BARRICADES, 1/3 OF THE CROSS SECTION OF THE CLOSED PORTION.
- 2. SIDE ROAD WITH A SPEED LIMIT GREATER THAN 60 km/h (40 MPH) AS SHOWN ON THE DRAWING AND AS DIRECTED BY THE ENGINEER:
- a) ONE ROAD CONSTRUCTION AHEAD SIGN 1.2 m x 1.2 m (48x48) WITH A FLASHER MOUNTED ON IT APPROXIMATELY 150 m (500') IN ADVANCE OF THE MAIN ROUTE.
- b) THE CLOSED PORTION OF THE MAIN ROUTE SHALL BE PROTECTED BY BLOCKING WITH TYPE III BARRICADES, 1/2 OF THE CROSS SECTION OF THE CLOSED PORTION.
- 3. WHEN THE SIDE ROAD LIES BETWEEN THE BEGINNING OF THE MAINLINE SIGNING AND THE WORK ZONE, A SINGLE HEADED ARROW (M6-1) SHALL BE USED IN LIEU OF THE DOUBLE HEADED ARROW (M6-4).

B. FOR A LANE CLOSURE ON A SIDE ROAD OR DRIVEWAY:

USE APPLICABLE PORTIONS OF THE TYPICAL APPLICATION OF TRAFFIC CONTROL DEVICES ISTD. 701501, STD. 701606 OR THE APPROPRIATE STANDARD). THE SPACING OF SIGNS AND BARRICADES SHALL BE ADJUSTED FOR FIELD CONDITIONS AS DIRECTED BY THE ENGINEER. THE DIRECTIONAL ARROW SHALL BE COVERED OR REMOVED WHEN NO LONGER CONSISTENT WITH THE SIDE ROAD LANE CLOSURE.

- C. ADVANCE WARNING SIGNS ARE TO BE OMITTED ON DRIVEWAY UNLESS OTHERWISE NOTED.
- D. THE TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS SHALL BE INCIDENTAL TO THE COST OF SPECIFIED TRAFFIC CONTROL STANDARDS OR ITEMS.

REVISIO	NS	
NAME	DATE	
LHA	6/89	т
T. RAMMACHER	09/08/94	1
J. OBERLE	10/18/95	
A. HOUSEH	03/06/96	
A. HOUSEH	10/15/96	
T. RAMMACHER	01/06/00	
		~~
		20

ILLINOIS DEPARTMENT OF TRANSPORTATION RAFFIC CONTROL AND PROTECTION

FOR SIDE ROADS, INTERSECTIONS, AND

DRIVEWAYS

SCALE: VERT. HORIZ. DATE 10/18/2002

DRAWN BY CHECKED BY

Friday Ograpar 18, 2002 @ 10:20:23 AU c:\projects\distatd\tc10.dgn LV=35.63 4USF8-

REVISION DATE:01/06/00