

. (Set2)\5-SND(89-L1+

	SHEET	1	F.A.I. RTE.	SECTION		COUNTY	TOTAL SHEETS	SHEET NO.
<u>SHEETS</u>	OF 3	Ţ	64	82-8B		ST. CLAIR STFED, AND	39	35
' <u>iption</u> os & Total Rill of Mat'i			LED. AVAL	/ DI21* MG	TELINOI		ACT NO.	

## <u>GENERAL NOTES</u>

Plan dimensions and details relative to existing structure have been taken from existing plans and are subject to nominal construction variations. It shall be the Contractor's responsibility to verify such dimensions and details in the field and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in the scope of the work, however, the Contractor will be paid for the quantity actually furnished at the unit price for the work.

Reinforcement bars shall conform to the requirements of AASHTO M 31 or M 322 Grade 60. Reinforcement bars designated (E) shall be epoxy coated.

All epoxy grouted bars shall have a minimum embedment as shown on the plans and shall be placed according to Section 584 of the Standard Specifications. Cost of hole drilling and epoxy grouting is included with "Reinforcement Bars, Epoxy Coated".

A Concrete Sealer shall be applied to the surfaces of the deck and parapets (See Special Provisions for BRIDGE DECK CONCRETE SEALER).

## TOTAL BILL OF MATERIAL

ITEM	UNİT	SUPER	SUB	TOTAL
Stone Riprap, Class A5	Sq Yd		292	292
Filter Fabric	Sq Yd		292	292
Joint or Crack Filling	Pound		313	313
Concrete Structures	Cu Yd		0.2	0.2
Reinforcement Bars, Epoxy Coated	Pound		40	40
Sllicone Joint Sealer, 2"	Foot	41		41
Concrete Sealer	Sq Yd	1122		112.2
Silicone Joint Sealer, 1 <sup>3</sup> 4"	Foot	41		41

<u>GENERAL PLAN</u> FAI 64 (EB) OVER LITTLE SILVER CREEK FAI ROUTE 64 SECTION 82-8B ST. CLAIR COUNTY STATION 1062+56 STRUCTURE NO. 082-0189