TRAFFIC SIGNAL LEGEND

ITEM	REMOVAL	EXISTING	PROPOSED	ITEM	REMOVAL	EXISTING	PROPOSED	ITEM	REMOVAL	EXISTING	PROPOSED
CONTROLLER CABINET	R			EMERGENCY VEHICLE LIGHT DETECTOR	$\stackrel{R}{\bowtie}$	\bowtie	. •	ELECTRIC CABLE IN CONDUIT, TRACER,			
RAILROAD CONTROL CABINET		R ✓R	R R	CONFIRMATION BEACON	R_{o-0}	0-0	⊢	NO. 14 1/C, UNLESS NOTED OTHERWISE			
COMMUNICATIONS CABINET	C C R	E C C	CC	HANDIO 5	R N	· .		COAXIAL CABLE		— <u>C</u>	— <u>©</u> —
MASTER CONTROLLER	٠	EMC	MC	HANDHOLE							
MASTER MASTER CONTROLLER		EMMC	MMC	HEAVY DUTY HANDHOLE	R	H	H	VENDOR CABLE FOR CAMERA			
UNINTERRUPTIBLE POWER SUPPLY	R UPS	EUPS	UPS	DOUBLE HANDHOLE	R			COPPER INTERCONNECT CABLE, NO. 18 3 PAIR TWISTED, SHIELDED		_6_	-6-
SERVICE INSTALLATION, (P) POLE OR (G) GROUND MOUNT	-□ ^R	- P	- ■P	JUNCTION BOX	R		0	FIBER OPTIC CABLE		- 12F - 1	
TELEPHONE CONNECTION (P) POLE OR (G) GROUND MOUNT	R. T	P	P T	GALVANIZED STEEL CONDUIT IN TRENCH (T) OR PUSHED (P)		September (1900) tender september (1900) tender (1900)	<u> </u>	NO. 62.5/125, MM12F FIBER OPTIC CABLE	**************************************	— <u>(24F)</u> —	—24F)—
STEEL MAST ARM ASSEMBLY AND POLE	R			TEMPORARY SPAN WIRE, TETHER WIRE, AND CABLE	<u>R</u>			NO. 62.5/125, MM12F SM12F			(-1)
ALUMINUM MAST ARM ASSEMBLY AND POLE	R	0		COMMON TRENCH			СТ	FIBER OPTIC CABLE NO. 62.5/125, (NUMBER OF FIBERS & TYPE TO BE			-
STEEL COMBINATION MAST ARM	R	0 X	•	COILABLE NONMETALLIC CONDUIT (EMPTY)			CNC	NOTED ON PLANS)			
ASSEMBLY AND POLE WITH LUMINAIRE	"o-≭——	O}X	• × —	SYSTEM ITEM		S	S	GROUND ROD AT (C) CONTROLLER,		C □ —∘	^C ı⊩•
STEEL COMBINATION MAST ARM ASSEMBLY AND POLE WITH PTZ CAMERA	R PTZN	PIZI	PTZ	INTERSECTION ITEM		I	IP	(H) HANDHOLE, (P) POST, (M) MAST ARM, OR (S) SERVICE		11	*
SIGNAL POST	_	0	•	REMOVE ITEM	R			CONTROLLER CABINET AND	RCF		
TEMPORARY WOOD POLE (CLASS 5 OR	R O R	⊗	©	RELOCATE ITEM	RL ,			FOUNDATION TO BE REMOVED			
BETTER) 45 FOOT (13.7m) MINIMUM	R⊗		. •	ABANDON ITEM	Α			STEEL MAST ARM POLE AND	ORMF		
GUY WIRE	>R	>	>	12" (300mm) TRAFFIC SIGNAL SECTION		R	R	FOUNDATION TO BE REMOVED			
SIGNAL HEAD	R →			13// (700mm) PED WITH 0// (222		R		ALUMINUM MAST ARM POLE AND FOUNDATION TO BE REMOVED	RMF		
SIGNAL HEAD CONSTRUCTION STAGES (NUMBERS INDICATE THE CONSTRUCTION ST	AGE)		2	12" (300mm) RED WITH 8" (200mm) YELLOW AND GREEN TRAFFIC SIGNAL FACE				STEEL COMBINATION MAST ARM ASSEMBLY AND POLE WITH LUMINAIRE AND	RMF		
SIGNAL HEAD WITH BACKPLATE	+CR	+1>	+-			(R)	R	FOUNDATION TO BE REMOVED			
SIGNAL HEAD OPTICALLY PROGRAMMED		— □ >′′p′′	→ "P"	SIGNAL FACE			G ◆Y	SIGNAL POST AND FOUNDATION TO BE REMOVED	RMF		
FLASHER INSTALLATION (S DENOTES SOLAR POWER)	R ○-{>''F''	O-1⊃″F″	• - "F"			€ 6	∢ G	INTERSECTION & SAMPLING (SYSTEM) DETECTOR		[Is]	IS
PEDESTRIAN SIGNAL HEAD	R -	-0	4			R	R	SAMPLING (SYSTEM) DETECTOR		[s]	S
PEDESTRIAN PUSHBUTTON DETECTOR	R (6)	(a)	©	SIGNAL FACE WITH BACKPLATE. "P" INDICATES PROGRAMMED HEAD			G	EXISTING INTERSECTION LOOP DETECTOR PROPOSED INTERSECTION AND SAMPLING (SYSTEM) DETECT	OR.	FI	
ACCESSIBLE PEDESTRIAN PUSHBUTTON DETE	CCTOR @APS	⊚APS				(*)	♣Υ ♣G	EXISTING PREFORMED INTERSECTION LOOP DETECTOR		ŢPPĮ	
ILLUMINATED SIGN "NO LEFT TURN"	R		9				"P"	PROPOSED INTERSECTION AND SAMPLING (SYSTEM) DETECT	OR	1111	
				12" (300mm) PEDESTRIAN SIGNAL HEAD WALK/DON'T WALK SYMBOL		OW (W)		PREFORMED INTERSECTION AND SAMPLING (SYSTEM) DETECTOR		PIS	PIS
ILLUMINATED SIGN "NO RIGHT TURN"	R			12" (300mm) PEDESTRIAN SIGNAL HEAD INTERNATIONAL SYMBOL, OUTLINED				PREFORMED SAMPLING (SYSTEM) DETECTOR		[PS]	PS
DETECTOR LOOP, TYPE I		L age was									
PREFORMED DETECTOR LOOP		P	Р	12" (300mm) PEDESTRIAN SIGNAL HEAD INTERNATIONAL SYMBOL, SOLID			*	RAILROAD	SYMBO	OLS	
MICROWAVE VEHICLE SENSOR	R [M]]	MI	M	PEDESTRIAN SIGNAL HEAD, INTERNATIONAL SYMBOL, WITH COUNTDOWN TIMER			₽ C * D			EXISTING	PROPOSED
VIDEO DETECTION CAMERA	R [V]□	₩	(RADIO INTERCONNECT			 	RAILROAD CONTROL CABINET		R S	▶-€
VIDEO DETECTION ZONE				RADIO REPEATER	R ERR	ERR	RR	RAILROAD CANTILEVER MAST ARM		X OX X X	XXXX
PAN, TILT, ZOOM CAMERA	R PTZ11	PīZ)	<u> </u>	DENOTES NUMBER OF CONDUCTORS, ELECTRIC				FLASHING SIGNAL		Zo Z	X O X
WIRELESS DETECTOR SENSOR	RW		(W)	CABLE NO. 14, UNLESS NOTED OTHERWISE, ALL DETECTOR LOOP CABLE TO BE SHIELDED				CROSSING GATE		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	XOX-
WIRELESS ACCESS POINT	R			GROUND CABLE IN CONDUIT NO. 6 SOLID COPPER (GREEN)		1		CROSSBUCK		≥	*
FILE NAME = USER NAME = kel	lers D	ESIGNED - DAG/BCK	REVISED -			<u> </u>			F.A.P. RTE.	SECTION	COUNTY TOTAL SHEE
c:\pw_work\pwidot\kellers\dØ156262\DistSid.dgn	. D	DRAWN - BCK			OF ILLINOIS OF TRANSPORTATION			DISTRICT ONE STANDARD TRAFFIC SIGNAL DESIGN DETAILS	RTE. 338	7 HB-K-N	COOK 82 58
PLOT SCALE = 50. PLOT DATE = 2/3	**************************************	HECKED - DAD ATE - 10-28-09	REVISED -	DEPARTMENT	UF TRANSPO	JKIATION	SCALE: NO		FFD. POA	TS-05 AD DIST. NO. 1 ILLINOIS FE	CONTRACT NO. 60K62