



When cantilever forming brackets are used, the work shall be done according to Article 503.06(b) of the Standard Specifications, except as modified below and in the details shown on this sheet.
 The finishing machine rails shall be placed on the top flange of the exterior beams.
 The beams or girders, supporting cantilever forming brackets, shall be tied together at 4 foot intervals.
 For Standard construction, or Stage Construction the Hardwood bracing materials shall be placed as shown between webs of beams in each bay.



**FORM BRACES FOR
STAGE CONSTRUCTION**



**FORM BRACES FOR
STANDARD CONSTRUCTION**

FILE NAME = M:\755-010 B11111r Phase II\CADD_Sheets\Structural\755-010_SHT-22_S - CANTILEVER FORMING.dgn

SB-1

7-1-10

Bollinger, Lach & Associates, Inc. <small>ITASCA, ILLINOIS</small>	USER NAME = gonzalo	DESIGNED - SRT	REVISED -	McHENRY COUNTY DIVISION OF TRANSPORTATION BLIVIN STREET OVER NIPPERSINK CREEK	CANTILEVER FORMING BRACKETS FOR SUPERSTRUCTURES WITH W27 BEAMS AND SMALLER STRUCTURE NO. 056-3191	F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	PLOT SCALE =	CHECKED - JJI	REVISED -			08-00355-00-BR	MCHENRY	69	47	
	PLOT DATE = 3/25/2011	DRAWN - GM	REVISED -			CONTRACT NO. 63583		ILLINOIS FED. AID PROJECT		
		CHECKED - JJI	REVISED -		SCALE:	SHEET NO. 22 OF 28 SHEETS	STA.	TO STA.		