GENERAL NOTES:

Reinforcement bars shall conform to the requirements of ASTM A 706 $\,$ Gr 60. See Special Provisions.

Reinforcement bars designated (E) shall be epoxy coated.

Plan dimensions and details relative to existing plans are subject to nominal construction variations. The Contractor shall field verify existing dimensions and details affecting new construction and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in scope of the work, however, the Contractor will be paid for the quantity actually furnished at the unit price bid for the work.

Layout of Slope Protection System may be varied to suit ground conditions in field as directed by the Engineer. Incidental excavation / shaping required to place Stone Riprap shall be in accordance with the applicable portions of Sections 202 and 203 of the Standard Specifications. The cost for this work shall be included in Stone Riprap, Class A5.


The Contractor shall make allowance for the deflection of forms, shrinkage and settlement of falsework, in addition to allowance for dead load deflection. Forms for deck slab shall be removed prior to placement of bridge approach pavement.

TOTAL BILL OF MATERIAL

ITEM	UNIT	SUPER	SUB	TOTAL
Stone Riprap, Class A5	Sq. Yd.		495	495
Filter Fabric	Sg. Yd.		495	495
Removal of Existing Superstructures	Each	1		1
Concrete Superstructure	Cu. Yd.	240.4		240.4
Bridge Deck Grooving	Sq. Yd.	317		317
Protective Coat	Sq. Yd.	459		459
Reinforcement Bars, Epoxy Coated	Pound	48,590		48,590
Parapet Railing	Foot	113		113
Name Plates	Each	1		1
Elastomeric Bearing Assembly, Type I	Each	24		24
Epoxy Crack Injection	Foot		221	221
Porous Granular Embankment, Special	Cu. Yd.		<i>15.8</i>	15.8
Parapet Railing, Special	Foot	59		59
Structural Repair of Concrete (Depth Less than or Equal to 5")	Sq. Ft.		170	170
Silicone Joint Sealer, 1"	Foot	155		155

INDEX OF SHEETS

- S-1 General Plan and Elevation
- S-2 General Notes and Total Bill of Materials
- S-3 Top of Slab Elevations
 S-4 Superstructure Plan
- S-5 Cross Section and Superstructure Details
- S-6 Superstructure Details
- S-7 Bearing and Expansion Joint Details
- S-8 Railing Details
- S-9 South Abutment Details
- S-10 North Abutment Details
- S-11 Pier Details



Prop. PCC Sidewalk, 5")

Class A5

SECTION A-A

98	ğ	S	
ILE NAME:	2 OT DRIVER:	EN TABLE:	HRO

HRGreen.com
Illinois Professional Design Firm
184-001322

Filter fabric -

USER NAME = Korft	DESIGNED	-	KMA	REVISED	-
	CHECKED	-	RGD	REVISED	*
PLOT SCALE = N.T.S.	DRAWN	-	WJH	REVISED	1
PLOT DATE = 3/31/2011	CHECKED	-	3/31/11	REVISED	-

GENERAL	NOTES	AND	TOTA	L BILL	OF MATE	RIALS
FAIR	VIEW	BOULI	EVARD	- S.N	l. 101–606	0
	SHEET	NO. 9	5-2 OF	S-11 SHE	ETS	

F.A. RTÉ.	SECTION SECTION	COUNTY	TOTAL SHEETS	SHEET NO.				
5141	10-00573-00-BR	WINNEBAGO	20	10				
		CONTRACT	NO. 8	5540				
	ILLINOIS FED. AID PROJECT							