

EARTHWORK SCHEDULE

LOCATION	EARTH EXCAVATION		REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL	EARTH EXCAVATION ADJUSTED FOR SHRINKAGE (25%)		EMBANKMENT	EARTHWORK BALANCE WASTE (+) OR SHORTAGE (-)		FURNISHED EXCAVATION
	CU YD	CU YD	CU YD	CU YD	CU YD	CU YD	CU YD	CU YD	CU YD
SECTION NO. 08-00059-01-PV STATION 978+71.62 TO 998+50									
MILBURN SCHOOL ROAD									
STA. 978+71.62 TO 982+25.00 C	676		296	507		98	409		0
STA. 982+25.00 TO 985+55.00 C	903		198	677		168	509		0
STA. 985+55.00 TO 998+50.00 C	1,656		888	1,242		308	934		0
MILBURN ESTATES DRIVE									
STA. 983+03.21 RT. TO 11+29.03 C	25		64	19		14	5		0
MERRIAM PARKWAY									
STA. 983+15.35 LT. TO 13+53.30 C	86		75	65		0	65		0
SECTION NO. 06-00059-00-PV STATION 998+50 TO 1032+57.37									
MILBURN SCHOOL ROAD									
STA. 998+50.00 TO 1003+30.00 C	236		339	177		720	-543		0
STA. 1003+30.00 TO 1008+59.84 C	260		360	195		669	-474		0
STA. 1009+54.06 TO 1026+00.00 C	1,216		840	912		2,151	-1,239		334
STA. 1026+00.00 TO 1032+55.59 LT.	128		427	96		1,605	-1,509		1,843
SUBTOTAL STA. 978+71.62 TO 998+50	3,346		1,521	2,510		588	1,922		0
SUBTOTAL STA. 998+50 TO 1032+57.37	1,840		1,966	1,380		5,145	-3,765		1,843
TOTAL	5,186		3,487	3,890		5,733	-1,843		1,843

SIGN SCHEDULE

LOCATION	LT/RT	PROPOSED OFFSET (FOOT)	SIGN PANEL - TYPE 1 (SQ. FT.)	SIGN PANEL - TYPE 2 (SQ. FT.)	METAL POST - TYPE A (FOOT)	METAL POST - TYPE B (FOOT)	WOOD SIGN SUPPORT (FOOT)	TELESCOPING STEEL SIGN SUPPORT (FOOT)	BASE FOR TELESCOPING STEEL SIGN SUPPORT (EACH)	DESCRIPTION
SECTION NO. 08-00059-01-PV STATION 978+71.62 TO 998+50										
MILBURN ESTATES DRIVE										
STA 9+12	RT	22.50	6.25/2.25			13.5				W2-6 (3030)/W13-1 (1818)
STA 10+62	RT	22.50	6.25			13.5				W3-2 (3030)
STA 11+36	LT	1.00	5.00				9	1		R4-7 (2430)
STA 11+40	RT	23.00	6.25/2.00			13.5				W11-2 (3030)/W16-7P (2412)
STA 11+57	LT	34.00	6.25/2.00			13.5				W11-2 (3030)/W16-7P (2412)
STA 11+59	RT	33.00	6.25/3.13			13.5				R5-1 (3030)/R1-2 (3030)
STA 11+66	LT/RT	0.00	5.25				9	1		D1-1d (4218)
MERRIAM PARKWAY										
STA 12+98	LT/RT	0.00	5.25				9	1		D1-1d (4218)
STA 13+08	LT	34.00	6.25/3.13			13.5				R5-1 (3030)/R1-2 (3030)
STA 13+21	RT	33.00	6.25/2.00			13.5				W11-2 (3030)/W16-7P (2412)
STA 13+35.50	LT	23.00	6.25/2.00			13.5				W11-2 (3030)/W16-7P (2412)
STA 14+54	LT	23.00	5.00				9	1		R4-7 (2430)
STA 14+54	LT	23.00	6.25			13.5				W3-2 (3030)
STA 16+04	LT	23.00	6.25/2.25			13.5				W2-6 (3030)/W13-1 (1818)
MILBURN SCHOOL ROAD										
STA 973+92.00	RT	23.50	6.25/2.25			13.5				W2-6 (3030)/W13-1 (1818)
STA 976+92.00	RT	23.00		16.00						D1-5
STA 979+92.00	RT	23.00	6.25			13.5				W3-2 (3030)
STA 982+62.00	RT	23.50	6.25/2.00			13.5				W11-2 (3030)/W16-7P (2412)
STA 982+62.50	LT	1.00	5.00				9	1		R4-7 (2430)
STA 982+92.00	RT	36.00	6.25/3.13			13.5				R5-1 (3030)/R1-2 (3030)
STA 983+01.75	LT/RT	0.00	5.25				9	1		D1-1d (4218)
STA 983+51.20	RT	7.20	3.00		12					R6-1R (3612)
STA 983+60.20	LT	16.30	3.00		12					R6-1R (3612)
STA 983+72.50	RT	17.20	3.00		12					R6-1R (3612)
STA 983+83.00	LT	9.20	3.00		12					R6-1R (3612)
STA 984+33.50	LT/RT	0.00	5.25				9	1		D1-1d (4218)
STA 984+41.00	LT	35.50	6.25/3.13			13.5				R5-1 (3030)/R1-2 (3030)
STA 984+55.00	RT	32.50	6.25/2.00			13.5				W11-2 (3030)/W16-7P (2412)
STA 984+64.00	RT	1.00	5.00				9	1		R4-7 (2430)
STA 984+69.00	LT	29.00	6.25/2.00			13.5				W11-2 (3030)/W16-7P (2412)
STA 987+41.00	LT	29.50	6.25			13.5				W3-2 (3030)
STA 987+41.00	RT	28.00	6.00		14.0					R3-9b (2436)
STA 990+41.00	LT	29.50		16.00						D1-5
STA 990+41.00	RT	28.00	7.50			13.5				R2-1 (2430) 35 MPH
STA 993+41.00	LT	29.50	6.25/2.25			13.5				W2-6 (3030)/W13-1 (1818)
SECTION NO. 06-00059-00-PV STATION 998+50 TO 1032+57.37										
STA 1000+00.00	LT	29.50	7.50			13.5				R2-1 (2430) 35 MPH
STA 1000+00.00	RT	24.00	7.25			13.5				W2-2 (3030)/W17-1100 (2406)
STA 1001+00.00	LT	29.50	6.00			14.0				R3-9b (2436)
STA 1004+25.00	RT	23.50	7.25			13.5				R2-1 (2430) 35 MPH
STA 1007+00.00	LT	18.00	7.25			13.5				W2-2 (3030)/W17-1100 (2406)
STA 1021+00.00	RT	23.50	6.00			14.0				R3-9b (2436)
STA 1026+75.00	RT	23.50	6.25			14.0				W3-1 (3030)
STA 1029+00.00	LT	29.00	7.50			13.5				R2-1 (2430) 35 MPH
STA 1029+00.00	RT	23.50	7.50			13.5				R2-1 (2430) 35 MPH
STA 1030+00.00	LT	29.00	6.00			14.0				R3-9b (2436)
SUBTOTAL STA. 978+71.62 TO 998+50		221	32	48	284	30	72	8		
SUBTOTAL STA. 998+50 TO 1032+57.37		69	0	0	137	0	0	0		
TOTAL		290	32	48	421	30	72	8		

F.A.U. ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NUMBER
9148	06-00059-00-PV 08-00059-01-PV	ST. CLAIR	61	11
STA 978+71.62 TO STA. 1032+57.37				
FEDERAL AID PROJECT			CONTRACT 97447	

RIP RAP SCHEDULE

SECTION NO.	STATION	LENGTH (FOOT)	WIDTH (FOOT)			DEPTH (FOOT)	STONE DUMPED RIPRAP CLASS A4 (SQ YD)	FILTER FABRIC FOR USE WITH RIP RAP (SQ YD)	AGGREGATE BEDDING (TON)
			A	B	C				
SECTION NO. 08-00059-01-PV STATION 978+71.62 TO 998+50									
SECTION NO. 06-00059-00-PV STATION 998+50 TO 1032+57.37									
STA. 1008+45.62 TO 1008+85.01 LT		38	--	6	--	1.83	26.6	26.6	9.3
STA. 1008+66.21 TO 1008+94.81 RT		29	--	6.5	--	1.83	18.0	18.0	6.3
STA. 1009+40.98 TO 1009+62.52 RT		52	2	5	5.5	1.83	72.1	72.1	25.2
STA. 1013+93.15 TO 1014+04.65 LT		10	1	3	1	1.83	4.8	4.8	1.7
STA. 1028+53.78 TO 1028+72.04 RT		16	--	6	3	1.83	14.5	14.5	5.1
SUBTOTAL STA. 978+71.62 TO 998+50							0	0	0
SUBTOTAL STA. 998+50 TO 1032+57.37							136	136	48
TOTAL							136	136	48

NOTE: AGGREGATE BEDDING QUANTITY PROVIDED FOR INFORMATION ONLY.
PLEASE REFER TO MISCELLANEOUS DETAIL SHEET #44 FOR APPLICATION OF DIMENSIONS.

PROTECTIVE COAT SCHEDULE

LOCATION	PROTECTIVE COAT AREA (SQ YD)
SECTION NO. 08-00059-01-PV STATION 978+71.62 TO 998+50	
COMBINATION CURB AND GUTTER, B-6.24	1,186
COMBINATION CURB AND GUTTER, B-9.12	27
COMBINATION CURB AND GUTTER, M-2.12	43
COMBINATION CURB AND GUTTER, M-6.24	0
DRIVEWAY PAVEMENT	143
PCC SIDEWALK, 4"	1,218
PCC MEDIAN	439
PCC PAVEMENT, 7"	352
SECTION NO. 06-00059-00-PV STATION 998+50 TO 1032+57.37	
COMBINATION CURB AND GUTTER, B-6.24	1,933
COMBINATION CURB AND GUTTER, M-6.24	0
DRIVEWAY PAVEMENT	175
PCC SIDEWALK, 4"	707
PCC PAVEMENT, 8"	122
SUBTOTAL STA. 978+71.62 TO 998+50	3,408
SUBTOTAL STA. 998+50 TO 1032+57.37	2,937
TOTAL	6,345

MEDIAN SCHEDULE

LOCATION	CONCRETE MEDIAN TYPE SB-6.12 (SQ FT)	PORTLAND CEMENT CONCRETE CORRUGATED MEDIAN (SQ FT)
SECTION NO. 08-00059-01-PV STATION 978+71.62 TO 998+50		
MILBURN SCHOOL ROAD		
STA. 981+02.94 TO 982+64.94		1,297
STA. 982+64.94 TO 983+07.50	480	
STA. 984+27.50 TO 984+70.06	484	
STA. 984+70.06 TO 985+52.50		660
MERRIAM PARKWAY		
STA. 12+92.62 TO 13+45.59	550	
MILBURN ESTATES DRIVE		
STA. 11+29.04 TO 11+72.62	480	
SECTION NO. 06-00059-00-PV STATION 998+50 TO 1032+57.37		
SUBTOTAL STA. 978+71.62 TO 998+50	1,994	1,957
SUBTOTAL STA. 998+50 TO 1032+57.37	0	0
TOTAL	1,994	1,957