
LANDSCAPE INSTALLATION GENERAL NOTES:

- VERIFICATION OF DIMENSIONS AND GRADES, BOTH EXISTING AND PROPOSED, SHALL BE THE CONTRACTOR'S RESPONSIBILITY PRIOR TO COMMENCEMENT OF WORK. THE CONTRACTOR SHALL NOTIFY THE DISTRICT ROADSIDE MANAGEMENT SPECIALIST, 618-346-3198 OF ANY DISCREPANCIES.
- 2. ALL SURFACE DRAINAGE SHALL BE DIRECTED AWAY FROM BUILDINGS. SURFACE DRAINAGE SHALL BE DIRECTED TO EXISTING DRAINAGE STRUCTURES DESIGNATED FOR THE COLLECTION OF SURFACE RUN-OFF.
- 3. CONTRACTOR SHALL REPAIR IN KIND ANY AREAS DAMAGED AS A RESULT OF LANDSCAPE OPERATIONS AT NO ADDITIONAL COST TO THE CONTRACT.
- 4. ALL SODDING, SALT TOLERANT AREAS SHALL HAVE FERTILIZER APPLIED AT A 1:1:1 RATIO AS FOLLOWS:

 NITROGEN FERTILIZER NUTRIENT 60 LBS/ACRE
 PHOSPHORUS FERTILIZER NUTRIENT 60 LBS/ACRE
 POTASSIUM FERTILIZER NUTRIENT 60 LBS/ACRE
- 5. ALL SEEDING (SPECIAL) AREAS SHALL HAVE FERTILIZER APPLIED AS FOLLOWS:
 NITROGEN FERTILIZER NUTRIENT 50 LBS/ACRE
 PHOSPHORUS FERTILIZER NUTRIENT 100 LBS/ACRE
 POTASSIUM FERTILIZER NUTRIENT 100 LBS/ACRE
 AGRICULTURAL GROUND LIMESTONE 2 TONS/ACRE
- 6. ALL SEEDING, CLASS 4A AREAS SHALL NOT REQUIRE FERTILIZER NUTRIENTS.
- 7. EROSION CONTROL BLANKET SHALL BE APPLIED TO ALL SEEDED AREAS.
- 8. SUPPLEMENTAL WATERING SHALL BE APPLIED AT THE DIRECTION OF THE ENGINEER AT A RATE OF 3 GAL/SO YD, OR AT THE RATE DIRECTED BY THE ENGINEER.
- THE SEEDING AND SODDING SHOWN IN THESE PLANS SHALL SUPERSEDE THE PERMANENT CONFLICTING SEEDING SHOWN IN CONTRACT 76C55 IN THE VICINITY OF THE DETENTION BASIN.
- 10. THE CONTRACTOR SHALL COORDINATE THE LANDSCAPING PLANTING SCHEDULE WITH CONTRACT 76C51, 76C52 AND 76C76 TO ENSURE THAT THE EMBANKMENT GRADES ARE FINALIZED AT THE LIMITS OF BOTH CONTRACTS AND THAT THE PROPOSED LANDSCAPING IMPROVEMENTS CAN BE CONSTRUCTED WITHOUT CONFLICT.
- 11. THE CONTRACTOR SHALL COORDINATE THE LANDSCAPING PLANTING SCHEDULE WITH CONTRACT 76C54 TO ENSURE THAT THE PROPOSED LIGHTING AND CONDUITS ARE FINALIZED IN THE AREAS OF THE PROPOSED LANDSCAPING, AND THAT THE LANDSCAPING IMPROVEMENTS CAN BE CONSTRUCTED WITHOUT CONFLICT.
- 12. SELECTIVE MOWING STAKES SHALL BE INSTALLED ALONG THE BORDER BETWEEN THE SEEDING (SPECIAL) AND ALL OTHER TYPES OF SEEDING. THE SELECTIVE MOWING STAKES SHALL BE INSTALLED EVERY 200' FOR LONG & FAIRLY STRAIGHT RUNS, AND EVERY 25' FOR TIGHT CURVES.
- 13. CONTRACTOR SHALL CONTACT DAVID WALKER IDOT ELECTRICAL SERVICES SUPERVISOR AT 618.346.3274 PRIOR TO CONSTRUCTION TO SCHEDULE A WALK THROUGH OF THE SITE TO IDENTIFY ALL DEEP WELLS AND I.T.S. EQUIPMENT.



SHEET LAYOUT

FILE NAME :

TENG TENG & ASSOCIATES, INC. ENGINEERS/ARCHITECTS/PL CHICAGO, ILLINOIS

 USER NAME
 = \$USER\$
 DESIGNED
 JM
 REVISED

 DRAWN
 JB
 REVISED

 PLOT SCALE
 = \$SCALE\$
 CHECKED
 ACL
 REVISED

 PLOT DATE
 = \$DATE
 03/23/12
 REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

PROPOSED LANDSCAPING PLANS - GENERAL NOTES

SCALE: N/A SHEET NO. 1 OF 8 SHEETS STA. TO STA.

RI-76C51-LAYOUT1.DGN, "\D8TRI-76C51-DESIGN.DGN, "\D8TRI-35-80RDERI.DGN, "\D8TRI-