



## PLAN VIEW

## NOTES:

- EXPANSION JOINTS SHALL BE CONSTRUCTED AS SHOWN ON THE DETAILS FOR P.C.C. SIDEWALK.
- 2. THE CURB BETWEEN ADJACENT DRIVEWAYS SHALL BE FULL HEIGHT FOR A DISTANCE OF AT LEAST FOUR 4 FEET (1.2 METERS)
- 3. P.C. CONCRETE DRIVEWAYS SHALL BE CONSTRUCTED AT LOCATIONS SHOWN ON THE PLANS OR AS DIRECTED BY THE ENGINEER.
- 4. 34" (20) PREFORMED EXPANSION JOINTS WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE CONSIDERED
- INCIDENTAL TO P.C.C. DRIVEWAY PAVEMENT 8" (200), 5, COMBINATION CONC. CURB AND GUTTER SHALL BE MEASURED STRAIGHT ACROSS THE DRIVEWAY. NO ADDITIONAL COMPENSATION WILL BE ALLOWED FOR THE TRANSITION CURB AND GUTTER.





## P.C.C. DRIVEWAY PAVEMENT DETAIL

## ADJACENT BUILDING, RETAINING WALL OR OTHER STRUCTURE PRIVATE - R.O.W. KEYSTONE DRIVEWAY SOD-1317 - SIDEWALK APRON RAMP SIDEWALK TO MEET CURB TRAFFIC SIGNAL TROLLEY POWER FIRE HYDRANT PLATFORM TO BE 3'-0" (0.9 m) SOUARE OR OF CONCRETE STRUCTURE. FIRE HYDRANT PLATFORM TO BE 3'-0" (0.9 m) SOUARE OR AS DIRECTED BY THE ENGINEER. -DEPRESSED CURB THE PROPOSED CARRIAGE WALK SHALL BE CONSTRUCTED THE SAME WIDTH AND LENGTH AS THE EXISTING CARRIAGE WALK AND PAID FOR AS PORTLAND CEMENT DEPRESSED CURB CONCRETE SIDEWALK, 5-INCHES (125). - PAVEMENT ------ PAVEMENT -

# SIDEWALK Y." (20) 1" (25) PREFORMED EXPANSION


JOINT FILLER


SLOPE FOR SIDEWALK 1" (25) IN 3'-0" (0.9 m) IN CHICAGO


### NOTES:

- ONE-HALF INCH THICK EXPANSION JOINTS SHALL BE PLACED BETWEEN THE SIDEWALK AND ALL STRUCTURES SUCH AS LIGHT STANDARDS, TRAFFIC LIGHT STANDARDS, MANHOLES, WHICH EXTEND THROUGH THE SIDEWALK.
- 2. ¾" (20) THICK EXPANSION JOINTS SHALL BE PLACED AT INTERVALS OF NOT MORE THAN 100 FEET (30 METERS) IN THE SIDEWALK. WHERE THE SIDEWALK IS CONSTRUCTED ADJACENT-TO PAVEMENT OR CURB HAVING EXPANSION JOINTS. THE EXPANSION JOINTS IN THE SIDEWALK SHALL BE PLACED OPPOSITE THE EXISTING EXPANSION JOINTS AS NEARLY AS PRACTICABLE. EXPANSION JOINTS SHALL ALSO BE PLACED WHERE THE SIDEWALK ABUTS EXISTING SIDEWALKS. BETWEEN DRIVEWAY PAVEMENT AND SIDEWALK, AND BETWEEN SIDEWALK ABUTS A CURB.

# PORTLAND CEMENT CONCRETE SIDEWALK DETAILS







# ALLEY RETURN DETAIL

ALL DIMENSIONS ARE IN INCHES (MILLIMETERS) UNLESS OTHERWISE SHOWN

FILE NAME .	USER NAME = gaglianobi	DESIGNED - M, DE YONG	REVISEO -	<del></del>		CITY OF CHICAGO		F.A. SECTION	COUNTY TOTAL SHEET
Y:\distatd\22x34\bdl7;dgn		DRAWN -	REVISED -	STATE OF ILLINOIS	DETAILS FOR P.C. CONCRETE DRIVEWAY, ALLEY RETURN AND SIDEWALK		AND CINCHAIN	315.	747 586A
	PLOT SCALE = 50,0000 '/ IN.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION				BD400-03 (BD-17)	CONTRACT NO. 60W28
<u> </u>	PLOT GATE = 1/4/2688	DATE - 06-13-90	REVISED -		SCALE: NONE	SHEET NO.   OF   SHEETS STA.	TO STA.	FEO. ROAD DIST. NO. 1 ILLINOIS F	D. AID PROJECT