

INDEX OF SHEETS

- 1 COVER SHEET
- 2 INDEX OF SHEETS & HIGHWAY STANDARDS
- 2 GENERAL NOTES
- 3 SUMMARY OF QUANTITIES
- 4 SCHEDULE OF QUANTITIES
- 5 LOCATION MAP HENRY COUNTY
- 6 LOCATION MAP ROCK ISLAND COUNTY
- 7 LOCATION MAP WHITESIDE COUNTY
- 8 SEALING DETAIL
- 9-12 WORK ZONE SIGN DETAILS (DIST STD 34.1)
- 13-16 TRAFFIC CONTROL FOR TRANSITION AREAS (DIST STD 38.1)
 - 17 TRAFFIC CONTROL AND PROTECTION AT TURN BAYS (TO REMAIN OPEN TO TRAFFIC) (DIST STD 94.2)

HIGHWAY STANDARDS

701006-05	OFF	ROAD	OPERATIONS,	2L,	2W, 15	5' TO	24''	FROM	PAV	/EMENT	EDO	βE
701101-05	OFF	ROAD	OPERATIONS.	MUI	TII ANF	. 15	′ TO	24" F	ROM	PAVFM	FNT	FDGF

701201-05 LANE CLOSURE, 2L, 2W, DAY ONLY, FOR SPEEDS 2 TO 45 MPH

701400-10 APPROACH TO LANE CLOSURE, FREEWAY/EXPRESSWAY

701406-12 LANE CLOSURE, FREEWAY/EXPRESSWAY, DAY OPERATIONS ONLY

701426-09 LANE CLOSURE, MULTILANE, INTERMITTENT OR MOVING OPERA., FOR SPEEDS > 45 MPH

701501-06 URBAN LANE CLOSURE, 2L, 2W, UNDIVIDED

701601-09 URBAN LANE CLOSURE, MULTILANE, 1W OR 2W WITH NONTRAVERSABLE MEDIAN

701606-10 URBAN SINGLE LANE CLOSURE, MULTILANE, 2W WITH MOUNTABLE MEDIAN

701701-10 URBAN LANE CLOSURE, MULTILANE INTERSECTION

701801-06 SIDEWALK, CORNER OR CROSSWALK CLOSURE

701901-08 TRAFFIC CONTROL DEVICES

GENERAL NOTES

THE CONCRETE SEALER SHALL BE APPLIED TO THE ENTIRE TOP SURFACE OF THE DECK, INCLUDING THE INSIDE FACES AND TOPS OF PARAPETS.

WATER BASED CONCRETE SEALERS WILL NOT BE ALLOWED.

WORK ON THIS PROJECT MAY POTENTIALLY CONFLICT WITH WORK ON OTHER CONTRACTS IN THE AREA. THE CONTRACTOR SHOULD BE PREPARED TO PLAN FOR POTENTIAL DELAYS AND COOPERATE WITH CONTRACTORS ON THE OTHER PROJECTS.

NO STREAM PERMITS HAVE BEEN PROCURED FOR THIS PROJECT. NONE ARE REQUIRED FROM THE REGULATORY AGENCIES AS LONG AS THERE IS NO DEBRIS FALLING OR BEING PLACED INTO THE STREAM. ANY TEMPORARY FILL IN THE STREAM OR THE COMPROMISING DIKE (IF APPLICABLE) WILL NOT BE ALLOWED. IF THE CONTRACTOR CHOOSES TO USE ALTERNATE/MODIFIED CONSTRUCTION METHOD(S) FROM THE AFOREMENTIONED, THEY WILL BE RESPONSIBLE FOR OBTAINING THE PROPER PERMITS. NO RELIEF OR COMPENSATION WILL BE GIVEN FOR ANY DELAYS. WORKING DAYS CHARGED, OR CALENDAR DAYS EXPIRED AS A RESULT OF THE LOSS OF TIME OR DELAY DURING THE RE-SUBMITTAL PROCESS TO PROCURE THE NECESSARY PERMIT(S) DUE TO THE CONTRACTOR CHOOSING ALTERNATE/MODIFIED CONSTRUCTION METHOD(S). ABSOLUTELY NO CONSTRUCTION ACTIVITIES WILL TAKE PLACE WITHOUT THE PROPER PERMITS BEING SECURED.

USER NAME = dossdd	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = 40,0000 / in.	CHECKED -	REVISED -
PLOT DATE = Apr-15-2021 10:06:00 AM	DATE	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

INDEX OF	SHEETS	HIGHWAY	STANI	ΔRDS	e.	GENERAL NOTES	RTI
INDEX OF	OHLLIO,		O I AIRE	,,,,,,,,	~	GENERAL NOTES	VA

F.A. RTE	SEC	ION		COUNTY	TOTAL SHEETS	SHEET NO.
VAR	D2 BDS	2022-1		VARIOUS .	17	2
				CONTRACT	NO. 64	IR18
		ILLINO15	FED. Al	D PROJECT		

DEL: Default E NAME: pw://pla

SUMMARY OF QUANTITIES

		URBAN	0047 80% STP 20% STATE	0047 80% STP 20% STATE	0047 80% STP 20% STATE	0047 80% STP 20% STATE
CODE NUMBER	ITEM	UNIT	TOTAL QUANTITY	HENRY COUNTY	ROCK ISLAND COUNTY	WHITESIDE COUNTY
X5870015	BRIDGE DECK CONCRETE SEALER	SQ FT	335,321.43	112,980.10	27,339.18	195,002.15
67100100	MOBILIZATION	L SUM	1	0.33	0.33	0.34
70100450	TRAFFIC CONTROL AND PROTECTION, STANDARD 701201	L SUM	1	0.10	0.10	0.80
70100700	TRAFFIC CONTROL AND PROTECTION, STANDARD 701406	L SUM	1	0.50	0.50	0.00
70102620	TRAFFIC CONTROL AND PROTECTION, STANDARD 701501	L SUM	1	0.00	1	0.00
70102625	TRAFFIC CONTROL AND PROTECTION, STANDARD 701606	L SUM	1	0.00	0.00	1
70102630	TRAFFIC CONTROL AND PROTECTION, STANDARD 701601	L SUM	1	0.00	1	0.00
70102635	TRAFFIC CONTROL AND PROTECTION, STANDARD 701701	L SUM	1	0.00	1	0.00
70102640	TRAFFIC CONTROL AND PROTECTION, STANDARD 701801	L SUM	1	0.00	0.50	0.50

DRAWN

CHECKED

DATE

PLOT SCALE = 40.0000 ' / in.

REVISED

REVISED

REVISED


				Total Length			Area to be sealed (Sq.	
SN	FacilityCarried	FeatureCrossed	Location	(Ft.)	Bridge Rdwy Width(Ft.)	Parapet (Ft.)	Ft.)	TRAFFIC CONTROL
0370128	ILL 84	ROCK RIVER	AT ROCK ISLAND CO LN	984	87.4	7.5	93,381.60	701201
0370169	FAI 80 EB	FAP 638/IL 82	S EDGE GENESEO	206.3	40	7.5	9,799.25	701400 & 701406 or 701426
0370170	FAI 80 WB	FAP 638/IL 82	S EDGE GENESEO	206.3	40	7.5	9,799.25	701400 & 701406 or 701426
0810030	FAI 280 EB	CASE CREEK	2 MIW OF I-74	57.7	41.2	7.5	2,809.99	701400 & 701406 or 701426
0810031	FAI 280 WB	CASE CREEK	2 MIW OF I-74	57.7	41.2	7.5	2,809.99	701400 & 701406 or 701426
0810107	27TH ST-MOLINE	FAI 74	.5 MIS 23RD AVE	251.1	24	7.5	7,909.65	701601 & 701801
0810163	US 6	SHAFFER CREEK	1,9 MI E OF US 150	91	63,3	7.5	6,442,80	701201
0810176	41 ST CONNECTOR	IL 5	.14 MIW OF 38TH ST	186.5	32	7.5	7,366.75	701501 & 701701 & 701801
0980095	IL 84	JOHNSON CREEK	2.5 MIN IL 136	233.3	40.4	7.5	11,175.07	701201
0980096	IL 84	BN RR	2 MIS OF CARROLL CO	221.9	40.4	7.5	10,629.01	701201
0980097	GARDEN PLAIN RD	CATTAIL CREEK	5.2 MISW OF US 30	58.5	28.9	7.5	2,129.40	701201
0980098	US 30	I&M FEEDER CANAL	0.3 MI E OF IL 40	111.5	55	7.5	6,968.75	701201
0980099	US 30	C&NW RR	1.5 W OF IL 2	254.5	41.1	7.5	12,368.70	701201
0980101	IL 40	SKUNK CREEK	6 MIN OF STERLING	67.6	40	7.5	3,211.00	701201
0980102	MOLINE RD	DRAINAGE DITCH	1 MINE OF LYNDON	55	40.3	7.5	2,629.00	701201
0980104	IL 40	BRANCH DITCH	2.2 MIN DEER GROVE	52.2	32	7.5	2,061.90	701201
0980105	IL 172	BRANCH DITCH	2 MIN OF TAMPICO	73.1	32	7.5	2,887.45	701201
0980106	US 30	SUNFISH SLOUGH	0.7 MI W OF IL 84	440	39.4	7.5	20,636.00	701201
0980107	FREEPORT RD	SUGAR CREEK	2.7 MIN OF IL 2	136.8	31.5	7.5	5,335.20	701201
0980108	US 30	DEER CREEK	5.5 MI E MORRISON	85.3	39.4	7.5	4,000.57	701201
0980109	IL 40	WINNEBAGO DITCH	1 MI N DEER GROVE	168	36	7.5	7,308.00	701201
0980110	MOLINE RD	DRAINAGE DITCH	3 MI NE LYNDON	132.6	32	7.5	5,237.70	701201
0980111	MOLINE RD	MEREDOSIA CREEK	ROCK ISLAND CO LINE	101.9	32	7.5	4,025.05	701201
0980113	US 30	ROCK CREEK	NW EDGE MORRISON	135	32	7.5	5,332.50	701201
0980114	IL 84	CATTAIL CREEK	0.9 MIS JCT US 30	105	40	7.5	4,987.50	701201
0980115	IL 40	ROCK RIVER	IN STERLING/ROCKFALLS	1030.3	52	7.5	61,302.85	701606 & 701801 *
0980118	IL 78	FRENCH CREEK	.2 MIS OF MORRSION	97.1	40	7.5	4,612.25	701201 & 701801
0980119	IL 172	DITCH	2 MIN OF TAMPICO	70	32	7.5	2,765.00	701201
0986000	US 30	LINCOLN ST/DAKIN RD	0.5 MIW IL 84	200	30	7.5	7,500.00	701201
0986001	US 30	UNION PACIFIC RR	0.6 MIW IL 84	166.3	40	7.5	7,899.25	701201

* = NIGHTTIME WORK ZONE LIGHTING REQUIRED

USER NAME = dossdd	DESIGNED -	REVISED -								F.A.	SECTION	COUNTY	TOTAL	SHEET
	DRAWN -	REVISED -	STATE OF ILLINOIS		S	SCHEDUL	LE OF QU <i>a</i>	ANTITIES		VAR	D2 BDS 2022-1	VARIOUS	17	4
PLOT SCALE = 40,0000 / in	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION									CONTRACT	F NO. 64	4R18
PLOT DATE = Apr-15-2021 10:06:16 AM	DATE -	REVISED -		SCALE:	SHEET	OF _	SHEETS	STA.	TO STA.	$\overline{}$	ILLINOIS FED.	AID PROJECT		

LOCATION MAP HENRY COUNTY







STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION


LOCATION MAP HENRY COUNTY

SHEET OF SHEETS STA. TO STA.





SEALING DETAILS



PLAN VIEW



CROSS SECTION WITH PARAPET




AREA TO BE SEALED

USER NAME = dossdd	DESIGNED	REVISED							F.A.	SECTION	COUNTY	TOTAL	SHEET NO.
	DRAWN	REVISED -	STATE OF ILLINOIS			SEALING DE			VAR	D2 BDS 2022-1	VARIOUS	17	8
PLOT SCALE = 40.0000 / in	CHECKED	REVISED	DEPARTMENT OF TRANSPORTATION								CONTRACT	NO. 64	R18
PLOT DATE = Apr-15-2021 10:06:53 AM	DATE	REVISED -		SCALE:	SHEET	OF SHEET	S STA.	TO STA.		ILLINOIS FED. A	D PROJECT		
	•	•								•			

WORK ZONE SIGN DETAILS

ILLINOIS STANDARD G20-I100



LEGEND AND BORDER BACKGROUND

ORANGE

REFLECTORIZED

CICN CIZE		DIMENSIONS											
SIGN SIZE	А	В	С	D	Е	F	G	I	J	Κ	Г	М	
60 x 36	60.00	36.00	2.25	6.4	21.80	16.40	10.00	22.40	13.20	15.50	10.50	10.00	

SIGN SIZE	SER	IES BY	LINE	MARGIN	BORDER	
SIGN SIZE	1	2	3	MARGIN		
60 x 36	5C	5C	5C	0.625	0.875	

Sign not to scale

GENERAL NOTES

All work to furnish and install these signs shall be included in the cost of the specified traffic control standards and shall not be paid separately.

All Illinois Standard signs shall conform to the latest edition of the "Illinois Standard Highway Signs Book" in effect on the date of invitation for bids.

Signs shall meet the applicable portions of Sections 701 and 720 of the Standard Specifications.

All dimensions are in inches unless otherwise noted.

ILLINOIS STANDARD W8-I107



LEGEND AND BORDER BACKGROUND

BLACK ORANGE NON-REFLECTORIZED REFLECTORIZED

SIGN SIZE		DIMENSIONS										
SIGN SIZE	А	В	С	D	Е	F	G	Н	J			
48 x 48	48.00	3.00	25.00	34.80	34.20	24.94	9.00	1.00	10.00			

SIGN SIZE	SER	IES BY	LINE	MARGIN	BORDER	
SIGN SIZE	1	2	3	MARGIN	BORDER	
48 x 48	7C	7C	7C	1.250	0.750	

Sign not to scale


	USER NAME	= dossdd	DESIGNED	-		REVISED		3-02-16
FILE NAME: pw:\\planroom.dot.illinois.gov:PWIDOT	Documents\IDO	Coffices\District 2\Projects\Operations\B	ric BRAWN mBri	idge I	Deck Sealling Contracts/2022/6	IRREVISEDO:	Letting	gVCADD:64R18 sht cover dgn
	PLOT SCALE	= 40.0000 / in.	CHECKED	-		REVISED		
	PLOT DATE	= Apr-15-2021 10:07:03 AM	DATE			REVISED	_	

REGION	2 / DISTRICT	2 STANDARD

F.A RTE.	SEC	TION	COUNTY	TOTAL SHEETS	SHEE NO.	
VAR	VAR D2 BDS 2022-1			VARIOUS .	17	9
				CONTRACT	NO. 6	4R18
		ILLINO15	FED. A	ID PROJECT		

WORK ZONE SIGN DETAILS

ILLINOIS STANDARD W12-I102



GENERAL NOTES

All work to furnish and install these signs shall be included in the cost of the specified traffic control standards and shall not be paid separately.

All Illinois Standard signs shall conform to the latest edition of the "Illinois Standard Highway Signs Book" in effect on the date of invitation for bids.

Signs shall meet the applicable portions of Sections 701 and 720 of the Standard Specifications.

All dimensions are in inches unless otherwise noted.

COLOR LEGEND AND BORDER BACKGROUND

BLACK FL ORANGE NON-REFLECTORIZED REFLECTORIZED


SIGN SIZE	DIMENSIONS				
SIGN SIZE	А	В			
48 x 48	48.00	3.00			

(1) Illinois Standard signs W12-I102 and W12-I103 shall be used as described in the special provisions.

SIGN SIZE	SERIES BY LINE	MARGIN	BORDER	
SIGN SIZE	1	MARGIN		
48 x 48	12C	0.750	1.250	

Sign not to scale

ILLINOIS STANDARD W12-I103



COLOR BACKGROUND (WIDTH)

BLACK WHITE FL ORANGE

NON-REFLECTORIZED REFLECTORIZED REFLECTORIZED

SIGN SIZE		DIMENSIONS										
SIGN SIZE	А	В	С	D	E	F	G	Н	J	К	L	Μ
48 x 48	48.00	3.00	38.40	13.20	19.20	32.00	22.00	26.20	12.00	24.00	10.00	11.00

SICN SI	7 E	!	SERIES	BY LINE		MARGIN	BORDER	
31010 312	SIGN SIZE		2	3	4	MARGIN	BURDER	
48 x 48	8	6C	8D	6D	6D	0.750	1.250	

Sign not to scale


XX'-XX" WIDTH AND X MILES ARE VARIABLE TOP AND BOTTOM OF BACKGROUND WHITE

	USER NAME = dossid	DESIGNED -	REVISED - 3-02-16
FILE NAME: pw:\\planroom.dot.illinois.gov:PWIDOT	Documents\JDOT Offices\District 2\Projects\Operations\B	ric p::: ANNMmBridge Dec <u>k Sealing C</u> ontracts\2022\6	RREMISED21 Letting/CADD164R18 sht cover dgn
	PLOT SCALE = 40.0000 / in.	CHECKED -	REVISED -
	PLOT DATE = Apr-15-2021 10:07:11 AM	DATE	REVISED -

REGION	2 / DISTRICT	2 STANDARD

WORK ZONE SIGN DETAILS

ROAD CLOSED TO OVERSIZED LOADS



COLOR LEGEND AND BORDER BACKGROUND


BLACK ORANGE NON-REFLECTORIZED REFLECTORIZED

Permit Loads - Loads Over 13 Feet; 3.0" Radius, 1.3" Border; [NO OVERSIZE 1 D: [OVERWEIGHT LOADS] D 85% spacing; [XX MILES AHEAD] D; Table of letter and object lefts.

N 11.7	O 18.1	O 30.0	V 36.2	E 42.8	R 48.4	S 54.4	I 60.7	Z 63.5	E 69.5	80.8				
O 2.6	V 8.6	E 15.0	R 20.4	W 26.2	E 33.4	I 38.8	G 41.3	H 47.4	T 53.2	L 64.5	O 69.9	A 75.9	D 82.9	S 88.7
X 7.6	X 13.6	M 25.3	I 32.3	L 35.1	E 40.6	S 46.2	A 57.9	H 65.1	E 71.4	A 76.6	D 83.7			

Sign not to scale

STOP LINE SIGN FOR TEMPORARY SIGNALS



COLOR BA

LEGEND AND BORDER BACKGROUND

BLACK WHITE NON-REFLECTORIZED REFLECTORIZED

SIGN SIZE	SERIES BY LINE					
SIGN SIZE	1	2	3			
24 x 24	4C	4C	4C			

Sign not to scale

GENERAL NOTES

All work to furnish and install these signs shall be included in the cost of the specified traffic control standards and shall not be paid separately.

All Illinois Standard signs shall conform to the latest edition of the "Illinois Standard Highway Signs Book" in effect on the date of invitation for bids.

Signs shall meet the applicable portions of Sections 701 and 720 of the Standard Specifications.

All dimensions are in inches unless otherwise noted.

USER NAME - doscad DESIGNED - REVISED - 3-02-16

PILE NAME: pwdigharroom.dot.illinois.gov/PVID010

ROT SCALE - 4000001 / In: CHECKED - REVISED - 3-02-16

ROT SCALE - 4000001 / In: CHECKED - REVISED - REVISE

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

REGION	2 / DISTRICT	2	STANDARD

ENTRANCE SIGN FOR USE WITH TEMPORARY SIGNALS

WORK ZONE SIGN DETAILS



COLOR LEGEND AND BORDER BACKGROUND

BLACK ORANGE NON-REFLECTORIZED REFLECTORIZED

2.25" Radius, 0.88" Border, 0.50" IndenT; [CAUTION] D; [ONE LANE ROAD] D; [FOLLOW TRAFFIC] D; [FLOW] D This sign shall be installed at entrances located between the temporary signals as shown in the staging plans.

Table Of Widths And Spaces


	С		Α		U		Т		I		0		N	
22.31	3.36	0.62	4.18	0.94	3.36	0.94	3.04	0.94	0.78	1.17	3.52	1.17	3.36	22.31

	0		N		Е
8.23	3,51	1,17	3,36	1,18	3.04

	1		Δ		N		F
			·				
5.00	3.05	0.31	4.18	0.94	3.36	1.17	3.05







ſ		F		L		0		W	
l	27.60	3.05	0.94	3.04	0.94	3.52	0.93	4.38	27.60

Sign not to scale

GENERAL NOTES


All work to furnish and install these signs shall be included in the cost of the specified traffic control standards and shall not be paid separately.

All Illinois Standard signs shall conform to the latest edition of the "Illinois Standard Highway Signs Book" in effect on the date of invitation for bids.

Signs shall meet the applicable portions of Sections 701 and 720 of the Standard Specifications.

All dimensions are in inches unless otherwise noted.

STAY IN YOUR LANE



COLOR LEGEND AND BORDER BACKGROUND

BLACK ORANGE NON-REFLECTORIZED

48.0" across sides 3.8" Radius, 1.0" Border, 0.6" Indent; "STAY" E Mod; "IN YOUR" E Mod; "LANE" E Mod;

Table of Letter and Object Lefts

S	T	A	Y	
20.7	26.8	31.6	38.0	

I N	Y	O	U	R
13.2 15.9	26.7	33.9	40.5	46.8


L A N E 20.9 25.8 33.1 39.4


Sign not to scale


	USER NAME = dossid	DESIGNED -	REVISED - 3-02-16
FILE NAME: pw:\planroom.dot.illinois.gov:PWIDOT\	Documents\IDOT Offices\District 2\Projects\Operations\)	ric pRAAMM mBridge Dec <u>k Sealing C</u> ontracts\2022\6	RREMISED21 Letting\CADD\64R18 sht cover dgn
	PLOT SCALE = 40.0000 / in	CHECKED	REVISED -
	PLOT DATE = Apr-15-2021 10:07:25 AM	DATE -	REVISED -

F	REGION	2 / DISTRICT	2	STANDARD
F	REGION	2 / DISTRICT	2	STANDARD

F.A RTE.	SECTION		COUNTY	TOTAL SHEETS	
VAR	D2 BDS 2022-1		VARIOUS	17	12
			CONTRACT	NO. 6	4R18
	LUNOIS	EED, A	ID PROJECT		







- If applicable. Use if shown on applicable multilane Traffic Control and Protection Standard being used.
- If the work is within 2500 feet of the transition when the speed is > 40 mph, or 1500 feet for all other speeds, the detail shall be used.
- 3 WORK ZONE SPEED LIMIT 55 SIGN ASSEMBLY shall be replaced with WORK ZONE SPEED LIMIT 45 SIGN ASSEMBLY where the workers are within 500 feet of the transition.

THIS TRAFFIC CONTROL DETAIL SHALL BE INCLUDED IN THE COST OF SPECIFIED TRAFFIC CONTROL STANDARDS OR ITEMS.

FLAGGER WITH TRAFFIC CONTROL SIGN

DRUMS OR BARRICADES WITH LIGHTS


WORK AREA


NOTE:STANDARDS 701301 AND 701306 SHALL NOT BE USED WITHIN 500 FEET

	USER NAME -	dossdd	DESIGNED		REVISED	- 4-2	20-17
ILE NAME: pw:\\planroom.dot.illinois.gov:PWIDOT\	Documents/JDOT O	Offices\District 2\Projects\Operations\B	ic BRAWN mBr	dge Dec <u>k Sealling C</u> ontracts\2022\6	RREVISE021	Letting\(J <u>AC</u>	25 ·G晚18 sht cover dgn
	PLOT SCALE =	40.0000 / in	CHECKED		REVISED	- 8-2	27-13
	PLOT DATE =	Apr-15-2021 10:07:51 AM	DATE		REVISED	- 3-0	05-12

TA
įΤ

F.A. RTE	SECTION		COUNTY	TOTAL SHEETS	SHEET NO.
VAR	D2 BDS 2022-1	VARIOUS .	17	15	
			CONTRACT	NO. 64	IR18
	ILLINOIS	FED. A	D PROJECT		





REVISED		F.A.	SECTION	COUNTY	TOTAL	SHEET NO.
REVISED	REGION 2 / DISTRICT 2 STANDARD	VAR	D2 BDS 2022-1	VARIOUS	17	17
REVISED		CONTRACT NO. 64R1			R18	
REVISED -	SCALE: 40.0000 / In SHEET OF SHEETS STA. TO STA.	LI LINOIS LEED, AID PROJECT				