# INDEX OF SHEETS 1 COVER SHEET

- 2 GENERAL NOTES /MIX REQUIREMENTS
- **3 SUMMARY OF QUANTITIES**
- 4 TYPICAL CROSS SECTIONS
- 5-8 PLAN LAYOUT SHEETS

## **LIST OF STANDARDS**

000001-05 701311-03 701001-02 701326-03 701006-03 701901-01 701011-02 780001-02 701301-03

FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS, THE ABOVE SCALES MAY BE USED.

J.U.L.I.E.
JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION
1-800-892-0123
OR 811

### STATE OF ILLINOIS

# DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS


# PLANS FOR PROPOSED CONTRACT MAINTENANCE

FAS ROUTE 731 (SCOTTVILLE ROAD)
SECTION (1)I-1

PROJECT
PROPOSED BITUMINOUS SHOULDERS, BOTH SIDES OF RDWY.

MACOUPIN COUNTY


C-96-086-09




# **LOCATION MAP**

GROSS LENGTH = 13,154 FT. = 2.491 MILESS

NET LENGTH = 13,154 FT. = 2.491 MILES





**LOCATION OF SECTION INDICATED THUS: -**

PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

CT ENGINEER: SAL I

#### GENERAL NOTES

- 1. ANY REFERENCE TO A STANDARD IN THESE PLANS SHALL BE INTERPRETED TO MEAN THE EDITION AS INDICATED BY THE SUB NUMBER LISTED IN THE INDEX OF SHEETS OR THE COPY OF THE STANDARD INCLUDED IN THESE PLANS.
- 2. IN ADDITION TO FIELD SURVEYS, PLAN DIMENSIONS AND DETAILS RELATIVE TO THE EXISTING FACILITIES HAVE BEEN TAKEN FROM EXISTING PLANS AND ARE SUBJECT TO CONSTRUCTION VARIATIONS. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY SUCH DIMENSIONS AND DETAILS IN THE FIELD. SUCH VARIATIONS SHALL NOT BE A CAUSE FOR ADDITIONAL COMPENSATION DUE TO A CHANGE IN THE SCOPE OF WORK, HOWEVER, THE CONTRACTOR WILL BE PAID FOR THE QUANTITY ACTUALLY FURNISHED AT THE UNIT PRICE BID FOR THE WORK.
- 3. ACCESS TO ALL ENTRANCES AND SIDE ROADS SHALL BE MAINTAINED AT ALL TIMES.
- 4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING UTILITY PROPERTY FROM CONSTRUCTION OPERATIONS, AS OUTLINED IN ARTICLE 107.31 OF THE STANDARD SPECIFICATIONS. THE J.U.L.I.E. NUMBER IS 1-800-892-0123. A MINIMUM OF 48 HOURS ADVANCE NOTICE IS REQUIRED.
- 5. THE THICKNESS OF BITUMINOUS MIXTURES SHOWN ON THE PLANS IS THE NOMINAL THICKNESS. DEVIATIONS FROM THE NOMINAL THICKNESS WILL BE PERMITTED WHEN SUCH DEVIATIONS OCCUR DUE TO IRREGULARITIES IN THE EXISTING SURFACE OR BASE ON WHICH THE BITUMINOUS MIXTURE IS PLACED.
- 6. ALL SAW CUTS, NECESSARY TO COMPLETE THE WORK DETAILED IN THESE PLANS, SHALL BE INCLUDED IN THE COST FOR THE VARIOUS PAY ITEMS INVOLVED.
- 7. UNLESS DIRECTED BY THE ENGINEER, PAVEMENT MARKING LINES SHALL NOT BE LAID DIRECTLY OVER A LONGITUDINAL CRACK OR JOINT NOR OVER A TAR OR ASPHALT PAINTED LINE. THE EDGE OF A CENTERLINE OR LANE LINE SHALL BE OFFSET A MINIMUM DISTANCE OF 2" FROM A LONGITUDINAL CRACK OR JOINT. EDGE LINES SHALL BE APPROXIMATELY 2" FROM THE EDGE LINE OF PAVEMENT. SEE SECTION 780 OF THE STANDARD SPECIFICATIONS FOR TRAFFIC CONTROL ITEMS.
- 8. THE FOLLOWING RATES OF APPLICATION HAVE BEEN USED TO CALCULATE THE PLAN QUANTITIES:

BITUMINOUS MATERIALS (PRIME COAT) BITUMINOUS MATERIALS (PRIME COAT) AGGREGATE PRIME COAT BITUMINOUS CONCRETE SURFACE

AGGREGATE MATERIAL

0.00038 TON/SO. YD. (ON PAVEMENT) 0.001425 TON/SO.YD. (ON AGG) 0.002 TON/SO. YD. 0.056 TON/SO. YD. PER 1" 2.05 TON/CU. YD.

- 9. THE EXISTING ROAD SIGNS THAT INTERFERE WITH CONSTRUCTION WILL BE REMOVED OR RELOCATED AS DIRECTED BY THE ENGINEER. AFTER THE CONSTRUCTION IS COMPLETED, THE CONTRACTOR WILL REPLACE THE SIGNS AS DIRECTED BY THE ENGINEER. THIS WORK WILL NOT BE PAID SEPARATELY BUT SHALL BE CONSIDERED INCLUDED IN THE CONTRACT, AND NO COMPENSATION WILL BE ALLOWED.
- 10. WHERE SECTION OR SUB-SECTION MARKERS ARE ENCOUNTERED, THE ENGINEER SHALL BE NOTIFIED BEFORE SUCH MONUMENTS ARE REMOVED. THE CONTRACTOR SHALL PROTECT AND CAREFULLY PRESERVE ALL PROPERTY MARKERS AND MONUMENTS UNTIL THE OWNER, AN AUTHORIZED AGENT OR LAND SURVEYOR HAS WITNESSED OR OTHERWISE REFERENCED THEIR LOCATION.
- 11. LIMITS OF CONSTRUCTION ALONG SIDE ROADS SHALL BE VERIFIED AND APPROVED BY THE ENGINEER BEFORE WORK BEGINS. LIMITS MAY BE ADJUSTED FROM PROPOSED PLAN LAYOUT IF ENGINEER DEEMS NECESSARY.
- 12. EXISTING MANHOLES AND INLET FRAMES & LIDS DAMAGED BY THE CONTRACTOR'S OPERATION SHALL BE REPLACED WITH NEW FRAMES AND LIDS AT THE CONTRACTOR'S EXPENSE.
- 13. THE DISTRICT BUREAU OF OPERATIONS SHALL BE NOTIFIED AT LEAST 14 DAYS PRIOR TO PLACEMENT OF FINAL PAVEMENT MARKINGS. PHONE (217) 782-7314.
- 14. ALL OF THE DISTURBED AREAS WITHIN THE RIGHT OF WAY NOT COVERED BY SURFACING MATERIAL SHALL BE SEEDED.
- 15. THE CONTRACTOR SHALL PROVIDE ADEQUATE DRAINAGE FOR THE DURATION OF THIS PROJECT.
- 16. SEEDING WILL NOT BE PERMITTED AT ANY TIME WHEN THE GROUND IS FROZEN, WET OR IN AN UNTILLABLE CONDITION. LOCATIONS TO BE SEEDED SHALL BE DETERMINED BY THE ENGINEER.
- 17. THE GRADING AND SHAPING OF THE DITCHES SHALL BE DONE IN SUCH A MANNER TO ESTABLISH POSITIVE FLOW BETWEEN DRAINAGE STRUCTURES, OR BETWEEN THE EXISTING ELEVATION AT THE UPSTREAM END OF THE GRADING TO THE DOWNSTREAM DRAINAGE STRUCTURE.

#### COMMITMENTS:

THERE ARE NO COMMITMENTS MADE FOR THIS PROJECT.

MIXTURE REQ	MIXTURE REQUIREMENTS FOR PROPOSED 9" BITUMINOUS SHOULDERS										
LOCATION(S):	TOP 2" OF PROPOSED LT. & RT. SHLDRS.	BOTTOM 7" OF PROPOSED LT. & RT. SHLDRS.									
MIXTURE USE(S):	HMA SURFACE COURSE, MIX "C", N50	HMA BINDER COURSE, IL-19.0, N50									
P.G.:	PG 64-22	PG 64-22									
DESIGN AIR VOIDS:	4.0% @ N50	4.0% @ N50									
MIXTURE COMPOSITION: (GRADATION MIXTURE)	IL 9.5 OR 12.5	IL 19.0									
FRICTION AGGREGATE:	MIX "C"	NOT APPLICABLE									

DISTRICT SIX	
EXAMINED May 21	20 09
OPERATIONS ENGINEER	•
EXAMINED May 21	20 <u>09</u>
PROGRAM IMPLEMENTATION ENGINE	ER
EXAMINED May 21	20 <u>0 9</u>
PROGRAM DEVELOPMENT ENGINEER	·


FILE NAME =	USER NAME = slaglert	DESIGNED	-	RTS	REVISED	-	
c:\pw.work\PWIDOT\SLAGLERT\dØ143531\D67	2C91-sht-gennote.dgn	DRAWN	~	RTS	REVISED	-	1
	PLOT SCALE = 40.0000 '/ [N.	CHECKED	-	RTS	REVISED	-	
	PLOT DATE = May-20-2009 02:47:32PM	DATE	-	05-19-09	REVISED	*	L

GENERAL NOTESMIX REQUIREMENTS						F.A.S. RTE.	SECTION	COUNTY	TOTAL	SHEET NO.
						731	(1)1-1	MACOUPIN	8	2
	<b>,</b>							CONTRACT	NO.	72C91
SCALE; SHEET NO. 1 OF 1 SHEETS STA. TO STA.   ILLINOIS FED. AID PROJECT								***************************************		


	SUMMARY	OF QUAN	VTITIES					
				SFTY-2A 100% STATE				
CODE #	PAY ITEM	UNIT	TOTAL QUANTITY	2' - MODESTO QUANTITY	3' - RURAL QUANTITY			
20200600	EXCAVATING AND GRADING EXISTING SHOULDER	UNIT	263	26	237			
25000200	SEEDING, CLASS 2	ACRE	. 0.9	0. 1	0.8			
25000400	NITROGEN FERTILIZER NUTRIENT	POUND	81	9	72			
25000500	PHOSPHOROUS FERTILIZER NUTRIENT	POUND	81	9	72			
25000600	POTASSIUM FERTILIZER NUTRIENT	POUND	81	9	72			
25000700	AGRICULTURAL GROUND LIMESTONE	TON	1.8	0.2	1.6			
25100115	MULCH, METHOD 2	ACRE	0.9	0. 1	0.8			
4 <b>02</b> 00800	AGGREGATE SURFACE COURSE, TYPE B	TON	300	150	150			
48203033	HOT-MIX ASPHALT SHOULDERS, 9"	SQ YD	8473	573	7900			
67100100	MOBILIZATION	L SUM	1	0.5	0.5			
70100500	TRAFFIC CONTROL AND PROTECTION, STANDARD 701326	L SUM	1 "	0.5	0. 5			
70102620	TRAFFIC CONTROL AND PROTECTION, STANDARD 701501	L SUM	1	0,5	0,5			
70103815	TRAFFIC CONTROL SURVEILLANCE	CAL DA	4	2	2			
78001110	PAINT PAVEMENT MARKING - LINE 4"	FOOT	29565	2900	26665			

\* SPECIALTY ITEM

FILE NAME =	USER NAME * woodsej	DESIGNED - MEB	REVISED -			SUMMARY OF QUANTITIES		F.A.S	SECTION	COUNTY	SHEET NO.
c:\pw_work\PWIDOT\WOOD\$EJ\d0143531\D672	C9l-aht-aoq.dgn	DRAWN - RTS	REVISED -	STATE OF ILLINOIS		Outstand of Committee		731	(1)1-1	MACOUPIN	8 3
	PLOT SCALE = 100.0000 '/ 1N.	CHECKED - MJP	REVISED -	DEPARTMENT OF TRANSPORTATION						CONTRACT	NO. 72C91
	PLOT DATE = May-21-2009 11:24:12AM	DATE - 05-19-09	REVISED		SCALE:	SHEET NO. 1 OF 1 SHEETS STA.	TO STA.		ILLINOIS FED. AI	********************	



## STA. 222+22 TO STA. 340+72



STA. 340+72 TO STA. 353+76 (NORTH) STA. 340+72 TO STA. 353+46 (SOUTH)

#### <u>LEGEND</u>

- 1 EXISTING 9"-6"-9" P.C.C. PAVEMENT
- 2 EXISTING 1/2" DEFORMED TIE BAR 4' LONG © 5' CENTERS
- (3) EXISTING LONGITUDINAL METAL JOINT
- (4) 3/4"Ø SMOOTH BAR
- A PROPOSED HMA SHOULDERS, 9", CONSISTING OF:

  \* HMA SURFACE COURSE, MIX "C", N 50, 2" DEPTH

  \* HMA BINDER COURSE, IL-19.0, N50, 7" DEPTH
- (B) PROPOSED PAINT PAVEMENT MARKING LINE 4"

FILE NAME =	USER NAME = woodsej	DESIGNED - RTS	REVISED -			TYPICAL CROSS	SECTIONS		F.A.S.	SECTION	COUNTY TOTAL SHEE
c:\pw_work\PWIDOT\WOODSEJ\dØ143531\D672	C9l-sht-typical.dgn	DRAWN - RTS	REVISED -	STATE OF ILLINOIS		THIORE OHOUS	020110110		731	(DI-1	MACOUPIN 8 4
	PLOT SCALE = 40.0000 '/ IN.	CHECKED - MEB	REVISED -	DEPARTMENT OF TRANSPORTATION							CONTRACT NO. 72C9
	PLOT DATE = May-21-2009 11:24:14AM	DATE - 05-19-09	REVISED -		SCALE:	SHEET NO. 1 OF 1 SHEETS	STA.	TO STA.		ILLINOIS FED. A	

