



METAL SHELL PILE TABLE

Designation and outside diameter	d outside thickness		Inside volume (yd.³/ft.)			
PP12	0.179''	22.60	0.0274			
PP12	0.250''	31.37	0.0267			
PP14	0.250′′	36.71	0.0368			
PP14	0.312"	45.61	0.0361			




END PLATE ATTACHMENT




When called for on the plans, the Contractor shall furnish metal shell pile shoes consisting of a single piece conical pile point as shown. The pile shoes shall be cast in one piece steel according to either ASTM A 148 Grade 90-60 or AASHTO M 103 Grade 65-35 and shall provide full bearing over the full circumference of the metal shell pile. The pile shoe shall have tapered leads to assure proper alignment and fitting and shall be secured to the pile with a circumferential


METAL SHELL PILE SHOE ATTACHMENT

(See Note A)





WELDED COMMERCIAL SPLICE




COMPLETE PENETRATION WELD SPLICE

* Field fabricated backing ring may be made from pile shell by removing segment to allow reducing circumference and vertically rejoin with partial joint penetration weld.




Bottom of pier wall

ELEVATION



Note: Forms for encasement may be omitted when soil conditions permit.

CONCRETE ENCASEMENT AT PIERS



METAL SHELL REINFORCEMENT AT ABUTMENTS

Note: The metal shell piles shall be according to ASTM A 252 Grade 3.

METAL SHELL PILE DETAILS STRUCTURE NO. 027-3439

COUNTY

TOTAL SHEET NO.

30

32

CONTRACT NO. 87411

HAMPTON, LENZINI & RENWICK, INC. CIVIL & STRUCTURAL ENGINEERS LAND SURVEYORS 3085 STEVENSON DRIVE, SUITE 201			F.A.S.	SECTION				COUNTY			
			340		09-00107-00-BR					FORD	
BLR	SPRINGFIELD, ILLINOIS 62703 (217) 546-3400									CONTRAC	
ROJECT NUMBER	1: 07.0435.130	DATE: 03/31/09		FED. F	ROAD	DIST.	NO.	ILLINOIS	FED.	AID	PROJECT