STATE OF ILLINOIS

**DEPARTMENT OF TRANSPORTATION** 

**DIVISION OF HIGHWAYS** 

# PLANS FOR PROPOSED FEDERAL AID SECONDARY PROJECT

INDEX OF SHEETS

- 1. COVER SHEET
- 2. SUMMARY OF QUANTITIES AND TYPICAL SECTIONS
- 3. 7th STREET
- 4. 19th STREET

SEE PROPOSAL BOOKLET FOR HIGHWAY STANDARDS:


000001-05 STANDARD SYMBOLS, ABBREVIATIONS AND PATTERNS

701301-03 LANE CLOSURE, 2L, 2W, SHORT TIME OPERATIONS

701901-01 TRAFFIC CONTROL DEVICES 780001-02 TYPICAL PAVEMENT MARKINGS

SPECIAL PROVISIONS

AMERICAN RECOVERY AND REINVESTMENT ACT (ARRA)
FAU9762 & FAU9757
(7th STREET & 19th STREET)
SECTION 09-00043-00-RS
CITY OF METROPOLIS
PROJECT NO. ARA-5045(008)
JOB NO. C-99-554-09



Brian C.
Giltner
062-055223

Signature

Signature

Brian C.
Giltner
062-055223

09-00043-00-RS

**CONTRACT #99392** 

November 30, 2009 license expires

#### SUMMARY OF QUANTITIES

NO.	CODE NO.	ITEM	UNIT	QUANTITY
1.	40600100	BITUMINOUS MATERIALS (PRIME COAT)	GALLON	1,673
2.	40603315	HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N70	TON	1,748
3.	44000198	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	SQ YD	16,636
4.	67100100	MOBILIZATION . 🛆	L SUM	1
5.	78000200	**************************************	FOOT	6,709
6.	Z0042200	PORTLAND CEMENT CONCRETE PAVEMENT SURFACE REMOVAL	SQ YD	90
7.	Z0048665	RAILROAD PROTECTIVE LIABILITY INSURANCE	L SUM	1

A specialty Item


DESIGN CLASSIFICATION: URBAN COLLECTOR

ADT: 2.190 (7th Street) 1.930 (19th Street)



J.U.L.I.E.
JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION
1-800-892-0123
OR 811





TOTAL LENGTH OF IMPROVEMENT = 5,548 FEET = 1.05 MILES NO OMISSIONS NET LENGTH OF IMPROVEMENT = 5,548 FEET = 1.05 MILES SCALE = 1" = 1400' DESIGN SPEED = 30 M.P.H.



#### GENERAL NOTES:


1. ALL WORK SHALL BE IN ACCORDANCE WITH THE "STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION" ADOPTED 1-1-07 (REFERED TO AS THE STANDARD SPECIFICATIONS); THE "SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS"; THE LATEST EDITION OF "ILLINOIS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES FOR STEETS AND HIGHWAYS"; THESE PLANS AND THE "SPECIAL PROVISIONS" INCLUDED IN THE CONTRACT DOCUMENTS.

2. ANY REFERENCE TO STANDARDS THROUGHOUT THE PLANS OR SPECIAL PROVISIONS SHALL BE INTERPRETED AS THE LATEST STANDARD OF THE DEPARTMENT.

3. ALL TRAFFIC CONTROL AND OTHER ADVISORY SIGNS NEEDED FOR CONSTRUCTION ARE TO BE FURNISHED BY THE CONTRACTOR IN ACCORDANCE WITH SPECIFICATIONS AND SPECIAL PROVISIONS.


4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL UNDERGROUND OR SURFACE UTILITIES EVEN THOUGH THEY MAY NOT BE SHOWN ON THE PLANS. ANY UTILITY THAT IS DAMAGED DURING CONSTRUCTION SHALL BE REPAIRED OR REPLACED TO THE SATISFACTION OF THE UTILITY OWNER. THIS WORK SHALL BE AT THE CONTRACTOR'S EXPENSE.

5. THE CONTRACTOR SHALL PROVIDE ACCESS TO ABUTTING PROPERTY AT ALL TIMES DURING CONSTRUCTION OF THE PROJECT.




TYPICAL SECTION - MILLING AND OVERLAY 19th STREET STA. 0+00 TO STA. 26+23.50

SCALE: N.T.S.




CONTRACT #99392




## TYPICAL STREET OR ALLEY INTERSECTION DETAIL

SCALE: N.T.S.




TYPICAL "BUTT-JOINT" DETAIL



TYPICAL SECTION - MILLING AND OVERLAY
7th STREET STA. 0+00 TO STA. 29+24.50


SCALE: N.T.S.



 RTE.
 SECTION
 COUNTY
 TOTAL SHEET SHEETS
 SHEET NO.

 09-00043-00-RS
 MASSAC
 4
 4

**CONTRACT #99392** 



### NOTES:

- 1. B.J. = BUTT JOINT
- 2. 2" OVERLAY THICKNESS
- 3. 13'-7" VERTICAL CLEARANCE NOTED ON RAILROAD OVERPASS STRUCTURE. CONTRACTOR TO FIELD VERIFY
- 4. MAINTAIN STRAIGHT LINE ALONG EDGE OF PAVEMENT AT PARKING LOT AND DRIVEWAY ENTRANCES WHEN DOING SURFACE REMOVAL.
- 5. THE CENTERLINE SHALL BE A DOUBLE YELLOW LINE IN ACCORDANCE TO STD. 780001-02 AND MUTCD. THE CENTERLINE SHALL BE THE FULL LENGTH OF THE PROJECT.