

F.A.P. SECTION COUNTY TOTAL SHE SHEETS NC 346 • LAKE 469 /8 STA. TO STA.

FED. ROAD DIST. NO. D-91-404-99 | ILLINOIS | FED. AID PROJ • 125X-HB-(1&2) R-1 | CONTRACT \* 60

## EXISTING LEGEND

- ALL EXISTING PAVEMENT THICKNESSES ARE FROM AS-BUILT PLANS
- A COMBINATION CONCRETE CURB & GUTTER
- B HMA SURFACE COURSE, 13/4"
- © LEVELING BINDER,34"
- D P.C.C. PAVEMENT, 10"
- E SUB BASE GRANULAR MATERIAL, 4"
- F P.C.C. BASE COURSE WIDENING, 9"
- (G) HMA SURFACE COURSE, 11/2"
- H HMA BINDER COURSE, MIN 11/2"
- 1 10-8-10 P.C.C. PAVEMENT
- J RETAINING WALLS
- K P.C.C. SIDEWALK

REMOVAL ITEMS

## PROPOSED LEGEND

- 1 PORTLAND CEMENT CONCRETE PAVEMENT 10" (JOINTED)
- ② AGGREGATE SUBGRADE 12"
- 3 COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.24
- 4 PORTLAND CEMENT CONCRETE SIDEWALK 5"
- 5 STABILIZED SUBBASE (HMA) 41/2"
- 7 CONCRETE BARRIER, DOUBLE FACE, 32" HEIGHT
- 8 RETAINING WALL
- 9 COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.12
- (MIN.) TO 21/4"
- 1 SODDING, SALT TOLERANT
- 2 SEEDING, CLASS 2A
- (3) TOPSOIL FURNISH AND PLACE, 4"
- 14 AGGREGATE BASE COURSE, TYPE B,  $9^{\prime\prime}$
- (5) TEMPORARY PAVEMENT:
  PORTLAND CEMENT CONCRETE PAVEMENT 8" OR
  HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N50, 2" WITH
  HOT-MIX ASPHALT BASE COURSE, 8"
- (6) AGGREGATE SURFACE COURSE, TYPE B
- 17 ANCHORAGE SLAB
- (18) COMBINATION CONCRETE CURB AND GUTTER, TYPE M-4.06
- (19) CONCRETE BARRIER, SINGLE FACE, 32" HEIGHT
- 20 PORTLAND CEMENT CONCRETE PAVEMENT 91/2" (JOINTED)
- ② NOT USED
- ② HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N50, 11/2"
- 23 HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N50, 21/4"
- @ COMBINATION CONCRETE CURB AND GUTTER, TYPE M-2.06
- 25 PORTLAND CEMENT CONCRETE BASE COURSE 10"
- ② LONGITUDINAL CONSTRUCTION JOINT (TIE BAR FORMED IN PLACE
- ② LONGITUDINAL SAWED JOINT
- 28 HOT-MIX ASPHALT SHOULDERS, 6"

REVISIONS
NAME
DATE

U.S. 41 (SKOKIE HIGHWAY)
AT IL ROUTE 132

EXISTING AND PROPOSED

TYPICAL SECTIONS
SIDE STREETS
SCALE: NONE
DATE: MAY 12, 2008

CHECKED BY: