STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION



* 125X-HB-(1&2) R-1


CONTRACT # 60826




2³4" @ 50° F. 4" Preformed Joint Seal full width of anchorage slab (typ) © 50° F.

SECTION

PREFORMED JOINT SEAL



END OF SEAL TREATMENT AT PARAPET



END OF SEAL CUT-OUT

 $^{l}_{4}$ " wide x $^{l}_{2}$ " deep sawed joint filled with hot poured sealant

in accordance with Article 1050

of the Std. Specs.

PARAPET JOINT DETAILS

Non-staining gray one component non-sag elastomeric gun grade polyurethane sealant meeting the requirements of ASTM C-920,

Type S, Grade NS, Class 25, Use <u>T.</u>

ש' Preformed Self-Expanding Cork Joint Filler according to Article 1051.07 of the Std. Spec.


Control Joint (see details)

expansion joint locations.


58" Ø Backer Rod-

(Cost included with Concrete Superstructure)

Preformed Cork Joint Filler shall be used for full height parapet at



CONTROL JOINT DETAIL-PARAPET




PLAN

TYL ININTERNATIONAL

Const. Jt. (Mandatory)


I-Y-LININ ERNATIONA			
DESIGNED	_	MB,	MAF
CHECKED	-	ΑD	
DRAWN	~	СМ,	MAF
CHECKED	_	ΑD	


Cost of anchor rods and conduit is included with Concrete Superstructure.



SECTION A-A

DETAIL - EXPANSION JOINT IN SLAB






CONTROL JOINT DETAIL-SLAB

ANCHOR ROD Diameter as specified for light poles. (ASTM F 1554 Grade 105)



BAR d₂₀₂(E)



WALL L MISCELLANEOUS DETAILS

FAP 346 (U.S. ROUTE 41 - SKOKIE HIGHWAY) OVER ILLINOIS ROUTE 132 SECTION 125X-HB-(1&2)R-1 LAKE COUNTY S.N. Ø49-WØ33