

08-02-13 LETTING ITEM 015

ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NUMBER
VARIOUS	2013-001-I	COOK	* 10	1

CONTRACT NO.:60W18

FOR INDEX OF SHEETS SEE SHEET 2


* 10 + 3 = 13

D-91-208-13

STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION
 DIVISION OF HIGHWAYS
 DISTRICT ONE
PROPOSED HIGHWAY PLANS


VARIOUS ROUTES
 VARIOUS LOCATIONS (NEAR MIDWAY AIRPORT)
 SECTION 2013-001-I
 CURB AND GUTTER REPAIRS
 COOK COUNTY
 C-91-208-13




IMPROVEMENTS ARE
 LOCATED WITHIN THE CITY
 OF CHICAGO



LOCATION OF IMPROVEMENT INDICATED THUS: 

IMPROVEMENT
 LOCATION



STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION
 DIVISION OF HIGHWAYS
 SUBMITTED: May 24 2013

 DEPUTY DIRECTOR OF HIGHWAYS, REGION ENGINEER
June 28 2013

 acting ENGINEER OF DESIGN AND ENVIRONMENT
June 28 2013

 DIRECTOR OF HIGHWAYS, CHIEF ENGINEER

**PRINTED BY THE AUTHORITY
 OF THE STATE OF ILLINOIS**

C.U.A.N.: CHICAGO UTILITY ALERT
 NETWORK
 (312) 744-7000

Project Manager: J. Alain Midy (847) 221-3056
 Project Engineer: Issam Rayyan (847)-705-4178
CONTRACT NO.60W18

LAKE TOWNSHIP

ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NUMBER
VARIOUS	2013-001-I	COOK	10	2

CONTRACT NO.: 60W18

INDEX OF SHEETS

1. TITLE SHEET
2. INDEX OF SHEETS, STATE STANDARDS, GENERAL NOTES AND MIXTURE REQUIREMENTS
3. SUMMARY OF QUANTITIES
- 4.-50. SCHEDULE OF QUANTITIES
6. DETAIL: CONCRETE DRIVEWAY
7. CITY OF CHICAGO DETAILS FOR P.C. CONCRETE DRIVEWAY, ALLEY RETURN AND SIDEWALK (BD-17)
8. CURB AND GUTTER REMOVAL AND REPLACEMENT (BD-24)
9. TRAFFIC CONTROL AND PROTECTION FOR SIDEROADS, INTERSECTIONS AND DRIVEWAYS (TC-10)
10. ARTERIAL ROAD INFORMATION SIGN (TC-22)

STATE STANDARDS

- 424001-07 PERPENDICULAR CURB RAMPS FOR SIDEWALKS
- 424021-01 DEPRESSED CORNER FOR SIDEWALKS
- 424026-01 ENTRANCE/ALLEY PEDESTRIAN CROSSING
- 701301-04 LANE CLOSURE, 2L, 2W, SHORT TIME OPERATIONS
- 701501-06 URBAN LANE CLOSURE, 2L, 2W, UNDIVIDED
- 701606-08 URBAN LANE CLOSURE WITH MOUNTABLE MEDIAN
- 701701-08 URBAN LANE CLOSURE MULTILANE INTERSECTION
- 701801-05 SIDEWALK, CORNER OR CROSSWALK CLOSURE
- 701901-02 TRAFFIC CONTROL DEVICES

MIXTURE REQUIREMENTS

MIXTURE TYPE	AIR VOIDS @ Ndes
HOT-MIX ASPHALT SURFACE COURSE MIX "D", N70 (IL 9.5 mm), (1.5-3.0 in)	4% @ 70 GYR.

- THE UNIT WEIGHT USED TO CALCULATE ALL HMA SURFACE MIXTURES IS 112 LBS/SQ YD/IN.
- THE AC TYPE FOR POLYMERIZED HMA MIXTURES SHALL BE SBS/SBR PG 76-22" AND FOR NON-POLYMERIZED HMA THE AC TYPE SHALL BE "PG 64-22" UNLESS MODIFIED BY DISTRICT ONE SPECIAL PROVISIONS. FOR USE OF RECYCLED MATERIALS SEE SPECIAL PROVISIONS.

GENERAL NOTES

BEFORE STARTING ANY EXCAVATION, THE CONTRACTOR SHALL CALL "C.U.A.N." (CHICAGO UTILITY ALERT NETWORK) AT (312)744-7000 FOR FIELD LOCATIONS OF BURIED ELECTRIC, TELEPHONE AND GAS UTILITIES. (48 HOUR NOTIFICATION IS REQUIRED).

THE CONTRACTOR WILL NOT BE ALLOWED TO SET UP A YARD OR FIELD OFFICE ON STATE PROPERTY WITHOUT WRITTEN PERMISSION FROM THE DEPARTMENT.

WHEN CONSTRUCTING SIDEWALK RAMPS FOR THE HANDICAPPED (STATE STANDARD 424001), USE TYPE B RAMPS UNLESS OTHERWISE SPECIFIED.

THESE PLANS HAVE BEEN PREPARED FROM NOTES RECEIVED FROM BUREAU OF MAINTENANCE.

THE COST OF HOT-MIX ASPHALT REMOVAL IN THE EXISTING GUTTER FLAG WILL BE INCLUDED IN THE UNIT PRICE BID FOR COMBINATION CURB AND GUTTER REMOVAL AND REPLACEMENT.

ALL DAMAGE TO EXISTING PAVEMENT MARKINGS SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE.

THE ENGINEER SHALL OBTAIN APPROVAL FROM THE DISTRICT ONE BUREAU CHIEF OF MAINTENANCE FOR ANY PROPOSED REVISIONS IN THE SCHEDULED CURB AND GUTTER REPAIR LOCATIONS.

DO NOT SCALE PLANS FOR CONSTRUCTION DIMENSIONS.

IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO VERIFY ALL DIMENSIONS AND CONDITIONS EXISTING IN THE FIELD PRIOR TO CONSTRUCTION AND ORDERING OF MATERIALS.

PAINT CURB YELLOW AT FIRE HYDRANTS ACCORDING TO THE APPLICABLE REQUIREMENTS OF SECTION 780 OF THE STANDARD SPECIFICATIONS FOR PAINTED PAVEMENT MARKINGS, EXCEPT THE COST SHALL NOT BE PAID FOR SEPERATELY BUT SHALL BE INCLUDED IN "COMB. CONC. C&G, REMOVAL AND REPLACEMENT."

ADJACENT PARALLEL SIDEWALK, REMOVE AND REPLACE ENTIRE WIDTH OF SIDEWALK JOINT TO JOINT

THE CONTRACTOR SHALL CONTACT THE DISTRICT ONE TRAFFIC CONTROL SUPERVISOR AT (847)705-4470 A MINIMUM OF 72 HOURS IN ADVANCE OF BEGINNING WORK.

ILLINOIS DEPARTMENT OF TRANSPORTATION

INDEX OF SHEETS
STATE STANDARDS
GENERAL NOTES

SUMMARY OF QUANTITIES				CONSTRUCTION TYPE CODE 0021						SUMMARY OF QUANTITIES				CONSTRUCTION TYPE CODE 0021					
CODE NO	ITEM	UNIT	TOTAL QUANTITIES	0021					CODE NO	ITEM	UNIT	TOTAL QUANTITIES	0021						
21101615	TOPSOIL FURNISH AND PLACE, 4"	SO YD	47	47					Z0030850	TEMPORARY INFORMATION SIGNING	SO FT	1020	1020						
25200110	SODDING, SALT TOLERANT	SO YD	47	47															
40603340	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70	TON	18	18															
42001300	PROTECTIVE COAT	SO YD	1906	1906															
42300400	PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT, 8 INCH	SO YD	434	434															
42400200	PORTLAND CEMENT CONCRETE SIDEWALK 5 INCH	SO FT	12024	12024															
42400800	DETECTABLE WARNINGS	SO FT	292	292															
44000200	DRIVEWAY PAVEMENT REMOVAL	SO YD	434	434															
44000300	CURB REMOVAL	FOOT	341	341															
44000600	SIDEWALK REMOVAL	SO FT	12024	12024															
60000605	CONCRETE CURB, TYPE B	FOOT	341	341															
67100100	MOBILIZATION	L SUM	1	1															
70102620	TRAFFIC CONTROL AND PROTECTION, STANDARD 701501	L SUM	1	1															
70102625	TRAFFIC CONTROL AND PROTECTION, STANDARD 701606	L SUM	1	1															
70102635	TRAFFIC CONTROL AND PROTECTION, STANDARD 701701	L SUM	1	1															
70102640	TRAFFIC CONTROL AND PROTECTION, STANDARD 701801	L SUM	1	1															
X4401198	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH	SO YD	107	107															
Z0004562	COMBINATION CONCRETE CURB AND GUTTER REMOVAL AND REPLACEMENT	FOOT	628	628															

URBAN
100%
STATE

URBAN
100%
STATE

FILE NAME: c:\p\work\p1010\p1010\11100202319001st.dwg	USER NAME: dfr20040517D	DESIGNED: -	REVISED: -
PLOT SCALE: 1/8" = 1'-0"	PLOT DATE: 5/23/2013	DRAWN: -	REVISED: -
		CHECKED: -	REVISED: -
		DATE: -	REVISED: -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SUMMARY OF QUANTITIES			
SCALE:	SHEET NO. OF SHEETS	STA. TO STA.	

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
VAR.	2013-001-1	COOK	10	3
FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT			CONTRACT NO. 60W18	

Rev.

ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NUMBER
VARIOUS	2013-001-I	COOK	10	4

CONTRACT: 60W18

LOCATION	COMB. CONC. C & G R&R (LF)	HMA SURF R&R VARIABLE DEPTH (SQYD)	SALT TOLERANT SODDING (SQYD)	SIDEWALK 5" R&R (SQFT) 18" CARRIAGE/ COURTESY	SIDEWALK 5" R&R (SQFT) 5' PARALLEL	SIDEWALK 8" R&R (SQFT) 5' PARALLEL	DRIVEWAY 8" R&R (SQFT)	DETECTABLE WARNINGS (ADA RAMPS) (SQFT)	CONC. CURB, TYPE B (LF)	REMARKS
58th Street and Nagle Avenue	0.0	0.0	0.0	0.0	240.0	0.0	0.0	80.0	0.0	Replace all 4 corners of intersection with ADA Ramps
62nd Street and Kenneth Avenue	0.0	0.0	0.0	0.0	240.0	0.0	0.0	80.0	0.0	Replace all 4 corners of intersection with ADA Ramps
5614 South Austin Avenue	0.0	0.0	0.0	6.0	90.0	0.0	0.0	0.0	0.0	Replace 3 Sidewalk Squares & Service Walk
5712 South Austin Avenue	0.0	0.0	0.0	0.0	180.0	0.0	0.0	0.0	0.0	Replace 6 sidewalk squares
5828 South Austin Avenue	10.0	1.7	1.7	0.0	90.0	0.0	0.0	0.0	0.0	Replace 3 sidewalk squares and 10 ft of cracked curb
6116 South Austin Avenue	0.0	0.0	0.0	0.0	150.0	0.0	0.0	0.0	0.0	Replace 5 sidewalk squares (tripping hazard)
6651 South Karlov Avenue	0.0	0.0	0.0	0.0	120.0	0.0	0.0	0.0	0.0	Replace 4 sidewalk squares
6644 South Karlov Avenue	0.0	0.0	0.0	0.0	150.0	0.0	0.0	0.0	0.0	Replace 5 sidewalk squares
6424 South Kedvale	0.0	0.0	0.0	0.0	60.0	0.0	0.0	0.0	0.0	Replace 2 damaged sidewalk squares
6212 South Kilbourn Avenue	0.0	0.0	0.0	0.0	180.0	0.0	0.0	0.0	0.0	Replace 6 sidewalk squares
6001 South Kildare Avenue	0.0	0.0	0.0	9.0	0.0	0.0	0.0	0.0	0.0	Replace sinking courtesy walk on 60th Street side
6353 South Kildare	0.0	0.0	0.0	0.0	120.0	0.0	0.0	0.0	0.0	Replace 4 damaged sidewalk squares
6112 South Kilpatrick Avenue	0.0	0.0	0.0	0.0	90.0	0.0	0.0	0.0	0.0	Replace 3 sidewalk squares
6509 South Kilpatrick Avenue	0.0	0.0	0.0	0.0	180.0	0.0	0.0	0.0	0.0	Replace 6 sidewalk squares
6002 South Kilpatrick Avenue	0.0	0.0	0.0	0.0	90.0	0.0	0.0	0.0	0.0	Replace 3 sidewalk squares
6604 South Kilpatrick Avenue	0.0	0.0	0.0	0.0	30.0	0.0	0.0	0.0	0.0	Replace 1 sidewalk square - tripping hazard
6122 South Knox Avenue	0.0	0.0	0.0	0.0	90.0	0.0	0.0	0.0	0.0	Replace 3 sidewalk squares
5535 South Kolin Avenue	0.0	0.0	0.0	0.0	60.0	0.0	0.0	0.0	0.0	Replace 2 sidewalk squares (tripping hazard).
6004 South Kolin Avenue	0.0	0.0	0.0	0.0	90.0	0.0	0.0	0.0	0.0	Replace 3 sidewalk squares
6321 South Kolin Avenue	0.0	0.0	0.0	0.0	90.0	0.0	0.0	0.0	0	Replace 3 sidewalk squares
6338 South Kolin	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	Replace 1 damaged courtesy walk square closest to street
6805 South Kolin Avenue	0.0	0.0	0.0	0.0	30.0	0.0	0.0	0.0	0.0	Replace cracked sidewalk square
6812 South Kolin Avenue	0.0	0.0	0.0	0.0	120.0	0.0	0.0	0.0	0.0	Replace 4 sidewalk squares
5535 South Kolin Avenue	0.0	0.0	0.0	0.0	60.0	0.0	0.0	0.0	0.0	Replace 1 or 2 sidewalk squares - tripping hazard
5743 South Kolmar	0.0	0.0	0.0	0.0	240.0	0.0	0.0	0.0	0.0	Replace 8 sidewalk squares
6211 South Komensky Avenue	0.0	0.0	0.0	0.0	150.0	0.0	0.0	0.0	0.0	Replace 5 sidewalk squares
6612 South Komensky Avenue	0.0	0.0	0.0	0.0	150.0	0.0	0.0	0.0	0.0	Replace 5 sidewalk squares
6534 South Kostner Avenue	0.0	0.0	0.0	0.0	60.0	0.0	0.0	0.0	0.0	Replace 2 sidewalk squares (standing water)
6350 South Lamont Avenue	0.0	0.0	0.0	27.0	0.0	0.0	0.0	0.0	0.0	Replace Courtesy Walk
6339 South Long Avenue	18.0	3.0	0.0	27.0	0.0	0.0	0.0	0.0	0.0	Replace 18 feet of damaged curb and gutter
3841 West Marquette Road	50.0	8.4	0.0	75.0	0.0	0.0	0.0	0.0	0.0	Replace curb and gutter to help alleviate standing water issue, as well as the two sinking walkways (3'6" x 5' and 3' x 5')
3700 West Marquette Road	0.0	0.0	0.0	0.0	150.0	0.0	0.0	0.0	0.0	Replace 5 sidewalk squares
6208 South Mason Avenue	0.0	0.0	0.0	36.0	0.0	0.0	0.0	0.0	0.0	Replace 24 ft of carriage walk
6105 South Massasoit Avenue	0.0	0.0	0.0	0.0	150.0	0.0	0.0	0.0	0.0	Replace 5 sidewalk squares
5653 South McVicker Avenue	0.0	0.0	0.0	45.0	0.0	0.0	0.0	0.0	0.0	Replace 20 ft of carriage walk
SUB-TOTAL	78.0	13.1	1.7	229.5	3450.0	0.0	0.0	160.0	0.0	

ILLINOIS DEPARTMENT OF TRANSPORTATION
SCHEDULE OF QUANTITIES

ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NUMBER
VARIOUS	2013-001-I	COOK	17	5

CONTRACT: 60W18

LOCATION	COMB. CONC. C & G R&R (LF)	HMA SURF R&R VARIABLE DEPTH (SQYD)	SALT TOLERANT SODDING (SQYD)	SIDEWALK 5" R&R (SQFT) 18" CARRIAGE/ COURTESY	SIDEWALK 5" R&R (SQFT) 5' PARALLEL	SIDEWALK 8" R&R (SQFT) 5' PARALLEL	DRIVEWAY 8" R&R (SQFT)	DETECTABLE WARNINGS (ADA RAMPS) (SQFT)	CONC. CURB, TYPE B (LF)	REMARKS
5713 South McVicker Avenue	0.0	0.0	0.0	18.0	60.0	0.0	0.0	0.0	0.0	Replace broken courtesy walk and 2 sidewalk squares (tripping hazard)
5732 South McVicker Avenue	0.0	0.0	0.0	18.0	90.0	0.0	0.0	0.0	0.0	Replace 3 Sidewalk Squares and 12 ft of Service Walk
5844 South McVicker Avenue	0.0	0.0	0.0	0.0	150.0	0.0	0.0	0.0	0.0	Replace 5 sidewalk squares
5923 South McVicker Avenue	8.0	1.4	0.0	12.0	0.0	0.0	0.0	0.0	0.0	Replace 8 Feet of New Curb In Front of House
6010 South McVicker Avenue	0.0	0.0	0.0	0.0	60.0	0.0	0.0	0.0	0.0	Replace 2 sidewalk squares (tripping hazard)
6240 South McVicker Avenue	0.0	0.0	0.0	15.0	0.0	0.0	0.0	0.0	0.0	Replace 10 ft of Courtesy Walk
5716 South Meade Avenue	0.0	0.0	0.0	25.5	60.0	0.0	0.0	0.0	0.0	Replace 2 Sidewalk Squares and New Courtesy Walk
5804 South Meade Avenue	0.0	0.0	0.0	13.5	0.0	0.0	0.0	0.0	0.0	Replace hazardous service walk
5842 South Meade Avenue	0.0	0.0	0.0	22.5	30.0	0.0	0.0	0.0	0.0	Replace 15 ft of Carriage Walk. Also Replace Sidewalk Square Near Alley (Tripping Hazard)
6036 South Meade Avenue	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	Install 20 Feet of curb in front of house. (ponding water)
6052 South Meade Avenue	8.0	1.4	0.7	6.0	0.0	0.0	0.0	0.0	0.0	Replace 8 ft of broken curb and part of sidewalk
5644 South Melvina Avenue	10.0	1.7	1.4	3.0	0.0	0.0	0.0	0.0	0.0	Replace 10 feet of damaged curb and gutter
6113 South Melvina Avenue	0.0	0.0	0.0	0.0	150.0	0.0	0.0	0.0	0.0	Replace 5 sidewalk squares
6135 South Menard Avenue	0.0	0.0	0.0	0.0	60.0	0.0	0.0	0.0	0.0	Replace 2 sidewalk squares
5625 South Merrimac Avenue	0.0	0.0	0.0	0.0	60.0	0.0	0.0	0.0	0.0	Replace 2 Sidewalk Squares
5643 South Merrimac Avenue	0.0	0.0	0.0	15.0	60.0	0.0	0.0	0.0	0.0	Replace 2 Sidewalk Squares & 10 ft of courtesy walk.
5653 South Merrimac Avenue	0.0	0.0	0.0	0.0	180.0	0.0	0.0	0.0	0.0	Replace 6 Sidewalk Squares
6035 - 6037 South Merrimac Avenue	50.0	8.4	7.7	6.0	0.0	0.0	0.0	0.0	0.0	Replace 50 Feet of New Curb & Gutter from 6035 to 6037 Merrimac Avenue
6055 South Merrimac Avenue	3.0	0.5	0.0	4.5	0.0	0.0	0.0	0.0	0.0	Replace 3 Feet of Curb
5517 South Mobile Avenue	0.0	0.0	0.0	0.0	90.0	0.0	0.0	0.0	0.0	Replace 3 sidewalk squares
6000 South Mobile Avenue	0.0	0.0	0.0	0.0	0.0	0.0	350.0	20.0	30.0	Replace ADA Ramp & Alley Apron in Concrete
5514 South Moody Avenue	20.0	3.4	0.0	0.0	0.0	0.0	350.0	0.0	30.0	Replace alley apron with concrete
5515 South Moody Avenue	20.0	3.4	0.0	0.0	30.0	0.0	350.0	0.0	30.0	Replace alley apron with concrete and 1 chipped sidewalk square.
5521 South Moody Avenue	15.0	2.5	0.0	22.5	0.0	0.0	0.0	0.0	0.0	Replace 15 ft of curb.
5658 South Moody Avenue	0.0	0.0	0.0	9.0	240.0	0.0	0.0	0.0	0.0	Replace 7 Sidewalk Squares and courtesy walk on side of house (on 57th St). Also replace 1 sidewalk square in front of house.
SUB-TOTAL	134.0	22.7	9.8	190.5	1320.0	0.0	1050.0	20.0	110.0	

ILLINOIS DEPARTMENT OF TRANSPORTATION
SCHEDULE OF QUANTITIES

ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NUMBER
VARIOUS	2013-001-I	COOK	10	5A.

CONTRACT: 60W18

LOCATION	COMB. CONC. C & G R&R (LF)	HMA SURF R&R VARIABLE DEPTH (SQYD)	SALT TOLERANT SODDING (SQYD)	SIDEWALK 5" R&R (SQFT) 18" CARRIAGE/ COURTESY	SIDEWALK 5" R&R (SQFT) 5' PARALLEL	SIDEWALK 8" R&R (SQFT) 5' PARALLEL	DRIVEWAY 8" R&R (SQFT)	DETECTABLE WARNINGS (ADA RAMPS) (SQFT)	CONC. CURB, TYPE B (LF)	REMARKS
6044 South Moody Avenue	10.0	1.7	1.4	9.0	0.0	0.0	0.0	0.0	0.0	Replace 10 ft of crumbling curb and carriage walk.
6201 South Moody Avenue	0.0	0.0	0.0	0.0	120.0	0.0	0.0	0.0	0.0	Replace 2 sidewalk squares in front and 2 sidewalk squares on the side of the house.
5514 South Mulligan Avenue	0.0	0.0	0.0	0.0	0.0	0.0	350.0	0.0	15.0	Replace 15 ft of curb and Alley Apron
5815 South Nagle Avenue	0.0	0.0	0.0	0.0	90.0	0.0	0.0	0.0	0.0	Replace 3 Sidewalk Squares
5816 South Narragansett Avenue	15.0	2.5	2.0	4.5	0.0	0.0	0.0	0.0	0.0	Replace 15 feet of damaged curb and gutter
5926 South Narragansett Avenue	30.0	5.0	4.4	6.0	0.0	0.0	0.0	0.0	0.0	Replace 30 feet of damaged curb and gutter
6348 South Narragansett Avenue	15.0	2.5	0.0	0.0	0.0	0.0	350.0	0.0	30.0	Replace curb and alley apron
5800 South Nashville Avenue	0.0	0.0	0.0	0.0	0.0	0.0	350.0	0.0	30.0	Replace Alley Apron
6206 South Nashville Avenue	10.0	1.7	1.7	0.0	0.0	0.0	0.0	0.0	0.0	Replace 10 ft of curb and gutter.
5817 South Natchez Avenue	0.0	0.0	0.0	12.0	210.0	0.0	0.0	0.0	0.0	Replace 7 Sidewalk Squares
5924 South Natoma Avenue	30.0	5.0	0.0	45.0	0.0	0.0	0.0	0.0	0.0	Replace curb and courtesy walk (new curb to be painted).
5958 South Natoma Avenue	0.0	0.0	0.0	0.0	90.0	0.0	0.0	0.0	0.0	Replace 3 sidewalk squares.
6009 South Natoma Avenue	20.0	3.4	0.0	30.0	0.0	0.0	0.0	0.0	0.0	Replace broken curb
5606 South Neenah Avenue	0.0	0.0	0.0	13.5	30.0	0.0	0.0	0.0	0.0	Replace 1 Sidewalk Square and 3 Courtesy Walk Squares.
5858 South New Castle Avenue	0.0	0.0	0.0	0.0	180.0	0.0	0.0	0.0	0.0	Replace 6 sidewalk squares on 59th Street side of house causing tripping hazard.
5758 South New England Avenue/ 5759 South New England Ave.	20.0	3.4	0.0	0.0	0.0	0.0	350.0	0.0	30.0	Replace Alley apron with concrete.
5720 South Normandy Avenue	0.0	0.0	0.0	40.5	240.0	0.0	0.0	0.0	0.0	Replace 8 Sidewalk Squares, Courtesy Walk, and Carriage Walk
5751 through 5755 South Normandy Avenue	50.0	8.4	2.0	57.0	0.0	0.0	0.0	0.0	0.0	Replace 50 ft of curb and gutter (standing water).
5808 South Normandy Avenue	0.0	0.0	0.0	0.0	180.0	0.0	0.0	0.0	0.0	Replace 5.5 Sidewalk Squares
5914 South Normandy Avenue	20.0	3.4	0.0	0.0	0.0	0.0	350.0	0.0	30.0	Replace Alley Apron
5915 South Normandy Avenue	20.0	3.4	0.0	0.0	60.0	0.0	350.0	0.0	30.0	Replace 2 Sidewalk Squares and Alley Apron.
5917 South Normandy Avenue	0.0	0.0	0.0	0.0	60.0	0.0	0.0	0.0	0.0	Replace 2 Sidewalk Squares
5920 South Normandy Avenue	0.0	0.0	0.0	9.0	0.0	0.0	0.0	0.0	0.0	Replace courtesy walk
SUB-TOTAL	240.0	40.4	11.5	226.5	1260.0	0.0	2100.0	0.0	165.0	

ILLINOIS DEPARTMENT OF TRANSPORTATION
SCHEDULE OF QUANTITIES

ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NUMBER
VARIOUS	2013-001-I	COOK	10	5 B.

CONTRACT: 60W18

LOCATION	COMB. CONC. C & G R&R (LF)	HMA SURF R&R VARIABLE DEPTH (SQYD)	SALT TOLERANT SODDING (SQYD)	SIDEWALK 5" R&R (SQFT) 18" CARRIAGE/ COURTESY	SIDEWALK 5" R&R (SQFT) 5' PARALLEL	SIDEWALK 8" R&R (SQFT) 5' PARALLEL	DRIVEWAY 8" R&R (SQFT)	DETECTABLE WARNINGS (ADA RAMPS) (SQFT)	CONC. CURB, TYPE B (LF)	REMARKS
6000 South Normandy Avenue	0.0	0.0	0.0	0.0	120.0	0.0	0.0	40.0	0.0	Install ADA Ramp and sidewalk (at corner of Normandy and 60th St).
6001 South Normandy Avenue	0.0	0.0	0.0	0.0	120.0	0.0	0.0	40.0	0.0	Install ADA Ramp (at corner of Normandy and 60th St).
6203 South Normandy Avenue	0.0	0.0	0.0	0.0	60.0	0.0	0.0	0.0	0.0	Replace 2 sidewalk squares
5850 South Oak Park Avenue	0.0	0.0	0.0	9.0	210.0	0.0	0.0	0.0	0.0	Replace 7 sidewalk squares and the courtesy walk
5920 South Oak Park Avenue	0.0	0.0	0.0	0.0	90.0	0.0	0.0	0.0	0.0	Replace 3 sidewalk squares
5949 South Parkside Avenue	0.0	0.0	0.0	0.0	30.0	0.0	0.0	0.0	0.0	Replace 1 sidewalk square (tripping hazard)
6024 South Parkside Avenue	0.0	0.0	0.0	45.0	0.0	0.0	0.0	0.0	0.0	Replace 30 ft of service/courtesy walk
5739 South Rutherford Avenue	0.0	0.0	0.0	0.0	240.0	0.0	0.0	0.0	0.0	Replace 8 Sidewalk Squares
5801 South Rutherford Avenue	0.0	0.0	0.0	0.0	60.0	0.0	0.0	0.0	0.0	Replace 2 sidewalk squares
5721 South Sayre Avenue	0.0	0.0	0.0	0.0	90.0	0.0	0.0	0.0	0.0	Replace 3 cracked sidewalk squares
5754 South Sayre Avenue	0.0	0.0	0.0	0.0	150.0	0.0	0.0	0.0	0.0	Replace 5 Sidewalk Squares
5600 South Tripp Avenue	0.0	0.0	0.0	0.0	90.0	0.0	0.0	0.0	0.0	Replace 3 sidewalk squares due to tree roots
5748 South Tripp Avenue	0.0	0.0	0.0	9.0	210.0	0.0	0.0	0.0	0.0	Replace 7 sidewalk squares and courtesy walk
6017, 6019 and 6023 South Tripp	70.0	11.7	10.0	15.0	0.0	0.0	0.0	0.0	0.0	Replace 70 feet of low curb
6112 South Tripp Avenue	0.0	0.0	0.0	0.0	90.0	0.0	0.0	0.0	0.0	Replace 3 sidewalk squares
6201 South Tripp Avenue	0.0	0.0	0.0	0.0	90.0	0.0	0.0	0.0	0.0	Replace 3 sidewalk squares
6101 West 55th Street	0.0	0.0	0.0	0.0	60.0	0.0	0.0	20.0	0.0	Install handicap/ADA crosswalk
4046 West 57th Street	12.0	2.0	0.0	18.0	0.0	0.0	0.0	0.0	0.0	Replace 12 feet of damaged curb and gutter
3709 West 59th Place	0.0	0.0	0.0	0.0	240.0	0.0	0.0	0.0	0.0	Replace 8 sidewalk squares
4100 West 59th Street	0.0	0.0	0.0	0.0	180.0	0.0	0.0	0.0	0.0	Replace 3 sidewalk squares in front and 3 sidewalk squares on side of house.
5734 West 59th Street	0.0	0.0	0.0	0.0	90.0	0.0	0.0	0.0	0.0	Replace 3 sidewalk squares causing basement flooding issue.
6025 West 59th Street	0.0	0.0	0.0	0.0	0.0	0.0	350.0	0.0	30.0	Replace Alley Apron
6212 West 59th Street	0.0	0.0	0.0	0.0	90.0	0.0	0.0	0.0	0.0	Replace 3 Sidewalk Squares. (Trip Hazard)
6216 West 59th Street	0.0	0.0	0.0	0.0	90.0	0.0	0.0	0.0	0.0	Replace 3 Sidewalk Squares. (Trip Hazard)
6251 West 59th Street	0.0	0.0	0.0	0.0	60.0	0.0	0.0	0.0	0.0	Replace 2 Sidewalk Squares
6607 West 59th Street	0.0	0.0	0.0	0.0	90.0	0.0	0.0	0.0	0.0	Replace 3 sidewalk squares (tripping hazard).
6701 West 59th Street	0.0	0.0	0.0	18.0	180.0	0.0	0.0	0.0	0.0	Replace carriage walk and courtesy walk on side of home
SUB-TOTAL	82.0	13.7	10.0	114.0	2730.0	0.0	350.0	100.0	30.0	

ILLINOIS DEPARTMENT OF TRANSPORTATION
SCHEDULE OF QUANTITIES

ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NUMBER
VARIOUS	2013-001-I	COOK	10	50.


CONTRACT: 60W18

LOCATION	COMB. CONC. C & G R&R (LF)	HMA SURF R&R VARIABLE DEPTH (SQYD)	SALT TOLERANT SODDING (SQYD)	SIDEWALK 5" R&R (SQFT) 18" CARRIAGE/ COURTESY	SIDEWALK 5" R&R (SQFT) 5' PARALLEL	SIDEWALK 8" R&R (SQFT) 5' PARALLEL	DRIVEWAY 8" R&R (SQFT)	DETECTABLE WARNINGS (ADA RAMPS) (SQFT)	CONC. CURB, TYPE B (LF)	REMARKS
6703 West 59th Street	0.0	0.0	0.0	0.0	60.0	0.0	0.0	0.0	0.0	Replace 2 Sidewalk Squares
6707 West 59th Street	0.0	0.0	0.0	9.0	60.0	0.0	0.0	0.0	0.0	Replace 2 Sidewalk Squares and 2 Carriage Walk Squares
6709 West 59th Street	0.0	0.0	0.0	22.5	0.0	0.0	0.0	0.0	0.0	Replace Courtesy Walk and Carriage Walk
6735 West 59th Street	0.0	0.0	0.0	0.0	90.0	0.0	0.0	0.0	0.0	Replace 3 Sidewalk Squares on Rutherford Avenue Side of House Adjacent to Tree
6540 West 60th Street	2.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	Replace 2 feet of damaged curb
5900 West 63rd Place	0.0	0.0	0.0	0.0	0.0	0.0	350.0	0.0	30.0	Replace Curb and Alley Apron
6031 West 63rd Place	0.0	0.0	0.0	31.5	60.0	0.0	0.0	0.0	0.0	Replace 2 Sidewalk Squares Near East Side of Property and Courtesy Walk. *PLEASE CONFIRM SIDEWALK SQUARES WITH HOMEOWNER FIRST*
4322 West 63rd Street	0.0	0.0	0.0	0.0	150.0	0.0	0.0	0.0	0.0	Replace 5 sidewalk squares
5857-5859 West 63rd Street	0.0	0.0	0.0	0.0	150.0	0.0	0.0	0.0	0.0	Replace 5 Sidewalk Squares
3923 West 64th Place	0.0	0.0	0.0	0.0	180.0	0.0	0.0	0.0	0.0	Replace 5 sidewalk squares (tripping hazard).
5800 West 64th Place	30.0	5.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	On Menard Avenue side, replace 30 ft of crumbling curb
3900 West 64th Street	7.0	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	Repair 7 feet of daamaged curb (side of home) closest to alley
5914 West 64th Street	2.0	0.4	0.0	3.0	0.0	0.0	0.0	0.0	0.0	Replace 2 feet of damaged curb
6015 West 64th Street	20.0	3.4	3.4	0.0	0.0	0.0	0.0	0.0	0.0	Replace 20 ft of missing and damaged curb.
6158 West 64th Street	0.0	0.0	0.0	0.0	0.0	0.0	30.0	12.0	6.0	Make Alley Handicap/ADA Accessible
4525 West 65th Place	0.0	0.0	0.0	0.0	210.0	0.0	0.0	0.0	0.0	Replace 7 sidewalk squares
4528 West 65th Place	12.0	2.0	0.0	0.0	0.0	0.0	18.0	0.0	0.0	Replace cracked, broken curb and gutter causing standing water issue (entrance of the driveway)
3825 West 66th Street	0.0	0.0	0.0	0.0	150.0	0.0	0.0	0.0	0.0	Replace 5 Sidewalk Squares
3911 West 66th Street	0.0	0.0	0.0	0.0	90.0	0.0	0.0	0.0	0.0	Replace 3 Sidewalk Squares
3631 West 67th Place	0.0	0.0	0.0	0.0	60.0	0.0	0.0	0.0	0.0	Replace 2 sidewalk squares (standing water).
3655 West 68th Street	0.0	0.0	0.0	0.0	90.0	0.0	0.0	0.0	0.0	Replace 3 sidewalk squares
3811 West 68th Street	0.0	0.0	0.0	46.5	0.0	0.0	0.0	0.0	0.0	Replace 31 Feet of Cracked, Sunken Catwalk adjacent to curb
3820 West 68th Street	1.5	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	Replace 1.5 Feet of Crumbling Curb
3829 West 68th Street	1.5	0.3	0.3	13.5	0.0	0.0	0.0	0.0	0.0	Replace 1.5 Feet of Crumbling Curb & 9 Feet of Cracked Sinking Catwalk Along
3830 West 68th Street	2.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	Replace 2 Feet of Crumbling Curb
3835 West 68th Street	2.0	0.4	0.4	43.5	0.0	0.0	0.0	0.0	0.0	Replace 2 Feet of Cracked, Crumbling Curb & 29 Feet of Sunken, Cracked Catwalk adjacent to curb
3839 West 68th Street	0.0	0.0	0.0	85.5	0.0	0.0	0.0	0.0	0.0	Replace 27 Feet of Cracked, Buckling Catwalk Adjacent to Curb, as well as 3' x 10' service walk, ADA Handicap Accessible
3841 West 68th Street	0.0	0.0	0.0	40.5	0.0	0.0	0.0	0.0	0.0	Replace 27 Feet of Sunken Catwalk Adjacent to Curb
3849 West 68th Street	2.0	0.4	0.0	3.0	0.0	0.0	0.0	0.0	0.0	Replace 2 Feet of Cracked, Crumbling Curb
3854-3858 West 68th Street	10.0	1.7	1.7	0.0	0.0	0.0	0.0	0.0	0.0	Repair 10 ft of curb
3859 West 68th Street	2.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	Replace 2 Feet of Crumbling Curb
3735 West 69th Street	0.0	0.0	0.0	0.0	360.0	0.0	0.0	0.0	0.0	Replace 12 sidewalk squares
3828 West 69th Place	0.0	0.0	0.0	0.0	240.0	0.0	0.0	0.0	0.0	Replace 8 sidewalk squares
3916 West 70th Place	0.0	0.0	0.0	0.0	150.0	0.0	0.0	0.0	0.0	Replace 5 cracked sidewalk squares
3917 West 70th Place	0.0	0.0	0.0	45.0	0.0	0.0	0.0	0.0	0.0	Replace 2 Sinking Courtesy Walk Squares and 8 Carriage Walk Squares
SUB-TOTAL	94.0	16.3	13.5	343.5	2100.0	0.0	398.0	12.0	36.0	
TOTAL	628.0	106.2	46.5	1104.0	10920.0	0.0	3898.0	292.0	341.0	

ILLINOIS DEPARTMENT OF TRANSPORTATION
SCHEDULE OF QUANTITIES

ROUTE	SECTION	COUNTY	TOTAL SHEETS	SHEET NUMBER
VARIOUS	2013-001-I	COOK	10	6

CONTRACT NO.: 60W18



PLAN VIEW

* PROPOSED DEPRESSED CURB AND EXACT LENGTH SHALL BE DETERMINED IN THE FIELD BY THE ENGINEER (TYPICAL)

ILLINOIS DEPARTMENT OF TRANSPORTATION

DETAIL: CONCRETE DRIVEWAY

VARIABLE - TO MEET EXISTING DIMENSIONS AND FIELD CONDITIONS (SEE NOTE ②)

PROP. CONC. CURB OR CURB AND GUTTER REPLACEMENT IN ACCORDANCE WITH STATE STANDARD 606001. (SEE NOTE ②)

SAW CUT FULL DEPTH - INCLUDED IN THE COST OF SIDEWALK, DRIVEWAY OR MEDIAN SURFACE REMOVAL PAY ITEM.

SEE STATE STANDARD 606001
EXISTING OR PROPOSED HMA SURFACE (IF APPLICABLE)

18" (450) MAX.

1/4" (5) **

EXISTING SIDEWALK, DRIVEWAY, MEDIAN SURFACE, SOD OR GROUND.

PROPOSED SIDEWALK, DRIVEWAY PAVEMENT, MEDIAN SURFACE OR SODDING SALT TOLERANT WITH TOP SOIL, 4" (100) SOD RESTORATION (SEE NOTE ①).

EXISTING CONCRETE PAVEMENT, CONCRETE BASE COURSE OR FLEXIBLE PAVEMENT

T/2 *

SUITABLE BACKFILL MATERIAL (INCLUDED IN THE COST OF CURB OR CURB AND GUTTER REMOVAL AND REPLACEMENT)

3" (75) MIN.

PROPOSED 3/4" (20) PREFORMED EXPANSION JOINT AT CONCRETE SIDEWALKS, DRIVEWAYS, AND MEDIANS. (INCLUDED IN THE COST OF CURB OR CURB AND GUTTER REMOVAL AND REPLACEMENT.)

* 3" (75) MINIMUM FROM TOP AND BOTTOM OF THE CONCRETE PAVEMENT OR BASE COURSE.

** IF THE FINAL SURFACE OF THE PAVEMENT IS CONCRETE, THE GUTTER IS TO BE FLUSH WITH THE PAVEMENT.

UNSUITABLE SUB-BASE MATERIAL TO BE REMOVED, IF DIRECTED BY THE ENGINEER, SHALL BE REPLACED WITH EITHER SUB-BASE GRANULAR MATERIAL, TYPE B OR ADDITIONAL THICKNESS OF CONCRETE.

NOTE: ① SIDEWALK, DRIVEWAY PAVEMENT OR MEDIAN SURFACE SHALL BE SIMILAR TO THE MATERIAL BEING REMOVED AND WILL BE PAID FOR SEPARATELY.

SODDING, SALT TOLERANT AND TOP SOIL, FURNISH AND PLACE 4" WILL BE PAID FOR SEPARATELY.

REMOVAL AND REPLACEMENT 4" (100) OR LESS IS INCLUDED IN THE COST OF CURB OR CURB AND GUTTER REMOVAL AND REPLACEMENT.

② FERTILIZER FOR THE PLACEMENT OF THE SOD IS NOT REQUIRED

③ CURB OR CURB AND GUTTER REPLACEMENT SHALL MATCH THE SHAPE OF THE EXISTING CURB OR CURB AND GUTTER UNLESS OTHERWISE SPECIFIED.

REMOVAL AND REPLACEMENT IN EXCESS OF 4" (100) WILL BE PAID FOR IN ACCORDANCE WITH ARTICLE 109.04 OF THE STANDARD SPECIFICATIONS.

④ FOR CURB OR CURB AND GUTTER REMOVAL AND REPLACEMENT ADJACENT TO FLEXIBLE PAVEMENT DELETE EPOXY COATED TIE BARS.

PROPOSED #6 (20) EPOXY COATED TIE BARS 24" (600) LONG AT 24" (600) CENTERS WILL NOT BE PAID FOR SEPARATELY. DELETE EPOXY COATED TIE BARS IF EXISTING TIE BARS ARE USUABLE AS DETERMINED BY THE ENGINEER. (SEE NOTE ③).

⑤ LONGITUDINAL BARS, IF ENCOUNTERED IN THE EXISTING CURB OR CURB AND GUTTER, ARE NOT TO BE REPLACED. CUTTING AND REMOVING LONGITUDINAL BARS SHALL BE INCLUDED IN THE COST OF CURB OR CURB AND GUTTER REMOVAL AND REPLACEMENT.

⑥ THE COST OF HMA SURFACE REMOVAL IN THE EXISTING GUTTER FLAG SHALL BE INCLUDED IN THE COST OF THE CURB AND GUTTER REMOVAL AND REPLACEMENT.

BASIS OF PAYMENT:
THIS WORK WILL BE PAID FOR AT THE CONTRACT UNIT PRICE PER FOOT (METER) FOR "CURB REMOVAL AND REPLACEMENT" OR "COMBINATION CONCRETE CURB AND GUTTER REMOVAL AND REPLACEMENT".


⑦ THE REMOVAL AND REPLACEMENT OF THE EXISTING CURB OR CURB AND GUTTER SHALL BE DONE IN ACCORDANCE WITH THE APPLICABLE PORTIONS OF SECTION 440 AND 606 OF THE STANDARD SPECIFICATIONS.

⑧ THE LOCATIONS OF REMOVAL AND REPLACEMENT OF EXISTING CURB OR CURB AND GUTTER SHALL BE DETERMINED BY THE RESIDENT ENGINEER AT THE TIME OF CONSTRUCTION.

CURB OR CURB AND GUTTER REMOVAL AND REPLACEMENT


ALL DIMENSIONS ARE IN INCHES (MILLIMETERS) UNLESS OTHERWISE SHOWN.

FILE NAME =	USER NAME = pyrzanowskirb	DESIGNED - A. HOUSEH	REVISED - R. SHAH 10-03-96	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	CURB OR CURB AND GUTTER REMOVAL AND REPLACEMENT			F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
es:\pwork\pwork\pyrzanowskirb\d0283498\DistStd.dgn	DRAWN -	REVISED - A. ABBAS 03-21-97	REVISED - M. GOMEZ 01-22-01					VAR.	2013-001-1	COOK	10	7
PLOT SCALE = 100.0000' / in.	CHECKED -	REVISED - R. BORO 12-15-09			BD600-06 (BD-24)			CONTRACT NO. 60W18				
PLOT DATE = 5/23/2013	DATE - 03-11-94				SCALE: NONE	SHEET NO. 1 OF 1 SHEETS	STA.	TO STA.		FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT		




PLAN VIEW

- NOTES:
1. EXPANSION JOINTS SHALL BE CONSTRUCTED AS SHOWN ON THE DETAILS FOR P.C.C. SIDEWALK.
 2. THE CURB BETWEEN ADJACENT DRIVEWAYS SHALL BE FULL HEIGHT FOR A DISTANCE OF AT LEAST FOUR FEET (1.2 METERS)
 3. P.C. CONCRETE DRIVEWAYS SHALL BE CONSTRUCTED AT LOCATIONS SHOWN ON THE PLANS OR AS DIRECTED BY THE ENGINEER.
 4. 3/4" (20) PREFORMED EXPANSION JOINTS WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE CONSIDERED INCIDENTAL TO P.C.C. DRIVEWAY PAVEMENT 8" (200).
 5. COMBINATION CONC. CURB AND GUTTER SHALL BE MEASURED STRAIGHT ACROSS THE DRIVEWAY. NO ADDITIONAL COMPENSATION WILL BE ALLOWED FOR THE TRANSITION CURB AND GUTTER.




SECTION B-B




SECTION A-A

P.C.C. DRIVEWAY PAVEMENT DETAIL



NOTES:


1. ONE-HALF INCH THICK EXPANSION JOINTS SHALL BE PLACED BETWEEN THE SIDEWALK AND ALL STRUCTURES SUCH AS LIGHT STANDARDS, TRAFFIC LIGHT STANDARDS, MANHOLES, WHICH EXTEND THROUGH THE SIDEWALK.
2. 3/4" (20) THICK EXPANSION JOINTS SHALL BE PLACED AT INTERVALS OF NOT MORE THAN 100 FEET (30 METERS) IN THE SIDEWALK, WHERE THE SIDEWALK IS CONSTRUCTED ADJACENT TO PAVEMENT OR CURB HAVING EXPANSION JOINTS, THE EXPANSION JOINTS IN THE SIDEWALK SHALL BE PLACED OPPOSITE THE EXISTING EXPANSION JOINTS AS NEARLY AS PRACTICABLE. EXPANSION JOINTS SHALL ALSO BE PLACED WHERE THE SIDEWALK ABUTS EXISTING SIDEWALKS, BETWEEN DRIVEWAY PAVEMENT AND SIDEWALK, AND BETWEEN SIDEWALK AND CURBS WHERE THE SIDEWALK ABUTS A CURB.



SLOPE FOR SIDEWALK
1" (25) IN 3'-0" (0.9 m) IN CHICAGO


PORTLAND CEMENT CONCRETE SIDEWALK DETAILS

NOTES: NO EXTRA COMPENSATION SHALL BE ALLOWED FOR THE GUTTER FLARE



IF THE WIDTH OF THE ALLEY RETURN IS 16'-0" (4.8 m) OR MORE, A LONGITUDINAL JOINT SHALL BE PLACED IN THE ALLEY RETURN PAVEMENT.

WHEREVER THE ALLEY IS PAVED, CONSTRUCT A 1" (25) LONGITUDINAL CURB PREFORMED EXPANSION JOINT



SECTION A-A

ALLEY RETURN DETAIL

ALL DIMENSIONS ARE IN INCHES (MILLIMETERS) UNLESS OTHERWISE SHOWN


FILE NAME =	USER NAME = pyrzanowskirb	DESIGNED - M. DE YONG	REVISED -
et:\pw_work\p\dot\pyrzanowskirb\d0283498\DistStd.dgn	NDistStd.dgn	DRAWN -	REVISED -
PLOT SCALE = 100.0000' / 1"	CHECKED -	REVISOR -	REVISED -
PLOT DATE = 5/23/2013	DATE - 06-13-90	REVISOR -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

CITY OF CHICAGO
DETAILS FOR P.C. CONCRETE DRIVEWAY, ALLEY RETURN AND SIDEWALK

SCALE: NONE SHEET NO. 1 OF 1 SHEETS STA. TO STA.

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
VAR.	2013-001-1	COOK	10	8
BD400-03	(BD-17)	CONTRACT NO. 60W18		
FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT				



TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS

NOTES:

- A. FOR NO LANE RESTRICTION ON THE SIDE ROAD OR DRIVEWAYS
 1. SIDE ROAD WITH A SPEED LIMIT OF 40 MPH (60 km/h) OR LESS AS SHOWN ON THE DRAWING AND AS DIRECTED BY THE ENGINEER:
 - a) ONE ROAD CONSTRUCTION AHEAD SIGN 36 x 36 (900x900) WITH A FLASHER AND FLAG MOUNTED ON IT APPROXIMATELY 200' (60 m) IN ADVANCE OF THE MAIN ROUTE.
 - b) THE CLOSED PORTION OF THE MAIN ROUTE SHALL BE PROTECTED BY BLOCKING WITH TYPE I, TYPE II OR TYPE III BARRICADES, 1/3 OF THE CROSS SECTION OF THE CLOSED PORTION.
 2. SIDE ROAD WITH A SPEED LIMIT GREATER THAN 40 MPH (60 km/h) AS SHOWN ON THE DRAWING AND AS DIRECTED BY THE ENGINEER:
 - a) ONE ROAD CONSTRUCTION AHEAD SIGN 48 x 48 (1.2 m x 1.2 m) WITH A FLASHER MOUNTED ON IT APPROXIMATELY 500' (150 m) IN ADVANCE OF THE MAIN ROUTE.
 - b) THE CLOSED PORTION OF THE MAIN ROUTE SHALL BE PROTECTED BY BLOCKING WITH TYPE III BARRICADES, 1/2 OF THE CROSS SECTION OF THE CLOSED PORTION.
 3. WHEN THE SIDE ROAD LIES BETWEEN THE BEGINNING OF THE MAINLINE SIGNING AND THE WORK ZONE, A SINGLE HEADED ARROW (M6-1) SHALL BE USED IN LIEU OF THE DOUBLE HEADED ARROW (M6-4).
- B. FOR A LANE CLOSURE ON A SIDE ROAD OR DRIVEWAY:

USE APPLICABLE PORTIONS OF THE TYPICAL APPLICATION OF TRAFFIC CONTROL DEVICES (STD. 701501, STD. 701606 OR THE APPROPRIATE STANDARD). THE SPACING OF SIGNS AND BARRICADES SHALL BE ADJUSTED FOR FIELD CONDITIONS AS DIRECTED BY THE ENGINEER. THE DIRECTIONAL ARROW SHALL BE COVERED OR REMOVED WHEN NO LONGER CONSISTENT WITH THE SIDE ROAD LANE CLOSURE.
- C. ADVANCE WARNING SIGNS ARE TO BE OMITTED ON DRIVEWAY UNLESS OTHERWISE NOTED.
- D. THE TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS SHALL BE INCIDENTAL TO THE COST OF SPECIFIED TRAFFIC CONTROL STANDARDS OR ITEMS.

All dimensions are in millimeters (inches) unless otherwise shown.


FILE NAME =	USER NAME = pyrzenowski	DESIGNED - LHA	REVISED - J. OBERLE 10-18-95
et:\pw\work\p1dot\pyrzenowski\bd028349\DistStd.dgn		DRAWN -	REVISED - A. HOUSEH 03-06-96
	PLOT SCALE = 100.0000' / in.	CHECKED -	REVISED - A. HOUSEH 10-15-96
	PLOT DATE = 5/23/2013	DATE - 06-89	REVISED - T. RAMMACHER 01-06-00

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**TRAFFIC CONTROL AND PROTECTION FOR
SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS**

SCALE: NONE SHEET NO. 1 OF 1 SHEETS STA. TO STA.

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
VAR.	2013-001-1	COOK	10	9
TC-10			CONTRACT NO. 60W18	
FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT				



NOTES:

1. USE BLACK LETTERING ON ORANGE BACKGROUND.
2. ERECT SIGNS IN ADVANCE OF THE LOCATION FOR THE "ROAD CONSTRUCTION AHEAD" SIGN AT LOCATIONS AS DIRECTED BY THE ENGINEER.
3. ERECT SIGN ① WITH INSTALLED PANEL ② ONE WEEK PRIOR TO THE START OF CONSTRUCTION.
4. REMOVE PANEL ② SOON AFTER THE START OF CONSTRUCTION.
5. SEE SPECIAL PROVISION FOR "TEMPORARY INFORMATION SIGNING" FOR ADDITIONAL INFORMATION.
6. ONE SIGN ASSEMBLY EQUALS 25.70 SQ. FT. (2.3 SQ. M.)
7. SHALL BE PAID FOR AS TEMPORARY INFORMATION SIGNING.

ALL DIMENSIONS ARE IN INCHES (MILLIMETERS) UNLESS OTHERWISE SHOWN.

FILE NAME =	USER NAME = pyzanoskirb	DESIGNED -	REVISED - R. MIRS 09-15-97
et:\pw\work\p\dot\pyzanoskirb\d0283498\DistStd.dgn		DRAWN -	REVISED - R. MIRS 12-11-97
	PLOT SCALE = 100.0000' / in.	CHECKED -	REVISED - T. RAMMACHER 02-02-99
	PLOT DATE = 5/23/2013	DATE -	REVISED - C. JUCIUS 01-31-07

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

ARTERIAL ROAD
INFORMATION SIGN

SCALE: NONE SHEET NO. 1 OF 1 SHEETS STA. TO STA.

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
VAR.	2013-001-1	COOK	10	10
TC-22		CONTRACT NO. 60W18		
FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT				