



## NOTES:

- SEE DRAWING E-01 FOR IDOT ELECTRICAL SYMBOLS AND ABBREVIATIONS.
- LOCATIONS OF EXISTING ELECTRICAL EQUIPMENT SHOWN ON THIS DRAWING ARE APPROXIMATIONS AND MUST BE VERIFIED IN THE FIELD BY THE CONTRACTOR.
- 3. THE REMOVAL OF EXISTING UNDERPASS LUMINAIRES MUST INCLUDE THE REMOVAL OF ALL CABLES, CONDUIT, AND HARDWARE ASSOCIATED WITH THE EXISTING UNDERPASS LIGHTING. COST FOR THIS WORK WILL NOT BE PAID FOR SEPARATELY BUT WILL BE INCLUDED AS PART OF THE "REMOVAL OF LIGHTING UNIT, SALVAGE" PAY ITEM.
- ALL PROPOSED UNDERPASS LUMINAIRES SHOWN ON THIS DRAWING MUST BE PIER OR ABUTMENT WALL MOUNTED. SEE IDOT STANDARD DRAWING BE-902 FOR ADDITIONAL DETAILS.
- 5. STUB AND CAP 3" DIAMETER RIGID STEEL PVC COATED (PVCC) CONDUIT FOR FUTURE USE.
- 6. ALL PROPOSED UNDERPASS LIGHTING UNITS SHOWN ON THIS DRAWING WILL BE FED FROM EXISTING IDOT LIGHTING CONTROLLER "G".
- SEE DRAWING E-04 FOR THE TEMPORARY POWER CONNECTIONS TO THE UNDERPASS LIGHTING SYSTEM.
- 8. COIL 3 FEET OF CABLE IN JUNCTION BOX FOR FUTURE CONNECTIONS.

9. ALL VERTICAL CONDUIT RUNS ROUTED DOWN THE STRUCTURE SHALL BE INSTALLED ON THE INSIDE OF THE PIER FACING AWAY FROM TRAFFIC FLOW.

	JUNC	TION BOX SCHEDULE		
NO.	SIZE	DESCRIPTION		
JBI	6"X6"X4" STAINLESS STEEL, ATTAC TO STRUCTURE, UNDERPA- LIGHTING			
JB2	12"X10"X6"	STAINLESS STEEL, ATTACHED TO STRUCTURE, UNDERPASS LIGHTING		
JB3	18"X18"X8"	STAINLESS STEEL, ATTACHED TO STRUCTURE, UNDERPASS LIGHTING		

CABLE / CONDUIT SCHEDULE					
1	3-1/C=10, 1-1/C=10 GND IN 1" DIA PVCC RGC ATTACHED TO STRUCTURE (CKTS AS INDICATED ON THIS DRAWING)				
(2)	2-1/C*10, 1-1/C*10 GND IN 1" DIA PVCC RGC ATTACHED TO STRUCTURE (CKTS AS INDICATED ON THIS DRAWING)				
(3)	2-1/C*10, 1-1/C*10 GND IN 1" DIA LIOUID TIGHT FLEXIBLE CONDUIT (CKTS AS INDICATED ON THIS DRAWING)				
4	3-1/C*2, 1-1/C*4 GND IN 3" DIA PVCC RGC ATTACHED TO STRUCTURE (CKTS AS INDICATED ON THIS DRAWING)				

F.A.I. RTE.

**AECOM** 

D160W25-+hz-t.ighz-85	DESIGNED - WDS	REVISED - 1/19/201
USER NAME + myerac	. DRAWN - CAM	REVISED -
PLOT SCALE : 20,8000 1/ in.	CHECKED - JPC	REVISED ~
PLOT DATE : 7/12/2013	DATE - 6/17/2013	REVISED -

STATE OF ILLINOIS **DEPARTMENT OF TRANSPORTATION** 

	MORGAN	STREET	UNDERPASS	LIGHTING	PLAN
SCALE:	SHEET	5 OF	II SHEETS ST	A.	TO STA.

TOTAL SHEE SHEETS NO. SECTION 90/94/290 COOK 317 126 CONTRACT NO. 60W25 FILLINOIS FED. ATO PROJECT

E-05