


## NOTES:

- 1. LIQUID TIGHT FLEXIBLE METAL
  CONDUIT, MAXIMUM LENGTH 6'-0", TYPICAL
  FOR EACH INSTANCE AS SHOWN, PROVIDE PVC
  COATED RIGID GALVANIZED STEEL CONDUIT AS
  REQUIRED NOT TO EXCEED 6'-0" OF FLEXIBLE
  LIQUID TIGHT METAL CONDUIT, LIQUID TIGHT
  FLEXIBLE METAL CONDUIT WILL BE INCLUDED
  IN THE COST OF THE CONDUIT ATTACHED TO
  STRUCTURE, OF THE CORRESPONDING DIA,
  GALVANIZED STEEL, PVC COATED PAY ITEM
  EXCEPT THAT THE COST OF THE 34" DIA,
  RIGID STEEL CONDUIT AND 34" DIA, FLEXIBLE
  CONDUIT SHALL BE INCLUDED IN THE LUMINAIRE
  INSTALLATION.
- 2. UNDERPASS LUMINAIRE MOUNTED TO FACE OF PIER OR ABUTMENT WALL. MOUNTING HEIGHT OF 1" BELOW THE TOP OF PIER OR ABUTMENT WALL TYPICAL FOR ALL PIER/ABUTMENT MOUNTED UNDERPASS LUMINAIRES UNLESS OTHERWISE NOTED.
- 3. EXPANSION ANCHOR, POWDER ACTUATED FASTENERS WILL NOT BE ALLOWED. EXPANSION ANCHOR MUST BE SIZED IN ACCORDANCE WITH MANUFACTURERS REQUIREMENTS.
- 4. SECURE THE CONDUIT WITH PVC COATED CONDUIT CLAMPS OR CONDUIT BEAM CLAMPS AS SHOWN AT 5'-O" INTERVALS FOR LATERALS AND WITHIN 2'-O" MAXIMUM FROM ANY JUNCTION BOX, FLEXIBLE CONDUIT, OR CHANGE IN DIRECTION. ALL PVC COATED CONDUIT CLAMPS OR BEAM CLAMPS SHALL BE INCLUDED WITH THE COST OF THE "CONDUIT ATTACHED TO STRUCTURE, OF THE CORRESPONDING DIA., GALVANIZED STEEL, PVC COATED" PAY ITEM.
- 5. THE CONCRETE ENCASED CONDUIT TRANSITION SHALL BE INCLUDED IN THE COST OF THE GALVANIZED RIGID STEEL CONDUIT PAY ITEMS.
- 6. ALL CONDUIT ATTACHED TO STRUCTURE SHALL BE PVC COATED RIGID STEEL CONDUIT (PVCC RGC) TYPICAL.







SCALE: NONE

FILE NAME =	USER NAME = patelp2	DESIGNED -	REVISED - 01-25-05	
pw:\\388039-pwintl.aecomonline.local:PWAE	OM00\Documents\01 Americas\Transportation\6	0 <b>067AWN</b> Circle\Phase_II\000_CAD\006_Road	<b>ራብያ∑ኝዘ&amp;££9</b> \60₩25_Contract\D160W25-SHT-D1	Detail-19.dgn
	PLOT SCALE = 50.000 '/ in.	CHECKED -	REVISED -	
	PLOT DATE = 5/15/2013	DATE -	REVISED -	

STATE OF ILLINOIS								
DEPARTMENT OF TRANSPORTATION								

			F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
			•	2013-007R	COOK	317	251
LOWINAINE INSTALLATION DETAILS				BE-902	CONTRACT NO. 60W25		
SHEET NO. 19 OF 31 SHEETS S	TA.	TO STA.	FED. ROAD DIST. NO. 1 JULINOIS FED. AID PROJECT				

• 90/94/290