


STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

| ROUTE NO.             | SECTION  | COUNTY           | SHEET NO. | TOTAL SHEETS |
|-----------------------|----------|------------------|-----------|--------------|
| F.A.I. 94/            | 2003-071 | COOK             | 91        | 90           |
| F.A.P. 346            | RS       |                  |           |              |
| FED. ROAD DIST. NO. 7 | ILLINOIS | FED. AID PROJECT |           |              |

Contract # 62636


When "A" is 3'-6" or less, the temporary concrete barrier shall be anchored to the new slab according to Detail I or Detail II. No anchorage is required when "A" is greater than 3'-6".




SECTIONS THRU SLAB

NOTES

- Detail I - With Bar Splicer or Couplers:  
Connect one (1) 1"x7"x10" steel  $\bar{P}$  to the top layer of couplers with 2-5/8"  $\phi$  bolts screwed to coupler at approximate  $\bar{C}$  of each barrier panel.
- Detail II - With Extended Reinforcement Bars:  
Connect one (1) 1"x7"x10" steel  $\bar{P}$  to the concrete slab with 2-5/8"  $\phi$  Expansion Anchors or cast in place inserts spaced between the top layer of reinforcement at approximate  $\bar{C}$  of each barrier panel.
- Cost of anchorage is included with Temporary Concrete Barrier. The 1" x 7" x 10" plate shall not be removed until stage II construction forms and all reinforcement bars are in place and the concrete is ready to be placed.




DETAIL I



DETAIL II

\*\* Wood blocks may be omitted when required to provide minimum stage traffic lane width. When the wood blocks are omitted, the concrete barrier shall be in direct contact with the steel retainer plate.



STEEL RETAINER  $\bar{P}$  1" x 7" x 10"

\* Required only with Detail II

TEMPORARY CONCRETE BARRIER  
FOR STAGE CONSTRUCTION  
F.A.I. 94/ (EDENS EXPRESSWAY)  
OVER SKOKIE RIVER  
COOK COUNTY  
STATION 394+08.55  
STRUCTURE NO. 016-0102

|          |     |
|----------|-----|
| DESIGNED | -   |
| CHECKED  | -   |
| DRAWN    | EF  |
| CHECKED  | DWH |

**LOCHNER**  
H.W. LOCHNER, INC., CHICAGO, ILLINOIS

R-27

11-1-06