

NOTES:

REINFORCING BARS, CLASS "PC" CONCRETE, CAST IRON RING
AND COVER, AND ALL MATERIAL AND LABOR SHALL BE INCLUDED
IN THE UNIT PRICE BID FOR "INLETS, SPECIAL, TYPE 1" COMPLETE
AND IN PLACE.

THE TOPS OF ALL INLETS WHICH ARE LOCATED IN CURVES SHALL BE CONSTRUCTED TO CONFORM TO THE RADIUS OF THE CURVE.

THE INLET SHALL BE KLUETER BROS. CATCH BASIN W/FLAT LID OR SIMILAR BASED ON STRUCTURE SIZE.


THE INLET LID SHALL BE KLUETER BROS. K-33 CATCH BASIN LID OR SIMILAR.

THE LIGHT DUTY RING AND COVER SHALL BE NEENAH FOUNDRY NO. R-1737 OR SIMILAR.


DETAILS FOR THE INLETS, SPECIAL, TYPE 1 AS SHOWN ABOVE ARE BASED UPON INSIDE DIMENSIONS OF 3'X3'. ALL OTHER SIZES NOTED IN THE PLANS REFER TO INSIDE DIMENSIONS.

FOR THE INLETS, SPECIAL, TYPE 3 THE TOP SHALL BE INSTALLED WITH NO MOUTH OPENING.

FOR THE INLET, SPECIAL, TYPE 2, THERE SHALL BE AN ADDITIONAL OPENING SIMILIAR TO THE OPENING AS SHOWN IN SECTION A-A PLACED IN THE REAR OF THE STRUCTURE.




LIGHT DUTY RING AND COVER,
NEEHAN No. R-1737 OR SIMILAR
N.T.S.




NOTES: REINFORCING BARS USED IN THE INLET SHALL BE *4 BARS @ 10" O.C. BOTH WAYS.

SECTION A-A




CONCRETE LID PLAN

INLET WAL	-
TYPE	THICKNES:
PRECAST CONCRETE	6,
CAST-IN-PLACE CONCRETE	6"




PLAN



FRONT ELEVATION
N.T.S.

INLETS. SPECIAL. TYPE 1 & TYPE 2

N.T.S.



Juneau Associates, Inc. P.C. COMBULTING ENGINEERS AND LAND SURVEYORS 2100 Stress Private, F.A., Ed. 1852 2100 Stress Private, F.A., Ed. 18				MISCELLANEOUS DETAILS BISSELL STREET MADISON, ILLINOIS SECTION No. 05-00001-00-WR				
	REVISIONS			SCALE:				
NO.	DATE	BY	REMARKS	NO	T TO SCA	LE		
		1		DSN. BY:	BFK	DATE:	1/19/07	SHEET
				DWN. BY:	RKR	DATE:	1/19/07	78
				сикт:	BFK	DATE:	1/19/07	10
DWG.	NO.			JOB NO.	E061300	DGN. NA	ME: MESCLOTES	OF 102 SHTS

FED. ROAD DIST. NO. _ ILLINOIS FED. AID PROJECT

CONTRACT NO. 97314