08-03-12 LETTING ITEM 057 INDEX OF SHEETS

- . COVER SHEET
- 2. GENERAL NOTES
- 3. SUMMARY OF QUANTITIES
- 4. TRAFFIC CONTROL DETAILS
- 5 11. STRUCTURE PLANS

STANDARDS

000001-06 STANDARD SYMBOLS, ABBREVIATIONS AND PATTERNS 001001-02 AREAS OF REINFORCEMENT BARS

001006 DECIMAL OF AN INCH AND OF A FOOT

701006-03 OFF-ROAD OPERATIONS 2L, 2W, 15' (4.5 m) TO 24" (600 mm) FROM

PROJECT LOCATION

SN 006-0134

CARRYING TR 246

(OLD DAD JOE TRAIL)

OVER BUREAU CREEK

0.50 MILES WEST OF IL 26

PAVEMENT EDGE

701901-02 TRAFFIC CONTROL DEVICES

STATE OF ILLINOIS

DEPARTMENT OF TRANSPORTATION

DIVISION OF HIGHWAYS


PROPOSED HIGHWAY PLANS

T.R. ROUTE 246 (OLD DAD JOE TRAIL) SECTION (ORCB)BP-2

PROJECT: ACTR-ACNHCB - 0246 (092)

BRIDGE PAINTING BUREAU COUNTY

C-93-021-12



FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS. THE ABOVE SCALES MAY BE USED.

J.U.L.I.E.
JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION
1-800-892-0123
OR 811


DISTRICT 3 NO. (815) 434-6131

PROJECT ENGINEER: JOE KANNEL P.E. PROJECT MANAGER: RON WOODSHANK TOWNSHIP: DOVER

CONTRACT NO. 66B72

0

0



GROSS LENGTH = 156.00 FT. = 0.030 MILE

NET LENGTH = 156.00 FT. = 0.030 MILE

NOT TO SCALE

D-93-018-12

OCATION OF SECTION INDICATED THUS: -

(ORCB)BP-2

BUREAU 11 1

JILLINOIS CONTRACT NO. 66B72

RURAL

LOCAL HIGHWAY

TR 246
(OLD DAD JOE TRAIL)

2011

ADT 200

P.V. 99.00%

S.U. 1.00%

M.U. 0.00%

DEPUTY DIRECTOR OF HIGHWAYS, REGION ENGINEER

DEPUTY DIRECTOR OF HIGHWAYS, REGION ENGINEER

DEPUTY DIRECTOR OF HIGHWAYS, REGION ENGINEER

DEPUTY DIRECTOR OF DESIGN AND ENVIRONMENT

DIVING ENGINEER OF DESIGN AND ENVIRONMENT

DIVING 20 12

DIVING DIRECTOR OF HIGHWAYS, CHIEF ENGINEER

PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

GENERAL NOTES

FOR STABILIZATION, ALL TYPE III BARRICADES SHALL REQUIRE A MINIMUM OF FOUR SAND BAGS PER BARRICADE.

SEEDING SHALL NOT BE PERMITTED AT ANY TIME WHEN THE GROUND IS FROZEN, WET, OR IN AN UNTILLABLE CONDITION. LOCATIONS TO BE SEEDED WILL BE DETERMINED BY THE ENGINEER.

THE FINISHED EARTHWORK SHALL HAVE A VEGETATION SUSTAINING SOIL COVERING THE TOP FOUR INCHES IN AREAS TO BE SEEDED OR SODDED. THE VEGETATION SUSTAINING SOIL REQUIRED WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE INCLUDED IN THE COST OF THE CONSTRUCTION ITEM REQUIREING THIS WORK.

ABANDONED UNDERGROUND UTILITIES THAT CONFLICT WITH CONSTRUCTION SHALL BE DISPOSED OF OUTSIDE THE LIMITS OF THE RIGHT OF WAY ACCORDING TO ARTICLE 202.03 OF THE STANDARD SPECIFICATIONS AND AS DIRECTED BY THE ENGINEER. THIS WORK WILL NOT BE PAID FOR SEPARATELY, BUT SHALL BE INCLUDED IN THE COST OF EARTH EXCAVATION.

ANY REFERENCE TO A STANDARD IN THESE PLANS SHALL BE INTERPRETED TO MEAN THE EDITION AS INDICATED BY THE SUBNUMBER SHOWN IN THE LIST OF STANDARDS OR THE COPY INCLUDED IN THESE PLANS.

THE CONTRACTOR'S ATTENTION IS DIRECTED TO THE PRESENCE OF DEPARTMENT-OWNED UNDERGROUND ELECTRICAL CABLE WITHIN THE LIMITS OF THE PROPOSED IMPROVEMENT. THE CONTRACTOR SHALL REQUEST THE ILLINOIS DEPARTMENT OF TRANSPORTATION IN OTTAWA (815-434-8417) TO LOCATE THE UNDERGROUND FACILITIES, PROVIDING A MINIMUM OF 72 HOURS NOTICE. THE DEPARTMENT IS NOT A MEMBER OF THE JOINT UTILITY LOCATING INFORMATION FOR EXCAVATORS (JULIE) SYSTEM.

ALL DAMAGE TO DEPARTMENT OWNED UNDERGROUND FACILITIES, CAUSED BY THE CONTRACTOR SHALL BE REPAIRED TO THE SATISFACTION OF THE DEPARTMENT AT THE CONTRACTOR'S EXPENSE. THIS SHALL INCLUDE ALL TEMPORARY REPAIRS REQUIRED TO KEEP THE FACILITY OPERATIONAL WHILE MATERIAL IS BEING OBTAINED TO MAKE PERMANENT REPAIRS. SPLICING OF ELECTRIC CABLE SHALL NOT BE ALLOWED. ELECTRIC CABLE SHALL BE REPLACED FROM POLE TO POLE OR CONTROLLER.

THE CONTRACTOR SHALL CONTACT JULIE AT LEAST 48 HOURS PRIOR TO EXCAVATION TO DETERMINE WHICH UTILITIES ARE IN THE AREA.

NOTES

"CLEAN AND PAINT WOODEN STRUCTURE"

1. NORTH AND SOUTH APPROACH SPANS:

CLEAN AND PAINT EXISTING STEEL OR WOODEN GUARDRAIL POSTS, STEEL OR WOODEN RAILS AND STEEL GUARDRAIL POST BRACKETS.

EXISTING "STRUCTURAL STEEL" ON THE APPROACHES SHALL NOT

THE CLEANING AND PAINTING OF APPROACH SPAN COMPONENTS SHALL BE AS SPECIFIED IN THE PAINT MANUFACTURER'S RECOMMENDATIONS, AND THE SPECIAL PROVISIONS FOR "CLEANING AND PAINTING WOODEN STRUCTURES" AND "CONTAINMENT AND DISPOSAL OF NON-LEAD PAINT CLEANING RESIDUES".

COLOR OF THE FINAL FINISH COAT FOR APPROACH SPAN COMPONENTS SHALL BE "WHITE".

2. COVERED SPAN

CLEAN AND PAINT ALL "EXISTING" INTERIOR AND EXTERIOR PAINTED PANELS AND TRIM SURFACES.

THE CLEANING AND PAINTING OF "EXISTING" INTERIOR AND EXTERIOR PAINTED PANELS AND TRIM SURFACES SHALL BE AS SPECIFIED IN THE PAINT MANUFACTURER'S RECOMMENDATIONS, THE SPECIAL PROVISIONS FOR "CLEANING AND PAINTING WOODEN STRUCTURES" AND "CONTAINMENT AND DISPOSAL OF NON-LEAD PAINT CLEANING RESIDIES".

COLOR OF THE FINAL FINISH COAT FOR INTERIOR AND EXTERIOR PAINTED PANELS AND TRIM SURFACES SHALL BE "BARN RED".

"PROTECTIVE COAT"

1. NORTH AND SOUTH APPROACH SPANS

APPLY A WATERPROOFING/FIRE RETARDANT TREATMENT COAT TO ALL "UNPAINTED" SURFACES OF THE APPROACH SPANS WITH THE FOLLOWING EXCEPTION, THE SURFACE AREA OF THE APPROACH SPANS SHALL "NOT" BE TREATED.

2. COVERED SPAN

APPLY A WATERPROOFING/FIRE RETARDANT TREATMENT COAT TO ALL "UNPAINTED" WOODEN SURFACES OF THE STRUCTURE'S INTERIOR AND EXTERIOR INCLUDING THE ROOF SHINGLES, INTERIOR OF THE COVERED SPAN AND UNDERSIDE OF THE COVERED SPANS DECK WITH THE FOLLOWING EXCEPTION, THE SURFACE AREA OF THE COVERED SPAN SHALL "NOT" BE TREATED.

COMMITMENTS

ALL EXISTING SOILS OR EMBANKMENTS DISTURBED OR EXCAVATED DUE TO THE CONTRACTOR'S CONSTRUCTION OPERATIONS SHALL REMAIN ON SITE AND SHALL BE DISPOSED OF WITHIN THE LIMITS OF THE STATE RIGHT OF WAY. THE ENGINEER SHALL DETERMINE LOCATIONS AND METHODS OF DISPOSAL AT TIME OF CONSTRUCTION.

PREPARED BY:

DISTRICT STUDIES & PLANS ENGINEER

EXAMINED BY:

DISTRICT CONSTRUCTION ENGINEER

DISTRICT MATERIALS ENGINEER

DISTRICT OPERATIONS ENGINEER

DISTRICT OPERATIONS ENGINEER

246

TO STA.

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

GENERAL NOTES

SHEET NO. 1 OF 1 SHEETS STA.

SCALE

801.FED. /201. STATE

CONSTR	R. CODE
 STATE	FUNDS


	Anna Herritana		STRUCTURE
	normal districts and assets	TOTAL [0014
ITEM	UNIT	QUANTITY	RURAL
TOPATED TIMED		405	105
TREATED TIMBER	F.B.M.	105	105
MOBILIZATION	L SUM	1	1
REMOVAL OF EXISTING TIMBER MEMBERS	L SUM	1	. 1
STONE MASONRY REPAIRS AND REPLACEMENT	L SUM	1	1
WOODEN WALL PLANK	SQ FT	186	186
PROTECTIVE COAT (SPECIAL)	SQ YD	2331	2331
BRIDGE CLEANING AND PAINTING WARRANTY	L SUM	1	1
TRAFFIC CONTROL AND PROTECTION, (SPECIAL)	L SUM	1	1
STRUCTURAL REPAIR OF CONCRETE (DEPTH EQUAL TO OR LESS THAN 5 INCHES)	SQ FT	7	7
JACKING AND CRIBBING	L SUM	1	1
TIMBER RETAINING WALL	SQ FT	80	80
TIMBER RETAINING WALL REMOVAL	FOOT	40	40
CLEANING AND PAINTING WOODEN STRUCTURE	L SUM	1	1
	TREATED TIMBER MOBILIZATION REMOVAL OF EXISTING TIMBER MEMBERS STONE MASONRY REPAIRS AND REPLACEMENT WOODEN WALL PLANK PROTECTIVE COAT (SPECIAL) BRIDGE CLEANING AND PAINTING WARRANTY TRAFFIC CONTROL AND PROTECTION, (SPECIAL) STRUCTURAL REPAIR OF CONCRETE (DEPTH EQUAL TO OR LESS THAN 5 INCHES) JACKING AND CRIBBING TIMBER RETAINING WALL TIMBER RETAINING WALL REMOVAL	TREATED TIMBER F.B.M. MOBILIZATION REMOVAL OF EXISTING TIMBER MEMBERS L SUM STONE MASONRY REPAIRS AND REPLACEMENT L SUM WOODEN WALL PLANK SO FT PROTECTIVE COAT (SPECIAL) BRIDGE CLEANING AND PAINTING WARRANTY L SUM TRAFFIC CONTROL AND PROTECTION, (SPECIAL) STRUCTURAL REPAIR OF CONCRETE (DEPTH EQUAL TO OR LESS THAN 5 INCHES) JACKING AND CRIBBING L SUM TIMBER RETAINING WALL FOOT	TREATED TIMBER F.B.M. 105 MOBILIZATION REMOVAL OF EXISTING TIMBER MEMBERS L SUM 1 STONE MASONRY REPAIRS AND REPLACEMENT WOODEN WALL PLANK PROTECTIVE COAT (SPECIAL) BRIDGE CLEANING AND PAINTING WARRANTY TRAFFIC CONTROL AND PROTECTION, (SPECIAL) STRUCTURAL REPAIR OF CONCRETE (DEPTH EQUAL TO OR LESS THAN 5 INCHES) TIMBER RETAINING WALL REMOVAL TIMBER RETAINING WALL REMOVAL FOOT 40


FILE NAME =	USER NAME = xoodshankrl	DESIGNED	RON	WOODSHANK	REVISED	*	Γ
ct/pv_work/pwidat/woodshonkr1/d8282868/	366872-sht-datoils.dgn	DRAWN	RON	WOODSHANK	REVISED	•	ĺ
 :	PLOT SCALE = 100+0 'r' / in.	CHECKED	•		REVISED	-	l
	PLOT DATE + 6/20/2012	DATE	-		REVISED		

STATI	E OF	ILLINOIS
DEPARTMENT	0F	TRANSPORTATION

SUMMARY	0F	QUAN	TITIES
SHEET NO. 1 OF 1 SE	EETS	STA.	TO STA.


T.R. RTE.	SECTION	COUNTY	TOTAL	SHEET NO.
246	(ORCB)8P-2	BUREAU	11	3
		CONTRAC	T NO. 66	B72
	ILLINOIS FED. AT	D PROJECT		





SIDE WALL DETAIL

CLEAN AND PAINT ALL EXISTING PAINTED EXTERIOR AND INTERIOR WOOD SIDING PLANKS AND TRIM INCLUDING PIER CAPS



DESIGN SPECIFICATIONS

PAINTED WOOD SURFACE AREA = 694 SO YDS

PROTECTIVE COAT AREA
ROOF SHINGLES = 308 SO YDS
INTERIOR = 1329 SO YDS
EXTERIOR = 694 SO YDS

TOTAL BILL OF MATERIAL

ITEN	UNIT	SUPER	SUB	TOTAL
CLEANING AND PAINTING WOOD STRUCTURE	L SUM	1		1
TREATED TIMBER	F.B.M.		105	105
REMOVAL OF EXISTING TIMBER MEMBERS	L SUM	1		1
STONE MASONRY REPAIRS AND REPLACEMENT	L SUM		1	1
WOODEN WALL PLANK	SQ FT	186		186
PROTECTIVE COAT (SPECIAL)	SO YD	1002	1329	2331
STRUCTURAL REPAIR OF CONCRETE (DEPTH EQUAL TO OR LESS THAN 5")	SO FT		7	7
JACKING AND CRIBBING	L SUM		1	1
TIMBER RETAINING WALL	SQ FT		80	80
TIMBER RETAINING WALL REMOVAL	FOOT		40	40

PLAN

WOOD STRUCTURE	L SUM	1		1
TREATED TIMBER	F.B.M.		105	105
REMOVAL OF EXISTING TIMBER MEMBERS	L SUM	1		1
STONE MASONRY REPAIRS AND REPLACEMENT	L SUM		1	1
WOODEN WALL PLANK	SQ FT	186		186
PROTECTIVE COAT (SPECIAL)	SO YD	1002	1329	2331
STRUCTURAL REPAIR OF CONCRETE (DEPTH EQUAL TO OR LESS THAN 5")	SO FT		7	7
JACKING AND CRIBBING	L SUM			1
TIMBER RETAINING WALL	SQ FT		80	80
TIMBER RETAINING WALL REMOVAL	FOOT		40	40


FILE NAME =	USER NAME * woodshankrl	DESIGNED RON WOODSHANK	REVISED -
ar\p=.xork\p+idas\xoodshankr1\d9282868\	366872-sht-details.dgn	DRAWN RON WOODSHANK	REVISED -
1	PLDT SCALE = 188/8 'Y / in,	CHECKED -	REVISED -
	PLOT DATE # 6/20/2012	DATE -	REVISED -

STATI	E OI	FILLINOIS
DEPARTMENT	OF	TRANSPORTATION


SCALE

GENERAL					TION
F0	R	SN	006-0	134	
CUEET NO	. ^-	C CUCCYC	674	Ψ/	274

-		the Inglis FFO.	CONTRACT	NO. 66	B72
	246	(ORCS)BP-2	BUREAU	11	5
	Y.R. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEE NO.





TYPICAL SECTION SOUTH APPROACH





TYPICAL SECTION NORTH APPROACH

FILE NAME :	USER NAME = woodshankrl	DESIGNED R	7017 1100000	REVISED -			TYPI	CAI SE	CTIONS		T.R.	SECTION	COUNTY	SHEETS S	HEET NO.
01/pe_vork/psidot/soodshankr1/d8282868/	366872-sht-details.dgn	DRAWN R		REVISED ~	STATE OF ILLINOIS						246	(ORCB)8P-2	BUREAU	11	6
	PLOT SCALE . 1996 Y/ In.	CHECKED -	•	REVISED ~	DEPARTMENT OF TRANSPORTATION		FOR	2.N. U	06-0134			······································	CONTRAC	T NO. 6687	2
	PLOT DATE + 6/28/2012	DATE -		REVISED ~		SCALE	SHEET NO. 1 OF	1 SHEETS	STA.	TO STA.		ILLINOIS FED.	AID PROJECT		












FILE NAME =	USER NAME 1 woodshankel	DESIGNED RON WOODSHANK	REVISED -	STATE OF ILLINOIS		ROOF DETAILS	ATE.	SECTION	COUNTY SHEETS	SHEET
di/be-eors/beloce	PLOT SCALE = 100HE '1' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION		FOR SN 006-134	246	(ORCB)BP-2	BUREAU 11 CONTRACT NO. 66	9
	PLOT SATE : 6/29/2812	DATE -	REVISED -	1	SCALEI	SHEET NO. 4 OF 6 SHEETS STA. TO STA.		ILLINOIS FED.	AID PROJECT	38/2






SOUTH ELEVATION SOUTH ABUTMENT



CHORD SUPPORT



NOTE: THE CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING OF MATERIALS.

REMOVAL OF THE DESIGNATED STRUCTURAL TIMBER MEMBERS (INCLUDING BEARINGS AND CHORD SUPPORTS) SHALL BE ACCORDING TO THE SPECIAL PROVISION FOR "REMOVAL OF EXISTING TIMBER MEMBERS".

REPLACEMENT OF THE STRUCTURAL TIMBER MEMBERS SHALL BE ACCORDING TO SECTION 507 OF THE STANDARD SPECIFICATIONS.

NO BEARING WORK TO BE DONE AT THE NORTH PIER (*2)

BILL OF MATERIAL

ITEM	UNIT	SUPER	SUB	TOTAL
JACKING AND CRIBBING	L. SUM		1	1
REMOVAL OF EXISTING TIMBER WEMBERS	L. SUM		1	1
TREATED TIMBER	F.B.W		105	105

BEARING

	PLOT SCALE = 108:8 't' / in. PLOT DATE = 6/28/2812	CHECKED -	REVISED - REVISED -	DEPARTMENT OF TRANSPORTATION	SCALES SHEET NO. 6 OF 6 SHEETS STA. TO STA.	Z46 (OKCB)8P-Z	CONTRACT NO. 66872
	1 - 1/	1,011 1100 DOINGS		4	200111 MDOLIMITM1 DEIWIF2	246 (ORCB)8P-2	BUREAU 11 11
ai\pw_work\pwidat\woodshankri\d8282868\	2366872-sht-details.don	DRAWN RON WOODSHANK	REVISED -	STATE OF ILLINOIS	SOUTH ABUTMENT DETAILS	10154	13/24/31/102
FILE NAME :	USER NAME = =oodshankrl	DESIGNED RON WOODSHANK	REVISED -			T.P. SECTION	COUNTY TOTAL SHEET