

119+00

CENTER FOUNDATION STA. 117+51.0 75.0' LT

118+00

SIGN LOCATION PLAN

SCALE 1" = 20'


CENTER FOUNDATION STA. 117+48.5


BRICK SIGN AND -FOUNDATION TO BE REMOVED

PROPOSED—BRICK SIGN

APPROXIMATE
LOCATION)

117+00 PC





FOUNDATION SECTION A-A

NOTES:

- PRIOR TO REMOVAL OF EXISTING SIGN, SALVAGE EXISTING SIGN LETTERING "GLIDDEN MANOR" FOR USE ON PROPOSED BRICK SIGN.
- BRICKS FOR THE PROPOSED SIGN SHALL MEET THE FOLLOWING REQUIREMENTS:
 STANDARD FACE BRICK
 ASTM C216 FOR GRADE SW
 MATCH COLOR AND TEXTURE OF EXISTING BRICK SIGN
- 3. CONCRETE FOUNDATION SHALL BE CLASS SI CONCRETE.
- GALVANIZED BRICK ANCHOR WALL TIES SHALL BE SPACED AT 16" ON CENTER BOTH HORIZONTALLY AND VERTICALLY.
- 5. PROVIDE WEEP HOLES AT 24" ON CENTER AT BOTTOM BRICK COURSE.
- 6. PROVIDE 1/2 INCH AIR GAP BETWEEN BACK OF BRICK AND CONCRETE WALL.
- 7. CAULK VERTICAL JOINTS AT BACK OF SIGN BETWEEN FACE OF BRICK AND CONCRETE WALL TO KEEP WATERTIGHT.