CONTRACT NO. - 60445

LEGEND

1) EXISTING HMA PAVEMENT (+ /-) 230MM

2) EXISTING AGGREGATE SHOULDER

(3) EXISTING P.C.C. SIDEWALK

(4) EXISTING CURB AND GUTTER, B-15.30 (B-6.12)


5) PROPOSED AGGREGATE SUB-GRADE, 300MM (12")


6) PROPOSED COMBINATION CURB AND GUTTER, B-15.30 (B-6.12)

7) PROPOSED HMA PAVEMENT (FULL DEPTH) 275MM (11") (SEE MIXTURE TABLE FOR REQUIREMENT)


(8) PROPOSED AGGREGATE WEDGE SHOULDER, TYPE B, 150MM (6")

9) PROPOSED SAFETY EDGE





PROPOSED TYPICAL CROSS SECTION STA. 4+920 TO STA. 4+988



PROPOSED TYPICAL CROSS SECTION STA. 5+000 TO STA. 5+080

TO DRAIN THE AGGREGATE SUB GRADE 300 mm, PROVIDE 100 mm DIAMETER TRAVERSE PIPE UNDER DRAIN AT 90 METER SPACING.

	REVISIONS						
	NAME	DATE	ILLING	DIS DEPARTI	MENT OF	TRANSPORT	ATIO
			MAIN STREET				
7				TYPICAL	CROS:	S SECTI	NC
			SCALE:	NONE	[RAWN BY	

CHECKED BY

DATE: 5/7/2011