## **GENERAL NOTES**

- 1. ALL CONSTRUCTION SHALL BE DONE IN ACCORDANCE WITH THE DETAILS IN THE PLANS, THE SPECIAL PROVISIONS INCLUDED IN THE CONTRACT DOCUMENTS, AND THE LATEST EDITION OF THE FOLLOWING STATE OF ILLINOIS SPECIFICATIONS: "THE STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION" (REFERED TO AS THE "STANDARD SPECIFICATIONS"), THE "SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS", THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES FOR STREETS AND HIGHWAYS" AND THE "MANUAL OF TEST PROCEDURES FOR MATERIALS".
- 2. BEFORE STARTING ANY EXCAVATION, THE CONTRACTOR SHALL CALL "J.U.L.I.E." AT
  (800) 892-0123 FOR FIELD LOCATIONS OF BURIED ELECTRIC, TELEPHONE, AND GAS
  FACILITIES. 48 HOUR NOTIFICATION REQUIRED.
- 3. THE CONTRACTOR WILL NOT BE ALLOWED TO SET UP A YARD OR FIELD OFFICE ON STATE PROPERTY WITHOUT THE WRITTEN PERMISSION OF THE DEPARTMENT.
- 4. THE CONTRACTOR SHALL COORDINATE ALL CONSTRUCTION ACTIVITIES WITH UTILITY COMPANIES, IMPROVEMENT LOCATED WITHIN THE VILLAGE OF PLAINFIELD, VILLAGE OF ROMEOVILLE, VILLAGE OF BOLINGBROOK, CITY OF DARIEN, VILLAGE OF LEMONT, AND THE VILLAGE OF BURR RIDGE.
- 5. THE CONTRACTOR SHALL CONTACT THE DISTRICT ONE TRAFFIC CONTROL SUPERVISOR AT (847) 705-4470 A MINIMUM OF 72 HOURS PRIOR TO INSTALLATION OF TEMPORARY TRAFFIC CONTROL DEVICES.
- 6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING ALL DIMENSIONS AND EXISTING CONDITIONS IN THE FIELD PRIOR TO CONSTRUCTION AND ORDERING MATERIALS.
- 7. ANY SIGNS OR MAIL BOXES THAT ARE IN CONFLICT WITH THE IMPROVEMENTS SHALL BE REMOVED AND REPLACED IN ACCORDANCE WITH DEPARTMENT STANDARDS AND INCLUDED IN THE COST OF EXCAVATING AND GRADING EXISTING SHOULDERS.
- 8. ANY SOIL DISTURBED AS A RESULT OF THIS PROJECT SHALL BE DISPOSED OF ONSITE AND NEATLY GRADED TO THE SATISFACTION OF THE ENGINEER AND INCLUDED IN THE COST OF EXCAVATING AND GRADING EXISTING SHOULDERS.
- BEFORE STARTING ANY EXCAVATION THE STATE ELECTRICAL MAINTENANCE CONTRACTOR
  AND THE IDOT BURBAU OF TRAFFIC SHALL BE CONTACTED FOR LOCATIONS OF IDOT
  LIGHTING, SURVEILLANCE AND TRAFFIC SIGNAL UNDERGROUND EQUIPMENT.
- 10. BEFORE STARTING ANY EXCAVATIONS THE CONTRACTOR CURRENTLY INSTALLING THE NEW SURVELILLANCE SYSTEM UNDER CONTRACT 60E01 SHALL BE CONTACTED TO LOCATE PORTIONS OF THEIR SYSTEM ALREADY INSTALLED BUT NOT YET UNDER THE STATE MAINTENANCE AGREEMENT.
- 11. FURNISHED EXCAVATION IS ANTICIPATED AT CAMERA SITES 18 AND 20. THE CONTRACTOR SHALL USE AS MUCH OF THE EXISTING MATERIAL AS POSSIBLE PRIOR TO USING FURNISHED EXCAVATION.

## COMMITMENTS

NO COMMITMENTS

## HIGHWAY STANDARDS

720006-*0***2** 

STANDARD NO.	DESCRIPTION
000001-06	STANDARD SYMBOLS, ABBREVIATIONS AND PATTERNS
630001 - <i>09</i>	STEEL PLATE BEAM GUARDRAIL
630301 <b>-05</b>	SHOULDER WIDENING FOR TYPE 1 (SPECIAL) GUARDRAIL TERMINAL
631011 - 07	TRAFFIC BARRIER TERMINAL, TYPE 2
635001- <i>01</i>	DELINEATORS
635006- <i>03</i>	REFLECTOR AND TERMINAL MARKER PLACEMENT
635011- <i>02</i>	REFLECTOR MARKER AND MOUNTING DETAILS
664001 <i>-0</i> <b>Z</b>	CHAIN LINK FENCE
701001- <b>0Z</b>	OFF-RD OPERATIONS, 2L, 2W, MORE THAN 15' AWAY
701006 <b>-03</b>	OFF-RD OPERATIONS, 2L, 2W, 15' TO 24" FROM PAVEMENT EDGE
701011- <i>0</i> 2	OFF-RD MOVING OPERATIONS, 2L, 2W, DAY ONLY
701101 <b>- 02</b>	OFF-RD OPERATIONS, MULTILANE, 15' (4.5m) TO 24" (600 mm) FROM PAVEMENT EDGE
701201 <b>-<i>04</i></b>	LANE CLOSURE, 2L, 2W, DAY ONLY, FOR SPEEDS > 45 MPH
701301 <b>-04</b>	LANE CLOSURE, 2L, 2W, SHORT TIME OPERATIONS
701306 - <i>O</i> <b>3</b>	LANE CLOSURE, 2L, 2W, SLOW MOVING OPERATIONS DAY ONLY, FOR SPEEDS $\geq$ 45 MPH
701311 - <i>03</i>	LANE CLOSURE, 2L, 2W, MOVING OPERATIONS DAY ONLY
701326 <b>-04</b>	LANE CLOSURE, 2L, 2W, PAVEMENT WIDENING, FOR SPEEDS $\geq$ 45 MPH
701901-01	TRAFFIC CONTROL DEVICES
720001-01	SIGN PANEL MOUNTING DETAILS

SIGN PANEL ERECTION DETAILS

## INDEX OF SHEETS

SHEET NO.	DESCRIPTION
1	TITLE SHEET
2	INDEX OF SHEETS, HIGHWAY STANDARDS, GENERAL NOTES AND COMMITMENTS
3 4	SUMMARY OF QUANTITIES GENERAL LAYOUT
5 - 15	ROADWAY PLANS
16	DETAILS FOR DEPRESSED CURB AND GUTTER AND SHOULDER TREATMENT AT TBT TY 1 SPL (BD-34)
17	TRAFFIC CONTROL DETAILS FOR FREEWAY SINGLE & MULTI-LANE WEAVE (TC-09)
18	TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS (TC-10)
19	TRAFFIC CONTROL DETAILS FOR FREEWAY SHOULDER CLOSURES AND PARTIAL RAMP CLOSURES (TC-17)

GHT & 2010, BY BAXTER & WOODMAN, NC.
OF LLINGS - PROFESSIONAL DESIGN FRM. "NototoriverS NO. = 44-00121 - EXPERS 4/30/2011 ...N-LCTSNOGS
T/20/201 347:09 PM iNCrystallak

BAXTER
WOODMAN
Cossolitag Engineers

						·
_	DEŞIGNED	~	DJS	REVISE	D	-5-23-11 PER IDOT REVIEW
	DRAWN	-	UKB	REVISE	D	-1 7-20-11 ADDENDUM 1
	CHECKED	-	LDH	REVISE	D	NI .
	DATE	_	5-03-11	FILE -	-	100153 W024-GEN-NOTE sht

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

	· · · · · · · · · · · · · · · · · · ·					
INTERSTATE 55 - US 6 TO WEST OF I		F.A.I. RTE.	SECTION	COUNTY	TOTAL	SHEET NO.
GUARDRAIL IMPROVEMEN		55	2011-041-GRR	DUPAGE/WILL	19	2
NDEX OF SHEETS, HIGHWAY STANDARDS, GENERAL NO	OTES AND COMMITMENTS			CONTRACT	NO. 6	OP47
SCALE: STA.	TO STA.	FED, RO	DAD DIST, NO. 1 ILLINOIS			

ı				100% STATE	С	OÑSTRUCTIO	N TYPE COD	Ē
		SUMMARY OF QUANTITIES	URBAN	WILL	DUPAGE			
-			TOTAL	COUNTY 0021	COUNTY 0021			
	CODE NO.	ITEM DESCRIPTION	UNIT	QUANTITY	QUANTITY	QUANTITY		
*	20200600	EXCAVATING AND GRADING EXISTING SHOULDER	UNIT	31	13	18		
$\Delta 4$		TREE REMOVAL (6 TO 15 UNITS DIAMETER)	UNIT	24	24	4 745		
,		TOPSOIL FURNISH AND PLACE, 4"	✓ SQ YD cu Yo	2,928 14.7	1,213	1,715		
$\Delta$	25000210	FURNISHED EXCAVATION SEEDING, CLASS 2A	ACRE	0.62	0.26	0.36		
	25000400	NITROGEN FERTILIZER NUTRIENT	POUND	57	24	33		
	25000500	PHOSPHORUS FERTILIZER NUTRIENT	POUND	57	24	33	-	
	25000600	POTASSIUM FERTILIZER NUTRIENT	POUND	57	24	33		
	25100630	EROSION CONTROL BLANKET	SQ YD	2,928	1,213	1,715		
*	48101620	AGGREGATE SHOULDERS, TYPE B 10"	SQ YD	1,214	444	770		
*	48102100	AGGREGATE WEDGE SHOULDER, TYPE B	TON	185	185	-		
	63000001	STEEL PLATE BEAM GUARDRAIL, TYPE A, 6 FOOT POSTS	FOOT	1,412.5	537.5	875.0		
	63000003	STEEL PLATE BEAM GUARDRAIL, TYPE A, 9 FOOT POSTS	FOOT	687.5	212.5	475.0		
	63100045	TRAFFIC BARRIER TERMINAL, TYPE 2	EACH	6	3	3		
	63100167	TRAFFIC BARRIER TERMINAL, TYPE 1 (SPECIAL) TANGENT	EACH	9	5	4		
	63200310	GUARDRAIL REMOVAL	FOOT	150	-	150		
	67000400	ENGINEER'S FIELD OFFICE, TYPE A	CAL MO	4	2	2		
	67100100	MOBILIZATION	L SUM	1	0.5	0.5	-	
	78200410	GUARDRAIL MARKERS, TYPE A	EACH	36	16	20		
	78201000	TERMINAL MARKER - DIRECT APPLIED	EACH	9	5	4		
*/1	X2020110	GRADING AND SHAPING SHOULDERS	UNIT	66	66	. * . · <del>-</del>		
	X2503100	MOWING	UNIT	265	110	155		
	X6640306	CHAIN LINK FENCE TO BE RELOCATED	FOOT	695	_	695		
-	X7011015	TRAFFIC CONTROL AND PROTECTION (EXPRESSWAYS)	L SUM	1	0.5	0.5		

\* INDICATES SPECIALTY ITEM

REVISED -5-23-11 PER IDOT REVIEW DESIGNED - DJS DRAWN - UKB REVISED REVISED -FILE - 100153-W024-SM0TY.dgn CHECKED - LDH - 5-03-11

STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

INTERSTATE 55 – US 6 TO WEST OF INTERSTATE 294 GUARDRAIL IMPROVEMENTS SUMMARY OF QUANTITIES


Rev. 7-26-1/
F.A.I. SECTION
55 2011-041-GRR COUNTY TOTAL SHEET NO.

DUPAGE/WILL 19 3

CONTRACT NO. 60P47

TO STA.






FRGHT © 2010, BY BAXTER & WOODMAN, INC.
TE OF 4LINGYS - PROFESSIONAL DESIGN FRAN
NSE NO. - 184-00121 - EXPRES 4/30/2011
KAGT - 7/20/2011 - 5356:22 PM

WOODMAN Consplies Savingers

DESIGNED	-	AMM	REVISED -5-23-11 PER IDOT REVIEW
DRAWN	-	UKB	REVISED - 1 7-20-11 ADDENDUM 1
CHECKED	-	LDH	REVISED -
DATE	-	5-03-11	FILE - 100153-W024-PLAN4.dgn

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

INTERSTATE					ST OF		TE	294
	CAN	/IERA	ST	22 -	- 87th	ST		
SCALE: 1"=20"					STA.50	0+00 T0	STA	. 505+00



PPTRIBHT & 2016, BY BAXTER & WOODMAN, INC.
TATE OF LLINDS - PROFESSIONAL DESIGN FIRM ..., NOIOFIGHIVEN NDF22X34,DIT
CENSE NO. - BR-ODITISE. ERPRES A 7307/2011
246,25 PM INCPUENTED INCREMENT NOWN TOWNS

WOODMAN Consulting Engineers

DESIGNED	-	AMM	REVISED	-5-23-11 PER IDOT REVIEW
DRAWN	-	UKB	REVISED	7-20-11 ADDENDUM 1
CHECKED	-	LDH	REVISED	-
DATE	-	5-03-11	FILE -	100153-W024-PLAN6.dgn

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

INTER	STATE 55 -	- US 6	TO WE	ST OF INTE	RSTATE	294
	GU	ARDRAI	L IMPRO	VEMENTS		
	CAMERA	ST 20	- PORT	SMOUTH DE	RIVE	
SCALE: 1"=20"				STA. 601+00	TO STA	. 607+00