TRAFFIC SIGNAL LEGEND

		5 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7									
ITEM	REMOVAL	EXISTING	PROPOSED	ITEM	REMOVAL	EXISTING	PROPOSED	ITEM	REMOVAL	EXISTING	PROPOSED
CONTROLLER CABINET	R			EMERGENCY VEHICLE LIGHT DETECTOR	R	≪J	•	ELECTRIC CABLE IN CONDUIT, TRACER, NO. 14 1/C, UNLESS NOTED OTHERWISE			1
RAILROAD CONTROL CABINET		R ∕R	₽ ◀	CONFIRMATION BEACON	$\mathbb{R}_{\bullet\!-\!\mathbb{Q}}$	○ —(]				~/	·
COMMUNICATIONS CABINET	CCR	FCC	cc	HANDHOLE	R			COAXIAL CABLE		—(c)—	— <u>C</u> —
MASTER CONTROLLER		EMC	MC	in the state of th				VENDOD CARLE FOR CAMERA		X	
MASTER MASTER CONTROLLER		[EMMC]	MMC	HEAVY DUTY HANDHOLE	H	Н	H	VENDOR CABLE FOR CAMERA		70-	
UNINTERRUPTIBLE POWER SUPPLY	UPS	EUPS	UPS	DOUBLE HANDHOLE	*DV			COPPER INTERCONNECT CABLE, NO. 18 3 PAIR TWISTED, SHIELDED		- Ø-	 6
SERVICE INSTALLATION, (P) POLE OR (G) GROUND MOUNT	R	-DP	<u>-</u>	JUNCTION BOX GALVANIZED STEEL CONDUIT	R	<u></u>		FIBER OPTIC CABLE NO. 62.5/125, MM12F		—J2F)—	
TELEPHONE CONNECTION (P) POLE OR (G) GROUND MOUNT	R	P.	P	IN TRENCH (T) OR PUSHED (P) TEMPORARY SPAN WIRE, TETHER WIRE,	R			FIBER OPTIC CABLE NO. 62,5/125, MM12F SM12F		— <u>2</u> 4F—	-(24F)
STEEL MAST ARM ASSEMBLY AND POLE	R	O	•	AND CABLE				FIBER OPTIC CABLE NO. 62.5/125,		,	
ALUMINUM MAST ARM ASSEMBLY AND POLE	R			COMMON TRENCH			СТ	(NUMBER OF FIBERS & TYPE TO BE NOTED ON PLANS)		\rightarrow	noncommon money and
STEEL COMBINATION MAST ARM ASSEMBLY AND POLE WITH LUMINAIRE	RO-XX	<u>0</u> ———	• ×	COILABLE NONMETALLIC CONDUIT (EMPTY)			CNC	GROUND ROD AT (C) CONTROLLER,			
STEEL COMBINATION MAST ARM	R	0	•	SYSTEM ITEM		5	S	(H) HANDHOLE, (P) POST, (M) MAST ARM,		C	^C II ├─
ASSEMBLY AND POLE WITH PTZ CAMERA	PTZ1	PZ	PTZ	INTERSECTION ITEM	_	I	ΙP	OR (S) SERVICE CONTROLLER CABINET AND	RCF		
SIGNAL POST	30	. 0	•	REMOVE ITEM RELOCATE ITEM	R ⊋i			FOUNDATION TO BE REMOVED			
TEMPORARY WOOD POLE (CLASS 5 OR BETTER) 45 FOOT (13.7m) MINIMUM	R	\otimes		ABANDON ITEM	A			STEEL MAST ARM POLE AND FOUNDATION TO BE REMOVED	ORMF		
GUY WIRE	> R	> , -	>	12" (300mm) TRAFFIC SIGNAL SECTION		R	R	ALUMINUM MAST ARM POLE AND	RMF		
SIGNAL HEAD	R			12" (300mm) RED WITH 8" (200mm)		(R)		FOUNDATION TO BE REMOVED	1 (14)		
SIGNAL HEAD CONSTRUCTION STAGES (NUMBERS INDICATE THE CONSTRUCTION STAG	GE)		-	YELLOW AND GREEN TRAFFIC SIGNAL FACE			-	STEEL COMBINATION MAST ARM ASSEMBLY AND POLE WITH LUMINAIRE AND	RMF ○→>	•	
SIGNAL HEAD WITH BACKPLATE	+CR	+>>	+-			(R)	R	FOUNDATION TO BE REMOVED			
SIGNAL HEAD OPTICALLY PROGRAMMED	R →>′°P′′		''P''	SIGNAL FACE		3	G	SIGNAL POST AND FOUNDATION TO BE REMOVED?	RMF O		
FLASHER INSTALLATION (S DENOTES SOLAR POWER)	O-E>′F″	○	● ►″F″			(→ y) (→ g)	4 Υ 4 G	INTERSECTION & SAMPLING (SYSTEM) DETECTOR			IS
PEDESTRIAN SIGNAL HEAD	4	-[]	-1				R	SAMPLING (SYSTEM) DETECTOR			S
PEDESTRIAN PUSHBUTTON DETECTOR	R	<u>©</u>	•	SIGNAL FACE WITH BACKPLATE. "P" INDICATES PROGRAMMED HEAD			G 4 Y	EXISTING INTERSECTION LOOP DETECTOR PROPOSED INTERSECTION AND SAMPLING (SYSTEM) [DETECTOR		
ACCESSIBLE PEDESTRIAN PUSHBUTTON DETECT	TOR ® APS	@APS	APS			★ G	◆ G	S. W.		0 4	
ILLUMINATED SIGN	R					<u></u>	"P"	EXISTING PREFORMED INTERSECTION LOOP DETECTO PROPOSED INTERSECTION AND SAMPLING (SYSTEM) [ÎPPÎ	•
"NO LEFT TURN"			9	12" (300mm) PEDESTRIAN SIGNAL HEAD		ÓW (w)		PREFORMED INTERSECTION AND SAMPLING		PIS	PIS
ILLUMINATED SIGN	R (S)	8		WALK/DON'T WALK SYMBOL 12" (300mm) PEDESTRIAN SIGNAL HEAD				(SYSTEM) DETECTOR			
DETECTOR LOOP, TYPE I	1962 J			INTERNATIONAL SYMBOL, OUTLINED				PREFORMED SAMPLING (SYSTEM) DETECTOR		<u>[Ps</u>]	PS
			•	12" (300mm) PEDESTRIAN SIGNAL HEAD			*	DAILDOA	D CVRADO	c	
PREFORMED DETECTOR LOOP			P	INTERNATIONAL SYMBOL, SOLID		(KAILKUA	ND SYMBOL	.3	
MICROWAVE VEHICLE SENSOR	R MN	M	M	PEDESTRIAN SIGNAL HEAD, INTERNATIONAL SYMBOL, WITH COUNTDOWN TIMER		(C)	₽ C ★ D		· <u>E</u>	EXISTING	PROPOSED
VIDEO DETECTION CAMERA	r [V]þ	Vi Vi	<u></u>	RADIO INTERCONNECT	- - R			RAILROAD CONTROL, CABINET		r R	₽-4
VIDEO DETECTION ZONE				PANTO DEDEATED	1.		[00]	RAILROAD CANTILEVER MAST ARM	XOX		X OX
DAN THE TOOK OWEN	R			RADIO REPEATER	R ERR	ERR	RR	FLASHING SIGNAL		X OX	X ⊖ X
PAN, TILT, ZOOM CAMERA	(T) R			DENOTES NUMBER OF CONDUCTORS, ELECTRIC CABLE NO. 14, UNLESS NOTED OTHERWISE, ALL DETECTOR LOOP CABLE TO BE SHIELDED				CROSSING GATE		X0X	**
WIRELESS DETECTOR SENSOR	RW		W	GROUND CABLE IN CONDUIT		/	_	CROSSBUCK		≥	*
WIRELESS ACCESS POINT	K .			NO. 6 SOLID COPPER (GREEN)		(1)	(1)	, , , , , , , , , , , , , , , , , , ,		based	•
FILE NAME = USER NAME = konthol c:\pw.work\PWIDOT\KANTHAPHIXAYBC\d01126 4\troffic.legend_v7.d		DESIGNED - DAG/BCK DRAWN - BCK	REVISED -	СТАТ	OF ILLINOIS			DISTRICT 1	F.A.U RTE.	SECTION	COUNTY TOTAL SHEET NO.
PLCT SCALE = 20,000	88 '/ IN.	CHECKED - DAD	REVISED -		DEPARTMENT OF TRANSPORTATION			STANDARD TRAFFIC SIGNAL DESIGN DE	. IAILS	06-00034-00-PV TS-05	DUPAGE 69 47 CONTRACT NO. 63581
PLOT DATE = 10/6/2	Z004	DATE - 10/28/09	REVISED -		···		SCALE: NO	ONE SHEET NO. 6 OF 6 SHEETS STA. TO	STA. FED. ROAD DIS	T. NO. ILLINOIS FEE	. AID PROJECT