TRAFFIC SIGNAL LEGEND

:\pw_work\PWIDOT\BAUEROL\dØ108315\tsØ5	PLOT SCALE = 50.0000 // IN.				l l		STANDARD TRAFFIC SIGNAL DESIGN DETAILS		07-00184-12-CH TS-05 DIST. NO. 1 ILLINOIS FED	DUPAGE 49 3 CONTRACT NO. 6361		
ILE NAME =	USER NAME = bauerdl	DESIGNED - DAG/BCK			CTATE	STATE OF ILLINOIS			DISTRICT ONE	F.A.P. RTE. 364	SECTION	COUNTY TOTAL SHE
WIRELESS ACCESS POINT		R			GROUND CABLE IN CONDUIT NO. 6 SOLID COPPER (GREEN)		1	1	CROSSBUCK		}	*
WIRELESS DETECTOR SENSOR		RW		W	ALL DETECTOR LOOP CABLE TO BE SHIELDED		~		CROSSING GATE		XOX	***
PAN, TILT, ZOOM CAMERA			PTZÍ	PTZ	DENOTES NUMBER OF CONDUCTORS, ELECTRIC CABLE NO. 14, UNLESS NOTED OTHERWISE,		(5)		FLASHING SIGNAL		X0X	X0 X
TIDES DEFECTION ZONE		R			RADIO REPEATER	R ERR	ERR	RR	RAILROAD CANTILEVER MAST ARM	X	VOV	X QX X X
/IDEO DETECTION ZONE		·			RADIO INTERCONNECT	##*0	##+0			<		
VIDEO DETECTION CAMERA		R [V]	[Vp	(V)		ı. R			RAILROAD CONTROL CABINET		EXISTING	PRUPUSED
MICROWAVE VEHICLE SENSOR	S	R M)	(M)	<u>M</u>	PEDESTRIAN SIGNAL HEAD, INTERNATIONAL SYMBOL, WITH COUNTDOWN TIMER			₽ C	*		EXISTING	PROPOSED
PREFORMED DETECTOR LOOP		ÎPÎ	Р	12" (300mm) PEDESTRIAN SIGNAL HEAD INTERNATIONAL SYMBOL, SOLID		()	*	RAILROAD	SYMB0	SYMBOLS		
DETECTOR LOOP, TYPE I					INTERNATIONAL SYMBOL, OUTLINED			سجنا			6 —-ò	ò
ILLUMINATED SIGN "NO RIGHT TURN"		R		®	12" (300mm) PEDESTRIAN SIGNAL HEAD				PREFORMED SAMPLING (SYSTEM) DETECTOR		PS	PS
"NO LEFT TURN"		©	(3)	9	12" (300mm) PEDESTRIAN SIGNAL HEAD WALK/DON'T WALK SYMBOL		W W		PREFORMED INTERSECTION AND SAMPLING (SYSTEM) DETECTOR		PIS	PIS
ILLUMINATED SIGN		R R APS					(P'')	G ◀ Y ◀ G	EXISTING PREFORMED INTERSECTION LOOP DETECTOR PROPOSED INTERSECTION AND SAMPLING (SYSTEM) DET	ECTOR	PPI	
ACCESSIBLE PEDESTRIAN PUSHBUTTON DETECTOR			@aps		"P" INDICATES PROGRAMMED HEAD				EXISTING INTERSECTION LOOP DETECTOR PROPOSED INTERSECTION AND SAMPLING (SYSTEM) DET	ECTOR	E	
PEDESTRIAN PUSHBUTTON DET	S. S	71) R (6)	,; (iii)	•	SIGNAL FACE WITH BACKPLATE.			Y	SAMPLING (SYSTEM) DETECTOR		S	S
PEDESTRIAN SIGNAL HEAD		R -	-[]	-1			R	R	(SYSTEM) DETECTOR			
FLASHER INSTALLATION (S DENOTES SOLAR POWER)		R O-D>'F''	O-⊳"F"	●▶ "F"			(→) (→ 6)	∢ Y ∢ G	INTERSECTION & SAMPLING		[75]	IS
SIGNAL HEAD OPTICALLY PRO	GRAMMED	R → □ ′′P′′		-▶ "P"	SIGNAL FACE		Ğ	G	SIGNAL POST AND FOUNDATION TO BE REMOVED	RMF O		
SIGNAL HEAD WITH BACKPLAT		+C ^R	+t>	+-			R	R	FOUNDATION TO BE REMOVED	· · · · · · · · · · · · · · · · · · ·		
SIGNAL HEAD CONSTRUCTION NUMBERS INDICATE THE CONS				2	YELLOW AND GREEN TRAFFIC SIGNAL FACE				STEEL COMBINATION MAST ARM ASSEMBLY AND POLE WITH LUMINAIRE AND	RMF		
SIGNAL HEAD		R -D>			12" (300mm) RED WITH 8" (200mm)				ALUMINUM MAST ARM POLE AND FOUNDATION TO BE REMOVED	RMF		
SUY WIRE		>R	>	>	12" (300mm) TRAFFIC SIGNAL SECTION	7	R	R	FOUNDATION TO BE REMOVED	<u> </u>		
FEMPORARY WOOD POLE (CLAS BETTER) 45 FOOT (13.7m) MIN		$\stackrel{R}{\otimes}$	8	•	RELOCATE ITEM ABANDON ITEM	RL A			STEEL MAST ARM POLE AND	RMF		
SIGNAL POST		R	0	•	REMOVE ITEM	R			CONTROLLER CABINET AND FOUNDATION TO BE REMOVED	RCF		
STEEL COMBINATION MAST AF ASSEMBLY AND POLE WITH PT		PIZJI	PIZI	PTZ	INTERSECTION ITEM		I	IP	OR (S) SERVICE		ill ,	'II -
STEEL COMBINATION MAST AF ASSEMBLY AND POLE WITH LL		^R O-∞	° ,, O− X	•	SYSTEM ITEM		S	S	GROUND ROD AT (C) CONTROLLER, (H) HANDHOLE, (P) POST, (M) MAST ARM,		C III	C _{II}
ALUMINUM MAST ARM ASSEMB		R			COMMON TRENCH COILABLE NONMETALLIC CONDUIT (EMPTY)			CT CNC	(NUMBER OF FIBERS & TYPE TO BE NOTED ON PLANS)		→	
STEEL MAST ARM ASSEMBLY		R O	0		AND CABLE				FIBER OPTIC CABLE NO. 62.5/125,			
TELEPHONE CONNECTION (P) POLE OR (G) GROUND MOU	NT	R	P	P	IN TRENCH (T) OR PUSHED (P) TEMPORARY SPAN WIRE, TETHER WIRE,	R			FIBER OPTIC CABLE NO. 62.5/125, MM12F SM12F		(24F)	—(24F)—
SERVICE INSTALLATION, (P) POLE OR (G) GROUND MOU	NT	- <u>-</u> -R	- <u></u> -	- P	JUNCTION BOX GALVANIZED STEEL CONDUIT				FIBER OPTIC CABLE NO. 62.5/125, MM12F		-(12F)-	
NINTERRUPTIBLE POWER SUP	PLY	UPS	EUPS	UPS	DOUBLE HANDHOLE	R 🔘		0	COPPER INTERCONNECT CABLE, NO. 18 3 PAIR TWISTED, SHIELDED		<u> </u>	6
MASTER MASTER CONTROLLER		R	EMMC	MMC	HEAVY DUTY HANDHOLE	RH	H	H	VENDOR CABLE FOR CAMERA			
MASTER CONTROLLER		- Constitution of the Cons	EMC	MC	HANDHOLE	R					~	
COMMUNICATIONS CABINET		C.C.	EC C	CC		R			COAXIAL CABLE			— <u>c</u> —
RAILROAD CONTROL CABINET				▼	EMERGENCY VEHICLE LIGHT DETECTOR CONFIRMATION BEACON	R _{o-} d	~ ~~	~	NO. 14 1/C, UNLESS NOTED OTHERWISE			
TEM ONTROLLER CABINET		R R		PROPOSED	ITEM	R	——		ELECTRIC CABLE IN CONDUIT, TRACER,	REMOVAL	EXISTING	PROPOSED