



# Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

September 2, 2016

SUBJECT: CAL-SAG GREENWAY TRAIL

Section 15-00131-00-BT

Cook County

Contract No. 61C73

Item 41

September 16, 2016 Letting

Addendum (A)

## NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

- 1. Revised pages 1, 4, 5 & 6 of the Schedule of Prices.**
- 2. Revised pages 5, 6, 7, 8 & 9 of the Special Provisions.**
- 3. Revised sheets 3, 4, 5, 6, 8, 13, 15 & 18 of the plans.**

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

Maureen M. Addis, P.E.  
Acting Bureau Chief of Design and Environment

A handwritten signature in cursive script, reading "Ted B. Walschleger, P.E.".

By: Ted B. Walschleger, P.E.  
Engineer of Project Management

PPS NBR -

COUNTY NAME	CODE	DIST	SECTION NUMBER	PROJECT NUMBER	ROUTE
COOK	031	01	15-00131-00-BT (RIVERDALE)	TE-01D1/026/000	CAL-SAG GREENWAY TRAIL

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
A2002916	T-CELTIS OCCID 2	EACH	4.000 X	=	=	=	=
A2006514	T-QUERCUS BICOL 1-3/4	EACH	4.000 X	=	=	=	=
B2001616	T-CRAT CRU-I TF 2	EACH	4.000 X	=	=	=	=
K1005863	TREE ROOT PRUNING	EACH	3.000 X	=	=	=	=
XX005642	GATEWAY MON SIGN COMP	EACH	2.000 X	=	=	=	=
XX007399	MONUMENT TY A FOUNDTN	EACH	13.000 X	=	=	=	=
XX008268	DECOR GTWY ELEMENT	EACH	1.000 X	=	=	=	=
XX008600	DEC SIGN AND POST(DB)	EACH	13.000 X	=	=	=	=
XX008910	PAVEMENT MARKING SPL	SQ FT	3,026.000 X	=	=	=	=
XX009026	BENCH REMOVAL	EACH	1.000 X	=	=	=	=
X0321322	DROP GATE	EACH	1.000 X	=	=	=	=
X0327979	PAVMT MRKG REM GRIND *	SQ FT	192.000 X	=	=	=	=
X2010400	STUMP REMOVAL ONLY	UNIT	22.000 X	=	=	=	=
X4401198	HMA SURF REM VAR DP	SQ YD	90.000 X	=	=	=	=
Z0004562	COMB C C&G REM & REPL	FOOT	285.000 X	=	=	=	=

\* Revised 9/2/16

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
44000600	SIDEWALK REM	SQ FT	1,000.000				
60250400	CB ADJ NEW T1F OL	EACH	1.000				
60255500	MAN ADJUST	EACH	6.000				
60603800	COMB CC&G TB6.12	FOOT	22.000				
66900200	NON SPL WASTE DISPOSL *	CU YD	105.000				
66900450	SPL WASTE PLNS/REPORT	L SUM	1.000				
66900530	SOIL DISPOSAL ANALY *	EACH	2.000				
67000500	ENGR FIELD OFFICE B	CAL MO	12.000				
67100100	MOBILIZATION	L SUM	1.000				
70102620	TR CONT & PROT 701501	L SUM	1.000				
70102630	TR CONT & PROT 701601	L SUM	1.000				
70102635	TR CONT & PROT 701701	L SUM	1.000				
70102640	TR CONT & PROT 701801	L SUM	1.000				
70103815	TR CONT SURVEILLANCE	CAL DA	20.000				
72000100	SIGN PANEL T1 *	SQ FT	637.000				

\* Revised 9/2/16

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
72400310	REMOV SIGN PANEL T1 *	SQ FT	11.000	X	=		
72400500	RELOC SIN PAN ASSY TA	EACH	6.000	X	=		
72400600	RELOC SIN PAN ASSY TB	EACH	2.000	X	=		
72900100	METAL POST TY A	FOOT	459.000	X	=		
72900200	METAL POST TY B *	FOOT	1,078.000	X	=		
78000100	THPL PVT MK LTR & SYM	SQ FT	757.000	X	=		
78000200	THPL PVT MK LINE 4	FOOT	4,091.000	X	=		
78000400	THPL PVT MK LINE 6	FOOT	906.000	X	=		
78000500	THPL PVT MK LINE 8	FOOT	473.000	X	=		
78000600	THPL PVT MK LINE 12	FOOT	1,650.000	X	=		
78000650	THPL PVT MK LINE 24	FOOT	98.000	X	=		
78001110	PAINT PVT MK LINE 4	FOOT	2,218.000	X	=		
78001150	PAINT PVT MK LINE 12	FOOT	90.000	X	=		
78008200	POLYUREA PM T1 LTR-SY *	SQ FT	310.000	X	=		
78008210	POLYUREA PM T1 LN 4 *	FOOT	7,207.000	X	=		

\* Revised 9/2/16

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
78008230	POLYUREA PM T1 LN 6	FOOT	248.000 X				
78008240	POLYUREA PM T1 LN 8 *	FOOT	533.000 X				
78008250	POLYUREA PM T1 LN 12 *	FOOT	1,005.000 X				
81028210	UNDRGRD C GALVS 2 1/2	FOOT	40.000 X				
85000200	MAIN EX TR SIG INSTAL	EACH	1.000 X				
87301215	ELCBL C SIGNAL 14 2C	FOOT	818.000 X				
87301225	ELCBL C SIGNAL 14 3C	FOOT	846.000 X				
87500600	TS POST 10	EACH	3.000 X				
87800100	CONC FDN TY A	FOOT	12.000 X				
87900200	DRILL EX HANDHOLE	EACH	3.000 X				
88102717	PED SH LED 1F BM CDT	EACH	4.000 X				
88800100	PED PUSH-BUTTON	EACH	4.000 X				
89502200	MOD EX CONTR	EACH	1.000 X				
89502376	REBUILD EX HANDHOLE	EACH	2.000 X				

TOTAL \$

**\* Revised 9/2/16**

NOTE:  
 \*\*\* PLEASE TURN PAGE FOR IMPORTANT NOTES \*\*\*

of the means and methods that would be required to construct the proposed improvement. In some instances the contractor will be responsible to notify the owner in advance of the work to take place so necessary staffing on the owners part can be secured.

No conflicts to be resolved (or if there are conflicts they are to be listed as noted above)

The above represents the best information available to the Department and is included for the convenience of the bidder. The days required for conflict resolution should be taken into account in the bid as this information has also been factored into the timeline identified for the project when setting the completion date. The applicable portions of the Standard Specifications for Road and Bridge Construction shall apply.

Estimated duration of time provided in the action column for the first conflicts identified will begin on the date of the executed contract regardless of the status of the utility relocations. The responsible agencies will be working toward resolving subsequent conflicts in conjunction with contractor activities in the number of days noted.

The estimated relocation dates must be part of the progress schedule submitted by the contractor. A utility kickoff meeting will be scheduled between the Department, the Department's contractor and the utility companies. The Department's contractor is responsible for contacting J.U.L.I.E. prior to any and all excavation work.

### **REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES**

This work shall be according to Article 669 of the Standard Specifications and the following:

Qualifications. The term environmental firm shall mean an environmental firm with at least five (5) documented leaking underground storage tank (LUST) cleanups or that is pre-qualified in hazardous waste by the Department. Documentation includes but not limited to verifying remediation and special waste operations for sites contaminated with gasoline, diesel, or waste oil in accordance with all Federal, State, or local regulatory requirements and shall be provided to the Engineer for approval. The environmental firm selected shall not be a former or current consultant or have any ties with any of the properties contained within and/or adjacent to this construction project.

General. This Special Provision will likely require the Contractor to subcontract for the execution of certain activities.

All contaminated materials shall be managed as either "uncontaminated soil" or non-special waste. This work shall include monitoring and potential sampling, analytical testing, and management of a material contaminated by regulated substances. The Environmental Firm shall continuously monitor all soil excavation for worker protection and soil contamination. **Phase I Preliminary Engineering information is available through the District's Environmental Studies Unit.** Soil samples or analysis without the approval of the Engineer will be at no additional cost to the Department. The lateral distance is measured from centerline and the farthest distance is the offset distance or construction limit whichever is less.

1

The Contractor shall manage any excavated soils and sediment within the following areas:

- Station 493+40 to Station 495+50 0 to 20 feet LT/RT (Vacant Building, PESA Site 2604-16, 13350 South Halsted Street). This material meets the criteria of Article 669.09(a)(3) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Benzo(a)Pyrene and Dibenzo(a,h)Anthracene.
- Station 495+50 to Station 497+00 0 to 20 feet LT/RT (Expert Transport Repair, PESA Site 2604-17, 13400 South Halsted Street). This material meets the criteria of Article 669.09(a)(1) and shall be managed in accordance to Article 669.09. Contaminants of concern sampling parameters: Benzo(a)Pyrene, Dibenzo(a,h)Anthracene, Lead, and Manganese.

**Revised 8/30/2016**



INTENTIONALLY LEFT BLANK





INTENTIONALLY LEFT BLANK



INTENTIONALLY LEFT BLANK

