



HANDHOLE AND POLE NUMBERING



FILE NAME = 075_650edt03.dgn

USER NAME = \$USER\$	DESIGNED - L.B.	REVISED -
	DRAWN ~ B.K.	REVISED -
PLOT SCALE = 1:20	CHECKED - S.K.	REVISED -
PLOT DATE = 6/15/2010	DATE - 9/23/2009	REVISED -

VILLAGE OF VILLA PARK, ILLINOIS

CONTRACTOR SHALL FURNISH AND COMMONWEALTH EDISON COMPANY SHALL INSTALL SERVICE POLE INSTALLATION

- F RGS CONDUIT STRAPS & LAG SCREWS.
- G COMED APPROVED SERVICE HEAD.
- (H) 3" DIA NON-METALLIC RIGID CONDUIT
- SERVICE POLE INSTALLATION: TRANSFORMER, CUT-OUT SWITCH, LIGHTING ARRESTER, GROUNDING EQUIPMENT. INSULATORS, WIRES, POLE, MAST ARM, HARDWARE AND ANY OTHER EQUIPMENT AND LABOR DEEMED NECESSARY. METER ON CONTROL CABINET AS PART OF SERVICE INSTALLATION.
- ELECTRIC SERVICE INSTALLATION: "ELECTRIC SERVICE INSTALLATION" APPLIES TO THOSE FACILITIES REQUIRED IN ADDITION TO WHAT IS DETERMINED BY AGREEMENT WITH COMED COMPANY TO BE A NORMAL INSTALLATION AND SUCH FACILITIES WILL BE PAID FOR AS "ELECTRICAL SERVICE INSTALLATION". SERVICE SHALL BE INSTALLED OF APPROPRIATE SIZE SUCH THAT THE AVAILABLE SHORT CIRCUIT CURRENT TO ANY CONTROLLER WILL NOT EXCEED 10 KAIC.

NOTES:

 CONTRACTOR TO PROVIDE A CONDUIT BUSHING AND SEALING COMPOUND AT TOP OF RISER.