


DETAIL B
CONCRETE MEDIAN, TYPE SB-6.06 (DOWELLED)



GENERAL NOTES:

- SLOPE STEPS WILL BE REQUIRED WHEN EMBANKMENTS ARE TO BE CONSTRUCTED ON HILLSIDES OR EXISTING EMBANKMENT SLOPES.
- 2. THE STEP WIDTH SHALL BE TWICE THE STEP DEPTH BUT NOT LESS THAN 6'.
- 3. REFER TO ARTICLE 205.03 FOR EMBANKMENT TO BE CONSTRUCTED ON HILLSIDE OR SLOPES, OR IF EXISTING EMBANKMENTS ARE TO BE WIDENED.
- 4. THIS WORK WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE CONSIDERED AS INCLUDED IN THE VARIOUS ITEMS OF EXCAVATION, AND THEIR CONSTRUCTION SHALL BE INCLUDED IN THE UNIT PRICES FOR THESE ITEMS.

ı	FILE NAME =	USER NAME = linda	DESIGNED - JWS		REVISED - 08-02-10			PROPOSED TYPIC	AL SECTIONS	F.A.I. RTE.	SECTION	COUNTY	TOTAL S	HEET NO.
- 1	\$\Projects\403-00072.57-T0\dgn\Fayetts\Addendum\tp\secFay.dgn PLOT SCALE = 100.0000 '/ IN.		DRAWN - BOB		REVISED - (08-26-10) /\(\Lambda\)	STATE OF ILLINOIS	ILLINI DRIVE AND SOUTH FRONTAGE ROAD			57/70	(25-3)1-6	EFFINGHAM	839	29
ı			CHECKED - BRM		REVISED -	DEPARTMENT OF TRANSPORTATION			·			CONTRACT NO.		J. 74293
		PLOT DATE = 8/26/2010	DATE - 11-0	5-07	REVISED -		SCALE: 1"=50'	SHEET NO. 1 OF 1 SHEETS	STA. TO STA.	FED. ROAD DIST.	NO. ILLINOIS FED. A	D PROJECT		