



NOTE: CONTROL JOINTS SHALL BE PLACED EVERY 5'.


CONCRETE SIDEWALK SECTION
N.T.S.




SIDEWALK AND EXPANSION JOINT DETAIL
N.T.S.




INCIDENTAL HMA SURFACE DETAIL
N.T.S.



PLANTER PROFILE DETAIL
N.T.S.



PLANTER DETAIL
N.T.S.



SIDEWALK NOTES

SIDEWALK SHALL BE LOCATED AS SHOWN ON PLANS AND CONSTRUCTED PER DETAIL ON THIS SHEET.
SIDEWALK SHALL BE CONSTRUCTED OF 3500 PSI CONCRETE TO A MINIMUM THICKNESS OF 4\"/>

SIDEWALK W/INTEGRAL CURB DETAIL
N.T.S.

FEHR-GRAHAM & ASSOCIATES, LLC
ENGINEERING AND SCIENCE CONSULTANTS
FREEPORT, IL ROCKFORD, IL ROCHELLE, IL SPRINGFIELD, IL MONROE, WI
ILLINOIS DESIGN FIRM NO. 184-003525
© 2010 FEHR-GRAHAM & ASSOCIATES

OWNER/DEVELOPER:
CITY OF FREEPORT
230 W. STEPHENSON ST.
FREEPORT, IL 61032

PROJECT AND LOCATION:
STEPHENSON STREET
STREETScape IMPROVEMENTS
SECTION 09-00138-00-LS

DRAWN BY: G.B.
APPROVED BY: P.E.
DATE: 06/10/10
SCALE:

REVISIONS		
REV. NO.	DESCRIPTION	DATE
1	REVISIONS PER IDOT REVIEW	07/12/10
2	REVISIONS PER CITY REVIEW	07/27/10

DRAWING:
DETAILS

JOB NUMBER:
09-302

SHEET NUMBER:
9 of 9