09-18-2015 LETTING ITEM 019

STATE OF ILLINOIS

DEPARTMENT OF TRANSPORTATION

DIVISION OF HIGHWAYS

FOR INDEX OF SHEETS, SEE SHEET NO. 2

PROPOSED HIGHWAY PLANS

1) F.A.P. ROUTE 846: IL 53 (BALTIMORE AVE) (SN 099-0272) OVER KANKAKEE RIVER

2) F.A.P. ROUTE 607: US 52 (JEFFERSON ST) (SN 099-0276) OVER DUPAGE RIVER

SECTION 2015-057BP BRIDGE PAINTING

WILL COUNTY

C-91-397-15

SEE SHEET # 4 FOR LOCATION MAPS.

IMPROVEMENTS ARE LOCATED IN

1) THE CITY OF WILMINGTON

AND

2) THE VILLAGE OF SHOREWOOD.

TRAFFIC DATA

IL 53:

0

0

2014 ADT = 12700

POSTED SPEED LIMIT = 30-35 MPH

US 52:

2014 ADT = 13050

POSTED SPEED LIMIT = 35-40 MPH

J.U.L.I.E.
JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION
1-800-892-0123
OR 811


PROJECT ENGINEER: MIDY, J. ALAIN (847) 221–3056 PROJECT MANAGER: ISSAM RAYYAN (847) 705–4178

CONTRACT NO. 62B19

• 1) 846 2) 607

D-91-397-15





PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

INDEX OF SHEETS

GENERAL PAINT NOTES

SHEET NO.	DESCRIPTION
1.	TITLE SHEET
2.	INDEX OF SHEETS AND GENERAL NOTES
3.	SUMMARY OF QUANTITIES
4.	LOCATION MAPS. SN 099-0272 & 099-0276
5-6.	BRIDGE DETAILS SN 099-0272
7-8	BRIDGE DETAILS SN 099-0276,
11.	TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS (TC-10).
12.	ARTERIAL ROAD INFORMATION SIGN (TC-22).

CLEANING AND PAINTING OF THE EXISTING STRUCTURAL STEEL SHALL BE AS SPECIFIED IN THE SPECIAL PROVISION FOR "CLEANING AND PAINTING EXISTING STEEL STRUCTURES".


THE AREAS DESIGNATED SHALL BE CLEANED PER NEAR WHITE BLAST CLEANING - SSPC-SP10. THE AREAS DESIGNATED SHALL BE PAINTED ACORDING TO THE REQUIREMENTS OF PAINT SYSTEM 1 -0Z/E/U. THE COLOR OF THE FINAL FINISH COAT FOR ALL INTERIOR STEEL SURFACES SHALL BE GRAY, MUNSELL NO 5B 7/1. THE COLOR OF THE FINAL FINISH COAT FOR THE EXTERIOR AND BOTTOM FLANGE OF THE FASCIA BEAMS SHALL BE REDDISH BROWN, MUNSELL NO 2.5YR 3/4.

ALL [TEMS (SUCH AS, BUT NOT LIMITED TO: CONDUITS, BRACKETS AND DECK DRAINS) ATTACHED TO OUTSIDE OF THE FASCIA BEAMS SHOULD BE CLEANED AND PAINTED

ALL BEAMS, BEARINGS AND OTHER STRUCTURAL STEEL WITHIN FIVE (5) FT., (MEASURED ALONG THE BEAM) OF EITHER SIDE OF ALL DECK JOINTS. SHALL BE CLEANED PER NEAR WHITE BLAST CLEANING SSPC-SPIO. THE EXTERIOR SURFACES AND TOP AND BOTTOM OF THE BOTTOM FLANGE OF THE FASCIA BEAMS (SEE FIGURE 1) SHALL BE CLEANED PER NEAR WHITE BLAST CLEANING SSPC-SPIO.

STATE STANDARDS

STD NO.	DESCRIPTION
701001-02	OFF-RD OPERATIONS, 2L, 2W, MORE THAN 15' AWAY
701006-05	OFF-RD OPERATIONS, 2L, 2W, 15' TO 24" FROM PAVEMENT EDGE
701011-04	OFF-RD MOVING OPERATIONS, 2L, 2W, DAY ONLY
701101-04	OFF-RD OPERATIONS, MULTILANE, 15' TO 24" FROM PAVEMENT EDGE
701106-02	OFF-RD OPERATIONS, MULTILANE, MORE THAN 15' AWAY
701301-04	LANE CLOSURE, 2L. 2W, SHORT TIME OPERATIONS
701501-06	URBAN LANE CLOSURE, 2L, 2W UNDIVIDED
701601-09	URBAN LANE CLOSURE, MULTILANE, 1W OR 2W WITH NONTRAVERSABLE MEDIAN
701801-05	SIDEWALK, CORNER, OR CROSSWALK CLOSURE
701901-04	TRAFFIC CONTROL DEVICES



GENERAL NOTES

BEFORE STARTING ANY EXCAVATION, THE CONTRACTOR SHALL CALL *J.U.L.I.E. * AT (800) 892-0123 OR 811 FOR FIELD LOCATIONS OF BURIED ELECTRIC, TELEPHONE AND GAS UTILITIES. 48 HOUR NOTIFICATION IS REQUIRED.

THE CONTRACTOR SHALL COORDINATE CONSTRUCTION ACTIVITIES WITH UTILITY COMPANIES, AND THE CITY OF WILMINGTON AND THE VILLAGE OF SHOREWOOD.

THE CONTRACTOR WILL NOT BE ALLOWED TO SET UP A YARD OR FIELD OFFICE ON STATE PROPERTY WITHOUT WRITTEN PERMISSION FROM THE DEPARTMENT.

PLAN DIMENSIONS AND DETAILS RELATIVE TO EXISTING PLANS ARE SUBJECT TO NOMINAL CONSTRUCTION VARIATIONS. THE CONTRACTOR SHALL FIELD VERIFY EXISTING DIMENSIONS AND MAKE NECESSARY APPROVED ADJUSTMENTS PRIOR TO ORDERING OF MATERIALS. SUCH VARIATIONS SHALL NOT BE CAUSE FOR ADDITIONAL COMPENSATION FOR A CHANGE IN SCOPE OF THE WORK. HOWEVER, THE CONTRACTOR WILL BE PAID FOR THE QUANTITY ACTUALLY FURNISHED BASED AT THE UNIT PRICE BID FOR THE WORK.

THE CONTRACTOR SHALL CONTACT THE DISTRICT ONE ARTERIAL TRAFFIC CONTROL SUPERVISOR AT (847) 705-4470 A MINIMUM OF 72 HOURS IN ADVANCE OF BEGINNING WORK.

THESE PLANS HAVE BEEN PREPARED FROM NOTES RECEIVED FROM THE BUREAU OF MAINTENANCE BRIDGE INSPECTORS.

DO NOT SCALE PLANS FOR CONSTRUCTION DIMENSIONS.

IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO PROTECT AND PRESERVE THE EXISTING BRIDGE AT ANY LOCATIONS THAT LIGHTING IS ENCOUNTERED ADJACENT TO AN AREA TO BE CLEANED AND PAINTED.


TREE CLEARING FOR PAINTING ACCESS SHALL BE DONE ACCORDING TO ARTICLE 201.10.

THE CONTRACTOR SHALL BE REQUIRED TO PRIVIDE ACCESS TO ABUTTING PROPERTY AT ALL TIMES DURING THE CONSTRUCTION OF THIS PROJECT.


* 1) 846 2) 607 FILE NAME : DESIGNED -REVISED -USEA HAME I gorengautab TOTAL SHEE SHEETS NO. SECTION COUNTY INDEX OF SHEETS, STATE STANDAR STATE OF ILLINOIS #1\\IL@04EBIDINTEG.;tltnois.goviPWIQOT\ pumenta/1001 Offices/Gistrict 1/Projects/0134/2860000ata/Gesign/0139715-sht-olendon REVISED WILL 2015-0578P 11 2 GENERAL NOTES AND GENERAL PAINT NOTES. PLOT SCALE : 100,0000 '/ 15. CHECKED -REVISED DEPARTMENT OF TRANSPORTATION CONTRACT NO. 62819 SHEETS STA. PLOT DATE : 7/13/2015 DATE REVISED -SCALE: SHEET ÓΕ ILLINOIS FED. AID PROJECT

100 % STATE URBAN

			URBAN														
	SUMMARY OF QUANTITIES		***************************************	0014	L COLH	CONSTRUCT	TION TYPE	CODE 0	014		SUMMARY OF QUANTITIES	· · · · · · · · · · · · · · · · · · ·		CO	NSTRUCTION TYPE	CODE	
CODE NO	ITEM	UNIT	TOTAL	BRIDGE	BRIDGE 2 099-0276	!	P-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0	American Antonio (American)		CODE NO	ITEM	UNIT	TOTAL QUANTITIES				
67000400	ENGINEER'S FIELD OFFICE. TYPE A	CAL MO	3	1.5	1.5												
67100100	MOBILIZATION	LSUM	March 1 de la constante de la	0.5	0.5					manus							
	TRAFFIC CONTROL AND PROTECTION,				The state of the s												
70102620	STANDARD 701501	LSUM	SALA SALA SALA SALA SALA SALA SALA SALA	1					The state of the s	Annual transfer of the state of							
70102630	TRAFFIC CONTROL AND PROTECTION, STANDARD TOLGOI	LSUM	****														
70102640	TRAFFIC CONTROL AND PROTECTION,							And the second s	- Control of the Cont								
70102640	STANDARD 701801	LSUM	*	0.5	0.5												
Z0007114	CONTAINMENT AND DISPOSAL OF NON-LEAD PAINT CLEANING RESIDUES	LSUM	1	0.5	0.5	ALLEAN AND AND AND AND AND AND AND AND AND A	and the second s										
Z0010501	CLEANING AND PAINTING STEEL BRIDGE NO. 1	r SMM	1	****										The state of the s			
20010502	CLEANING AND PAINTING STEEL BRIDGE NO. 2	LSUM	1		1		Vonessiani 144					And the second s					
Z0030850	TEMPORARY INFORMATION SIGNING	SQ FT	102.8	51. 4	51.4												
		1			1												
					~				during managements and the second sec								
444																	
										1		.					
					and the second s												
Average and the second			Ad decision with research dissination.		e de deputer e de disservation de la constanta												
		**************************************			Ann gandy Angel Representation and a					Tamanapana da sa		tricing to the state of the sta					
		and the second of the second o				Annual de la constantina della	44,544					Very de l'est de l'es				4444	
		-				harries prominents and a speak wayer											
		The state of the s											-			Prince de Constituto de Consti	
THE NAME :	PLOT SCALE = X00X000 ' / In. CHEC	CKEO -		REVISED REVISED REVISED	-		n	S' EPARTMI	FATE OF	ILLINOIS RANSPORTATION	SUM	MARY OF QUANTITI	ES	F.A.P.) 846 2) 607 SECTION 2015-057BP	WILL	OTAL SHEET HEETS NO.
	PLOT DATE • 7/13/205 DATE	Ε -		REVISED					VI I	« POL VIII O I IVIY		OF SHEETS STA.	TO STA.	FED. ROAD	DIST. NO. 1 ILLINOIS FEO. A	CONTRACT N	NO. 62819



R 9 E





* 1) 846 2) 607


FILE NAME =	USER NAME = gorengautab	DESIGNED -	REVISED -				LOC	ATION N	IAPS		RTF.	SECTION	COUNTY	SHEETS NO.
pw:\\ILØ84EBIDINTEG.:ll:no:s.gov:PWIDOT\Do	cuments\IDOT Offices\District 1\Projects\D1	397 15RAWIN ata\Design\D139715-sht-plan.dgn	REVISED -	STATE OF ILLINOIS	1) IL53 OVER	KANKAK	KEE RIVER	R (SN 099-	-0272) AND	*	2015-057BP	WILL	11 4
	PLOT SCALE = 100.0000 '/ in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION		2) US 52	OVER D	DUPAGE	RIVER (099-	– 0276)			CONTRAC	T NO. 62B19
Default	PLOT DATE = 7/13/2015	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS	STA.	TO STA.		ILLINOIS FED.	AID PROJECT	

Z

35










FOR INFORMATION ONLY

							846 2) 607				
FILE NAME =	USER NAME = gorengautab	DESIGNED -	REVISED -			BRIDGE PLAN.	F.A.P.	SECTION	COUNTY	TOTAL SHEET	
pw:\\ILØ84EBIDINTEG.:llinois.gov:PWIDOT\Do	cuments\IDOT Offices\District 1\Projects\Di3	971 BR@WIN ata\Design\D139715-sht-plan.dgn	REVISED -	STATE OF ILLINOIS					2015-057BP	WILL	11 7
	PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION		US 52 OVER DUPAGE RIVER (SN 099-027	וסי				CT NO. 62B19
Default	PLOT DATE = 7/13/2015	DATE -	REVISED -		SCALE:	SHEET OF SHEETS STA.	TO STA.	ILLINOIS FED. AID PROJECT			







TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS

NOTES:

- A. FOR NO LANE RESTRICTION ON THE SIDE ROAD OR DRIVEWAYS
- 1. SIDE ROAD WITH A SPEED LIMIT OF 40 MPH (60 km/h) OR LESS AS SHOWN ON THE DRAWING AND AS DIRECTED BY THE ENGINEER:
- 0) ONE ROAD CONSTRUCTION AHEAD SIGN 36×36 (900×900) WITH A FLASHER AND FLAG MOUNTED ON IT APPROXIMATELY 200' (60 m) IN ADVANCE OF THE MAIN ROUTE.
- b) THE CLOSED PORTION OF THE MAIN ROUTE SHALL BE PROTECTED BY BLOCKING WITH TYPE I, TYPE II OR TYPE III BARRICADES, 1/3 OF THE CROSS SECTION OF THE CLOSED PORTION.
- 2. SIDE ROAD WITH A SPEED LIMIT GREATER THAN 40 MPH (60 km/h) AS SHOWN ON THE DRAWING AND AS DIRECTED BY THE ENGINEER:
- g) ONE ROAD CONSTRUCTION AHEAD SIGN 48 \times 48 (1.2 m \times 1.2 m) WITH A FLASHER MOUNTED ON IT APPROXIMATELY 500' (150 m) IN ADVANCE OF THE MAIN ROUTE.
- b) THE CLOSED PORTION OF THE MAIN ROUTE SHALL BE PROTECTED BY BLOCKING WITH TYPE III BARRICADES, 1/2 OF THE CROSS SECTION OF THE CLOSED PORTION.
- 3. WHEN THE SIDE ROAD LIES BETWEEN THE BEGINNING OF THE MAINLINE SIGNING AND THE WORK ZONE, A SINGLE HEADED ARROW (MG-1) SHALL BE USED IN LIEU OF THE DOUBLE HEADED ARROW (MG-4).

SCALE: NONE

B. FOR A LANE CLOSURE ON A SIDE ROAD OR DRIVEWAY:

USE APPLICABLE PORTIONS OF THE TYPICAL APPLICATION OF TRAFFIC CONTROL DEVICES (STD. 701501, STD. 701606 OR THE APPROPRIATE STANDARD). THE SPACING OF SIGNS AND BARRICADES SHALL BE ADJUSTED FOR FIELD CONDITIONS AS DIRECTED BY THE ENGINEER. THE DIRECTIONAL ARROW SHALL BE COVERED OR REMOVED WHEN NO LONGER CONSISTENT WITH THE SIDE ROAD LANE CLOSURE.

- C. ADVANCE WARNING SIGNS ARE TO BE OMITTED ON DRIVEWAY UNLESS OTHERWISE NOTED.
- D. THE TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS SHALL BE INCIDENTAL TO THE COST OF SPECIFIED TRAFFIC CONTROL STANDARDS OR ITEMS.


All dimensions are in millimeters (inches)

1) 846 2) 607 unless otherwise shown.

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

TRAFFIC CONTROL AND PROTECTION FOR SIDE ROADS, INTERSECTIONS, AND DRIVEWAYS

SHEET NO. 1 OF 1 SHEETS STA. TO STA.



NOTES:

- 1. USE BLACK LETTERING ON ORANGE BACKGROUND.
- 2. ERECT SIGNS IN ADVANCE OF THE LOCATION FOR THE "ROAD CONSTRUCTION AHEAD" SIGN AT LOCATIONS AS DIRECTED BY THE ENGINEER.
- 3. ERECT SIGN (1) WITH INSTALLED PANEL (2) ONE WEEK PRIOR TO THE START OF CONSTRUCTION.
- 4. REMOVE PANEL (2) SOON AFTER THE START OF CONSTRUCTION.
- 5. SEE SPECIAL PROVISION FOR "TEMPORARY INFORMATION SIGNING" FOR ADDITIONAL INFORMATION.
- 6. ONE SIGN ASSEMBLY EQUALS 25.70 SQ. FT. (2.3 SQ. M.)
- 7. SHALL BE PAID FOR AS TEMPORARY INFORMATION SIGNING.

ALL DIMENSIONS ARE IN INCHES (MILLIMETERS) UNLESS OTHERWISE SHOWN.

• 1) 846 2) 607

FILE NAME =	USER NAME = gorengautab	DESIGNED -	REVISED - R. MIRS 09-15-97			ARTERIAL RO	\n		F.A.P.	SECTION	COUNTY	TOTAL	SHEET
pw:\\IL084EBIDINTEG.:Ill:nois.gov:PWID0T\Documents\ID0T Offices\District 1\Projects\D1397 :BROWIN ate\Design\DistStd.dgn			REVISED - R. MIRS 12-11-97	STATE OF ILLINOIS					*	2015-057BP	WILL	11	11
	PLOT SCALE = 100.0000 ' / in.	CHECKED -	REVISED -T. RAMMACHER 02-02-99	DEPARTMENT OF TRANSPORTATION	INFORMATION SIGN				TC-22	CONTRACT	NO. 6	2B19	
	PLOT DATE = 7/13/2015	DATE -	REVISED - C. JUCIUS 01-31-07		SCALE: NONE SHEET NO. 1 OF 1 SHEETS S		STA.	TO STA.			FED. AID PROJECT		\neg