



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

August 21, 2008

SUBJECT: Various Counties
Project No. TE-00D7(026)
Section 06-00032-00-SW (Sullivan)
Moultrie County
Contract No. 95561
Item 40
Addendum A
September 19, 2008 Letting

TO PROSPECTIVE BIDDERS:

In accordance with your request, we have sent you plans and/or a proposal for the subject improvement.

To clarify information it is necessary to revise the following:

PLANS:

1. Remove existing plan sheet 19 and replace it with the revised sheet 19.

PROPOSAL:

1. Remove existing page SP 5 and replace it with the attached revised page SP 5.

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal. Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Since the proposal sheets are printed back to back, bidders are cautioned to exercise care when inserting revised and/or added special provisions into their proposals.

Please call 217-782-7806 if any of the above-described material is not included in this transmittal.

Very truly yours,

Eric Harm
Interim Engineer of Design
and Environment

A handwritten signature in black ink, appearing to read 'Ted B. Walschleger' followed by 'P.E.'.

By: Ted B. Walschleger, P. E.
Engineer of Project Management

The pole foundation shall be Portland Cement Concrete Base at locations shown in the plans.

Four poles shall be equipped with a banner bracket. The location and height of the banner bracket and the location of these poles shall be coordinated with the City of Sullivan.

Additional equipment tabulated in the plans shall include sign brackets. The unit price, Each, for LIGHT POLES STREET AND SIDEWALK, SPECIAL, shall include all labor, material, banner brackets, and equipment.

LIGHT POLES, SIDEWALK (SPECIAL)

The light poles shall be designed in accordance with Article 1069.01 and shall be non tapered straight 5" diameter round fluted aluminum Sternberg 6220 FP5/BCC or equal, with a light pole mounting height as shown in the plans and hang straight to within 1/8" in every 10 feet of length.

All poles shall include a reinforced hand hole with cover not less than 3" x 8" and the hand holes shall be located on the backside of the pole away from the street. The hand hole cover shall be attached by stainless steel allen head screws. All poles shall be pre-wired to conform to the National Electric Code.

Each pole shall be provided with a ground lug or stud accessible through the hand hole.

Poles shall be furnished with bolt covers.

Each pole shall be equipped with a Sternberg or equal A850/5P/PT, 100 watt High Pressure Sodium Louver Optics Fixture, Type 3.

The pole base shall be Sternberg Oxford 6200 style or equal base and shall include four anchor bolts and one ground lug.

The pole foundation shall be Portland Cement Concrete Base as shown in the plans.

Additional equipment tabulated in the plans shall include sign brackets. The unit price, Each, for Light Poles, Sidewalk Special, shall include all labor, material and equipment.

Revised 8-21-08