

SCHEDULE CONTINUED

SHOULDER IMPROVEMENTS																							
BITUMINOUS MATERIAL (PRIME COAT) RATE - 0.05 LB / SQ FT BITUMINOUS SURFACE / BINDER (112 LBS) RATE - 0.056 T / SY • IN AGGREGATE (SURFACE, BASE, SUBBASE) RATE - 2.05 T / CY											20200600 EXC & GRAD EX SHOULDER	40600285 POLY BIT MATERIALS (PRIME COAT)	48203100 HMA SHOULDERS MIX "C", N50 d = 2"	44000152 HMA SURFACE REMOVAL, 3/4"	44000155 HMA SURFACE REMOVAL, 1 1/2"	44000157 HMA SURFACE REMOVAL, 2"	44004250 PAVED SHOULDER REMOVAL	48102100 AGG WEDGE SHLD TY, B	48203029 HMA SHOULDERS, 8"	64200116 SHLD RUMB STRIP, 16 INCH	X0320157 CLEAN UNDER- DRAIN OUTLETS (THEOR) EACH	X0322279 OUTLET MARKERS (THEOR) EACH	X4820110 HMA SHLD REM & REPL (SPECIAL) (ANTICIPATED) SQ YD
LOCATION				LENGTH	HMA		HMA REM	AGGREGATE		UNIT	POUND	TON	SQ YD	SQ YD	SQ YD	SQ YD	TON	SQ YD	FOOT	EACH	EACH	SQ YD	
STATION TO STATION				FOOT	WIDTH FOOT	AREA SQ YD	DEPTH INCH	WIDTH FOOT	DEPTH INCH														
NB CROSSOVERS & WIDENING (I55, A004)																							
STA 482+34.77	TO	STA 483+58.77	MEDIAN	TURNLANE	124.00	0.0 TO 4.0	27.56	1.5	-	-	1.24	12.40	3.09	-	27.56	-	-	-	27.56	-	-	-	-
STA 483+58.77	TO	STA 486+74.34	MEDIAN	TURNLANE	315.57	4.0	140.25	1.5	-	-	3.16	63.11	15.71	-	140.25	-	-	-	140.25	-	-	-	-
STA 486+58.77	TO	STA 487+22.77	MEDIAN	CROSSOVER	64.00	-	120.00	1.5	-	-	-	54.00	13.44	-	120.00	-	-	-	-	(64.00)	-	-	-
STA 615+23.01	TO	STA 616+47.01	MEDIAN	TURNLANE	124.00	0.0 TO 4.0	27.56	1.5	-	-	1.24	12.40	3.09	-	27.56	-	-	-	27.56	-	-	-	-
STA 616+47.01	TO	STA 619+65.50	MEDIAN	TURNLANE	318.49	4.0	141.55	1.5	-	-	3.18	63.70	15.85	-	141.55	-	-	-	141.55	-	-	-	-
STA 619+52.01	TO	STA 620+16.01	MEDIAN	CROSSOVER	64.00	-	120.00	1.5	-	-	-	54.00	13.44	-	120.00	-	-	-	-	(64.00)	-	-	-
STA 666+63.53	TO	STA 667+87.52	MEDIAN	TURNLANE	123.99	0.0 TO 4.0	27.55	1.5	-	-	1.24	12.40	3.09	-	27.55	-	-	-	27.55	-	-	-	-
STA 667+87.52	TO	STA 671+06.36	MEDIAN	TURNLANE	318.84	4.0	141.71	1.5	-	-	3.19	63.77	15.87	-	141.71	-	-	-	141.71	-	-	-	-
STA 670+92.52	TO	STA 671+56.52	MEDIAN	CROSSOVER	64.00	-	120.00	1.5	-	-	-	54.00	13.44	-	120.00	-	-	-	-	(64.00)	-	-	-
STA 758+11.63	TO	STA 759+35.63	MEDIAN	TURNLANE	124.00	0.0 TO 4.0	27.56	1.5	-	-	1.24	12.40	3.09	-	27.56	-	-	-	27.56	-	-	-	-
STA 759+35.63	TO	STA 762+54.82	MEDIAN	TURNLANE	319.19	4.0	141.86	1.5	-	-	3.19	63.84	15.89	-	141.86	-	-	-	141.86	-	-	-	-
STA 762+40.61	TO	STA 763+04.77	MEDIAN	CROSSOVER	64.16	-	120.00	1.5	-	-	-	54.00	13.44	-	120.00	-	-	-	-	(64.16)	-	-	-
STATION EQUATION: 790+97.12 BK = STA 184+93.00 AH																							
STA 246+10.94	TO	STA 247+34.94	MEDIAN	TURNLANE	124.00	0.0 TO 4.0	27.56	1.5	-	-	1.24	12.40	3.09	-	27.56	-	-	-	27.56	-	-	-	-
STA 247+34.94	TO	STA 250+40.25	MEDIAN	TURNLANE	305.31	4.0	135.69	1.5	-	-	3.05	61.06	15.20	-	135.69	-	-	-	135.69	-	-	-	-
STA 250+25.42	TO	STA 251+12.37	MEDIAN	CROSSOVER	86.95	-	160.00	1.5	-	-	-	72.00	17.92	-	160.00	-	-	-	-	(86.95)	-	-	-
STA 430+86.88	TO	STA 432+10.91	MEDIAN	TURNLANE	124.03	0.0 TO 4.0	27.56	1.5	-	-	1.24	12.40	3.09	-	27.56	-	-	-	27.56	-	-	-	-
STA 432+10.91	TO	STA 435+16.21	MEDIAN	TURNLANE	305.30	4.0	135.69	1.5	-	-	3.05	61.06	15.20	-	135.69	-	-	-	135.69	-	-	-	-
STA 435+01.39	(RT)	STA 435+88.33	MEDIAN	CROSSOVER	86.94	-	160.00	1.5	-	-	-	72.00	17.92	-	160.00	-	-	-	-	(86.94)	-	-	-
I-55 SB (I55, A004)																							
STA 465+56.26	TO	STA 534+76.44	MEDIAN	OMIT SN 054-0054	6,920.18	6.0	4,613.45	1.5	3.0	3.0	-	2,076.05	516.71	-	4,613.45	-	-	394.07	-	6,920.18	14	14	-
STA 465+56.26	TO	STA 534+84.73	OUTSIDE	OMIT SN 054-0054	6,928.47	10.0	7,698.30	1.5	3.0	3.0	-	3,464.24	862.21	-	7,698.30	-	-	394.54	-	6,928.47	14	14	-
STA 541+90.61	TO	STA 555+05.40	MEDIAN	OMIT SN 054-0056	1,314.79	6.0	876.53	2.0	3.0	3.0	-	394.44	98.17	-	-	876.53	-	74.87	-	1,314.79	3	3	-
STA 541+90.61	TO	STA 555+05.40	OUTSIDE	OMIT SN 054-0056	1,314.79	10.0	1,460.88	2.0	3.0	3.0	-	657.40	163.62	-	-	1,460.88	-	74.87	-	1,314.79	3	3	-
STA 562+55.65	TO	STA 575+70.23	MEDIAN	OMIT SN 054-0058	1,314.58	6.0	876.39	2.0	3.0	3.0	-	394.37	98.16	-	-	876.39	-	74.86	-	1,314.58	3	3	-
STA 562+55.65	TO	STA 575+70.23	OUTSIDE	OMIT SN 054-0058	1,314.58	10.0	1,460.64	2.0	3.0	3.0	-	657.29	163.59	-	-	1,460.64	-	74.86	-	1,314.58	3	3	-
STA 577+98.06	TO	STA 697+52.85	MEDIAN	OMIT SN 054-0060	11,954.79	6.0	7,969.86	2.0	3.0	3.0	-	3,586.44	892.62	-	-	7,969.86	-	680.76	-	11,954.79	24	24	-
STA 577+98.06	TO	STA 697+52.85	OUTSIDE	OMIT SN 054-0060	11,954.79	10.0	13,283.10	2.0	3.0	3.0	-	5,977.40	1,487.71	-	-	13,283.10	-	680.76	-	11,954.79	24	24	-
STA 703+59.74	TO	STA 790+97.21 BK	MEDIAN		8,737.47	6.0	5,824.98	2.0	3.0	3.0	-	2,621.24	652.40	-	-	5,824.98	-	497.55	-	8,737.47	17	17	-
GORE																							
STA 708+03.23	TO	STA 728+63.06	OUTSIDE		2,059.83	10.0	2,288.70	2.0	3.0	3.0	-	1,029.92	256.33	-	-	2,288.70	-	117.30	-	2,059.83	4	4	-
GORE																							
STA 735+32.75	TO	STA 790+97.21 BK	OUTSIDE		5,564.46	10.0	6,182.73	2.0	3.0	3.0	-	2,782.23	692.47	-	-	6,182.73	-	316.87	-	5,564.46	11	11	-
STA 184+93.0 AH	TO	STA 190+00.00	MEDIAN		507.00	6.0	338.00	2.0	3.0	3.0	-	152.10	37.86	-	-	338.00	-	28.87	-	507.00	1	1	-
STA 184+93.0 AH	TO	STA 190+00.00	OUTSIDE		507.00	10.0	563.33	2.0	3.0	3.0	-	253.50	63.09	-	-	563.33	-	28.87	-	507.00	1	1	-
STA 190+00.00	TO	STA 280+63.30	MEDIAN	OMIT SN 054-0064	9,063.30	6.0	6,042.20	1.5	3.0	3.0	-	2,718.99	676.73	-	6,042.20	-	-	516.10	-	9,063.30	-	-	-
STA 190+00.00	TO	STA 280+53.60	OUTSIDE	OMIT SN 054-0064	9,053.60	10.0	10,059.56	1.5	3.0	3.0	-	4,526.80	1,126.67	-	10,059.56	-	-	515.55	-	9,053.60	-	-	-
STA 283+79.80	TO	STA 456+47.07	MEDIAN		17,267.27	6.0	11,511.51	1.5	3.0	3.0	-	5,180.18	1,289.29	-	-	11,511.51	-	983.28	-	17,267.27	-	-	-
STA 283+70.10	TO	STA 456+48.52	OUTSIDE		17,278.42	10.0	19,198.24	1.5	3.0	3.0	-	8,639.21	2,150.20	-	19,198.24	-	-	983.91	-	17,278.42	-	-	-
STA 457+67.11	TO	STA 590+00.00	MEDIAN		13,232.89	6.0	8,821.93	1.5	3.0	3.0	-	3,969.87	988.06	-	8,821.93	-	-	753.54	-	13,232.89	-	-	-
STA 457+69.34	TO	STA 473+44.01	OUTSIDE	ATLANTA INTER	1,574.67	10.0	1,749.63	1.5	3.0	3.0	-	787.34	195.96	-	1,749.63	-	-	89.67	-	1,574.67	-	-	-
GORE																							
STA 485+27.64	TO	STA 506+55.82	OUTSIDE		2,128.18	10.0	2,364.64	1.5	3.0	3.0	-	1,064.09	264.84	-	2,364.64	-	-	121.19	-	2,128.18	-	-	-
GORE																							
STA 512+98.79	TO	STA 590+00.00	OUTSIDE		7,701.21	10.0	8,556.90	1.5	3.0	3.0	-	3,850.61	958.37	-	8,556.90	-	-	438.54	-	7,701.21	-	-	-

SCHEDULE CONTINUED ON NEXT 2 SHEETS

FILE NAME =	USER NAME = sparksgw	DESIGNED - DMS	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SCHEDULE OF QUANTITIES				F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
c:\pwwork\pwwork\sparksgw\0215133\0672041-sht-schedule.dgn		DRAWN - DMS	REVISED -		SCALE:	SHEET 4	OF	SHEETS	STA.	TO STA.	LOGAN	108	11
Default	PLOT SCALE = 100.0000' / 1in.	CHECKED -	REVISED -								CONTRACT NO.	72D41	
	PLOT DATE = Jul-14-2014 03:36:45PM	DATE -	REVISED -								ILLINOIS FED. AID PROJECT		