

SCHEDULE CONTINUED

SHOULDER IMPROVEMENTS																					
BITUMINOUS MATERIAL (PRIME COAT) RATE - 0.05 LB / SQ FT BITUMINOUS SURFACE / BINDER (112 LBS) RATE - 0.056 T / SY • IN AGGREGATE (SURFACE, BASE, SUBBASE) RATE - 2.05 T / CY									20200600 EXC & GRAD EX SHOULDER	40600285 POLY BIT MATERIALS (PRIME COAT)	48203100 HMA SHOULDERS MIX "C", N50 d = 2"	44000152 HMA SURFACE REMOVAL, 3/4"	44000155 HMA SURFACE REMOVAL, 1 1/2"	44000157 HMA SURFACE REMOVAL, 2"	44004250 PAVED SHOULDER REMOVAL	48102100 AGG WEDGE SHLD TY, B	48203029 HMA SHOULDERS, 8"	64200116 SHLD RUMB STRIP, 16 INCH	X0320157 CLEAN UNDER- DRAIN OUTLETS (THEOR) EACH	X0322279 OUTLET MARKERS (THEOR) EACH	X4820110 HMA SHLD REM & REPL (SPECIAL) (ANTICIPATED) SQ YD
LOCATION		LENGTH FOOT	HMA		HMA REM DEPTH INCH	AGGREGATE		UNIT	POUND	TON	SQ YD	SQ YD	SQ YD	SQ YD	TON	SQ YD	FOOT	EACH	EACH	SQ YD	
STATION TO STATION	WIDTH FOOT		AREA SQ YD	WIDTH FOOT		DEPTH INCH															
RAMP B (R202)																					
ARC		95.28	6.0	63.52	0.75	3.0	3.0	-	28.58	7.11	63.52	-	-	-	5.43	-	-	-	-	-	
STA 01+05.28	TO STA 17+50.95	1,645.67	6.0	1,097.11	0.75	3.0	3.0	-	493.70	122.88	1,097.11	-	-	-	93.71	-	-	3	3	-	
STA 17+50.95	TO STA 19+73.26	222.31	6.0 TO 10.0	197.61	0.75	3.0	3.0	-	88.92	22.13	197.61	-	-	-	12.66	-	-	-	-	-	
ARC		67.23	4.0	29.88	0.75	3.0	3.0	-	13.45	3.35	29.88	-	-	-	3.83	-	-	-	-	-	
STA 01+05.05	TO STA 08+00.56	695.51	4.0	309.12	0.75	3.0	3.0	-	139.10	34.62	309.12	-	-	-	39.61	-	-	1	1	-	
RAMP C (R203)																					
STA 00+00.00	TO STA 00+48.29	48.29	10.0 TO 6.0	42.92	0.75	3.0	3.0	-	19.32	4.81	42.92	-	-	-	2.75	-	-	-	-	-	
STA 00+48.29	TO STA 11+68.67	1,120.38	6.0	746.92	0.75	3.0	3.0	-	336.11	83.66	746.92	-	-	-	63.80	-	-	2	2	-	
STA 11+68.67	TO STA 18+37.65	668.98	6.0	445.99	0.75	3.0	3.0	-	200.69	49.95	445.99	-	-	445.99	38.09	445.99	-	-	-	-	
STA 18+37.65	TO STA 23+44.47	506.82	6.0	337.88	0.75	3.0	3.0	-	152.05	37.84	337.88	-	-	-	28.86	-	-	-	-	-	
ARC		154.86	6.0	103.24	0.75	3.0	3.0	-	46.46	11.56	103.24	-	-	-	8.82	-	-	-	-	-	
STA 06+21.57	TO STA 24+03.80	1,782.23	4.0	792.10	0.75	3.0	3.0	-	356.45	88.72	792.10	-	-	-	101.49	-	-	4	4	-	
ARC		46.73	4.0	20.77	0.75	3.0	3.0	-	9.35	2.33	20.77	-	-	-	2.66	-	-	-	-	-	
RAMP C SHOULDER WIDENING																					
STA 11+68.67	TO STA 13+09.18	140.51	1.0 TO 4.0	39.03	0.75	-	-	1.41	17.56	4.37	39.03	-	-	-	-	39.03	-	-	-	-	
STA 13+09.18	TO STA 17+00.00	390.82	4.0	173.70	0.75	-	-	3.91	78.16	19.45	173.70	-	-	-	-	173.70	-	-	-	-	
STA 17+00.00	TO STA 18+37.65	137.65	4.0 TO 1.0	38.24	0.75	-	-	1.38	17.21	4.28	38.24	-	-	-	-	38.24	-	-	-	-	
RAMP D (R204)																					
ARC		123.51	6.0	82.34	0.75	3.0	3.0	-	37.05	9.22	82.34	-	-	-	7.03	-	-	-	-	-	
STA 01+26.44	TO STA 18+96.13	1,769.69	6.0	1,179.79	0.75	3.0	3.0	-	530.91	132.14	1,179.79	-	-	-	100.77	-	-	4	4	-	
STA 18+96.13	TO STA 20+32.06	135.93	6.0 TO 10.0	120.83	0.75	3.0	3.0	-	54.37	13.53	120.83	-	-	-	7.74	-	-	-	-	-	
ARC		48.74	4.0	21.66	0.75	3.0	3.0	-	9.75	2.43	21.66	-	-	-	2.78	-	-	-	-	-	
STA 00+78.05	TO STA 08+86.50	808.45	4.0	359.31	0.75	3.0	3.0	-	161.69	40.24	359.31	-	-	-	46.04	-	-	2	2	-	
TOTAL:									66	134,318	33,430	19,798	236,942	41,743	916	19,411	3,430	306,897	381	381	64,176

SEE NOTE

NOTE: QUANTITY FOR PAY ITEM "X4820110 - HMA SHOULDER REMOVAL AND REPLACEMENT (SPECIAL)" IS AN ESTIMATED QUANTITY TO BE USED AT THE DIRECTION OF THE ENGINEER ON THE FIELD.

ISLAND IMPROVEMENTS								
LOCATION	PERI-METER	AREA	31101900 SUBBASE GRAN MATERIAL TYPE C TON	44000500 COMBINATION CURB & GUTTER REMOVAL FOOT	60608600 COMBINATION CURB & GUTTER TY M-6.06 FOOT	60618300 CONC MEDIAN SURFACE, 4 INCH SQ FT	X4403800 MEDIAN SURFACE REMOVAL SQ FT	60622400 CONCRETE MEDIAN, TY SM-6.06 SQ FT
STATION	FOOT	SQ FT						
ATLANTA INTERCHANGE								
RAMP A								
STA 23+77.40	51.01	206.70	10.46	51.01	51.01	206.70	206.70	-
NORTH NOSE	7.53	9.64	0.49	7.53	-	-	-	9.64
WEST NOSE	6.67	5.28	0.27	6.67	-	-	-	5.28
EAST NOSE	5.68	6.37	0.32	5.68	-	-	-	6.37
RAMP C								
STA 24+46.96	36.40	135.31	6.85	36.40	36.40	135.31	135.31	-
WEST NOSE	6.72	8.59	0.43	6.72	-	-	-	8.59
EAST NOSE	5.64	6.07	0.31	5.64	-	-	-	6.07
SOUTH NOSE	7.51	11.26	0.57	7.51	-	-	-	11.26
TOTAL:			20	127	87	342	342	47

RIPRAP			
LOCATION	28200200 FILTER FABRIC SQ YD	28100207 STONE RIPRAP, CLASS A4 TON	28100807 STONE DUMPED RIPRAP, CLASS 4A TON
STATION			
ROADWAY 'A'			
STA 437+77.00	-	-	10.00
I-55 MAINLINE			
STA 547+00.00	104.44	82.23	-
STA 553+20.00	60.00	46.67	-
STA 681+25.75	-	-	3.00
STA 686+00.00	9.33	10.00	-
TOTAL:		174	139

28001000 AGGREGATE (EROSION CONTROL) (TON)	
LOCATION	QUANTITY TON
JOBSITE	140.00
TOTAL:	140

28000500 INLET AND PIPE PROTECTION (EACH)	
LOCATION	QUANTITY EACH
I-55 MAINLINE	
STA 476+00.00	1
STA 686+00.00	1
STA 787+00.00	1
STA 789+74.00	1
STATION EQUATION	
STA 311+00.00	1
TOTAL:	5