STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

F.A. RTE. SECTION COUNTY TOTAL SHEET NO. 2025-01 TREE REMOVAL VARIOUS 9 1 1 | LLINOIS | CONTRACT NO. 66P72


INDEX

- 1 COVER
- 2 GENERAL NOTES 3 SUMMARY OF QUANTITIES
- **4-9 SCHEDULES**

LIST OF ILLINOIS DOT HIGHWAY STANDARDS

000001-08	STANDARD SYMBOLS, ABBREVIATIONS AND PATTERNS
001001-02	AREAS OF REINFORCEMENT BARS
001006	DECIMAL OF AN INCH AND OF A FOOT
701001-02	OFF-ROAD OPERATIONS 2L, 2W, MORE THAN 15' AWAY
701006-05	OFF-ROAD OPERATIONS 2L, 2W, 15' TO 24" FROM PAVEMENT EDGE
701101-05	OFF-ROAD OPERATIONS, MULTILANE, 15' TO 24" FROM PAVEMENT EDGE
701106-02	OFF-ROAD OPERATIONS, MULTILANE, MORE THAN 15' AWAY
701201-05	LANE CLOSURE, 2L, 2W, DAY ONLY, FOR SPEEDS ≥ 45 MPH
701301-04	LANE CLOSURE, 2L, 2W, SHORT TIME OPERATIONS
701400-12	APPROACH TO LANE CLOSURE, FREEWAY/EXPRESSWAY
701406-13	LANE CLOSURE, FREEWAY/EXPRESSWAY, DAY OPERATIONS ONLY

701501-06 URBAN LANE CLOSURE, 2L, 2W, UNDIVIDED	
701606-10 URBAN LANE CLOSURE, MULTILANE, 2W WITH MOUNTABLE MEDIAN	I
701901-09 TRAFFIC CONTROL DEVICES	
701311-03 LANE CLOSURE 2L, 2W, MOVING OPERATIONS-DAY ONLY	
701502-09 URBAN LANE CLOSURE, 2L, 2W, WITH BIDIRECTIONAL LEFT TURN LAN	NE
701601-09 URBAN LANE CLOSURE, MULTILANE, 1W OR 2W WITH NONTRAVERS,	able median
701602-10 URBAN LANE CLOSURE, MULTILANE, 2W WITH BIDIRECTIONAL LEFT	TURN LANE
701701-10 URBAN LANE CLOSURE, MULTILANE INTERSECTION	



FULL SIZE PLANS HAVE BEEN PREPARED USING STANDARD ENGINEERING SCALES. REDUCED SIZED PLANS WILL NOT CONFORM TO STANDARD SCALES. IN MAKING MEASUREMENTS ON REDUCED PLANS. THE ABOVE SCALES MAY BE USED.

J.U.L.I.E.
JOINT UTILITY LOCATION INFORMATION FOR EXCAVATION
1-800-892-0123
OR 811

PROJECT ENGINEER: JOSEPH E. KANNEL, P.E. UNIT CHIEF: MOHAMED YOUSIF DISTRICT 3 NO. (815) 434-6131


CONTRACT NO. 66P72


 \bigcirc


PROPOSED HIGHWAY PLANS

VARIOUS ROUTES
SECTION 2025-01 TREE REMOVAL
PROJECT
VEGETATION CONTROL - TREE REMOVAL
VARIOUS COUNTIES

C-93-128-24







PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

GENERAL NOTES

FOR STABILIZATION, ALL TYPE III BARRICADES WILL REQUIRE A MINIMUM OF FOUR SAND BAGS PER BARRICADE.

SEEDING WILL NOT BE PERMITTED AT ANY TIME WHEN THE GROUND IS FROZEN, WET, OR IN AN UNTILLABLE CONDITION. LOCATIONS TO BE SEEDED WILL BE DETERMINED BY THE ENGINEER.

ONLY THOSE TREES ADDED AND DESIGNATED BY THE ENGINEER SHALL BE REMOVED. THE CONTRACTOR SHALL PROTECT ALL DESIRABLE TREES AND SHRUBS FROM FROM DAMAGE DUE TO HIS OPERATIONS. CONSULT ENGINEER IF THERE IS A DESIRABLE TREE IN QUESTION.

THE FINISHED SOIL SHALL HAVE A VEGETATION SUSTAINING SOIL COVERING THE TOP FOUR INCHES (100 MILLIMETERS) IN AREAS TO BE SEEDED OR SODDED. THE VEGETATION SUSTAINING SOIL REQUIRED WILL NOT BE PAID FOR SEPARATELY BUT WILL BE INCLUDED IN THE COST OF THE TREE REMOVAL PAY ITEMS.

ALL EXCAVATED MATERIAL, WHICH INCLUDES DIGGING OR GRADING OF ANY SOIL OR FILL MATERIAL, WITH THE EXCEPTION OF AGGREGATE FILLS, MUST BE INCORPORATED WITHIN THE IDOT RIGHT OF WAY DUE TO ENVIRONMENTAL DOCUMENTATION REQUIREMENTS.

ANY REFERENCE TO A STANDARD IN THESE PLANS SHALL BE INTERPRETED TO MEAN THE EDITION AS INDICATED BY THE SUBNUMBER SHOWN IN THE LIST OF STANDARDS OR THE COPY INCLUDED IN THESE PLANS.

THE CONTRACTOR'S ATTENTION IS DIRECTED TO THE PRESENCE OF DEPARTMENT-OWNED UNDERGROUND UTILITIES WITHIN THE LIMITS OF THE PROPOSED IMPROVEMENT. THE CONTRACTOR SHALL REQUEST THE ILLINOIS DEPARTMENT OF TRANSPORTATION, BUREAU OF OPERATIONS IN OTTAWA (815-434-8505 OR 815-434-8506) TO LOCATE THE UNDERGROUND FACILITIES, PROVIDING A MINIMUM OF 72 HOURS NOTICE. THE DEPARTMENT IS NOT A MEMBER OF THE JOINT UTILITY LOCATING INFORMATION FOR EXCAVATORS (JULIE) SYSTEM

ALL DAMAGE TO DEPARTMENT OWNED UNDERGROUND FACILITIES,
CAUSED BY THE CONTRACTOR SHALL BE REPAIRED TO THE
SATISFACTION OF THE DEPARTMENT AT THE CONTRACTOR'S EXPENSE.
THIS SHALL INCLUDE ALL TEMPORARY REPAIRS REQUIRED TO KEEP THE
FACILITY OPERATIONAL WHILE MATERIAL IS BEING OBTAINED TO MAKE
PERMANENT REPAIRS. SPLICING OF ELECTRIC CABLE SHALL NOT BE ALLOWED. ELECTRIC
CABLE SHALL BE REPLACED FROM POLE TO POLE OR CONTROLLER.

THE CONTRACTOR SHALL CONTACT JULIE AT LEAST 48 HOURS PRIOR TO EXCAVATION TO DETERMINE WHICH UTILITIES ARE IN THE AREA.

NO TREE REMOVAL OVER THREE INCH DIAMETER SHALL OCCUR FROM APRIL 1ST TO SEPTEMBER 30TH DUE TO BATS.

UTILITY ADJUSTMENTS OR RELOCATIONS SHOULD NOT BE REQUIRED BY THIS PROJECT. THE ILLINOIS UNDERGROUND UTILITY FACILITIESS DAMAGE PREVENTION ACT REQUIRES PERSONS EXCAVATING TO CONTACT THE ONE CALL SYSTEM (J.U.L.I.E: (800)-0123 or 8-1-1) BEFORE DIGGING

COMMITMENTS

NONE

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION
DISTRICT THREE
AS BUILT INFORMATION

SUPERVISING CONSTRUCTION FIELD ENGINEER

RESIDENT ENGINEER / TECHNICIAN

START & END DATES OF CONSTRUCTION:

INSPECTORS:

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SCALE:

SHEET

 GENERAL NOTES
 F.A. RTE.
 SECTION
 COUNTY
 TOTAL SHEETS NO.

 * 2025-01 TREE REMOVAL
 VARIOUS
 9
 2

 * VARIOUS
 CONTRACT NO. 66P72

pw.//ildot-pw.bentley.com:PWIDOT/Documents/IDOT Offices/District 3/ORD Projects/D366P72/CAL

USER NAME = Mohamed. Yousif	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = \$SCALE\$	CHECKED -	REVISED -
PLOT DATE = 7/3/2024	DATE -	REVISED -

STAT	E OF ILLINOIS
DEPARTMENT	OF TRANSPORTATION

SUMMARY OF QUANTITIES							SECTION		COUNTY	TOTAL SHEETS	SHEET NO.
·							2025-01 TREE REMOVAL		VARIOUS	9	3
						* VAF	RIOUS		CONTRACT	NO. 66F	72
	SHEET	OF	SHEETS	STA.	TO STA.		ILLINOIS	FED. AID	PROJECT		

				100% STATE
CODE			TOTAL	ROADWAY
CODE NO.	ITEM	UNIT	TOTAL QUANTITY	0031 NONE
26 M PG M			consistence of the Constitution of the Constit	-
20100110	TREE REMOVAL (6 TO 15 UNITS DIAMETER)	UNIT	636	636
20100210	TREE REMOVAL (OVER 15 UNITS DIAMETER)	UNIT	2455	2455
				_
67100100	MOBILIZATION	L SUM	1	1
		-	_	

SCALE:

			BUREAU COUNTY				
NUMBER AND DIRECTION		NUMBER	TREE	TREE	GENERAL	GIS	REMARKS/NOTES
		OF IRE		REM DIA	TYPE OF	PIN	
		TREES/SIZE	6 TO 15	OVER 15	TREE		
DIREC	HON		UNIT	UNIT	SPECIES	LAT/LONG	LANDSCAPE YARD - 370
					Great S	auk Trail Rest Area Grounds	
1	WB	1		30	Silver Maple	41.393878216101605, -89.55931713335698	Just West of the Building, East of the Playground
2	WB	1		61	Silver Maple	41.39407741806235, -89.5594069873532	West of the Building, North of the Playground
TOTALS			·	91			

			BUREAU COUNTY								
NUMBER AND DIRECTION		NUMBER OF TREES/SIZE		TREE REM DIA OVER 15	GENERAL TYPE OF TREE	GIS PIN	REMARKS/NOTES				
			UNIT	UNIT	SPECIES	LAT/LONG	PRINCETON YARD - 345				
					US 6	/ 34 Princeton Fairgrounds					
1	WB	1		52		41.37169693963882, -89.48007728815278	Just East of S Fairgrounds Ave				
2	WB	1		40		41.371708325927166, -89.47973210547859	Just East of S Fairgrounds Ave				
	Tiskilwa Spur - Princeton Address 2402 South Main Street										
3	SB	1		46		41.349610665979455, -89.46989775359724	South Edge of Princeton				
TOTALS				138							

					BUREAU COUNTY		
NUMBER AND		NUMBER	TREE	TREE	GENERAL	GIS	REMARKS/NOTES
		OF	REM DIA	REM DIA	TYPE OF	PIN	
		TREES/SIZE	6 TO 15	OVER 15	TREE		
DIREC	ECTION TREES, SIE		UNIT	UNIT	SPECIES	LAT/LONG	LASALLE YARD - 344
					NW Corn	er of US 6 and Old North Road	
1	WB	1		34	Cottonwood	41.32849, -89.17917	
2	WB	1		18	Cottonwood	41.32849, -89.17917	
3	WB	1		17	Cottonwood	41.32849, -89.17917	
4	WB	1		21	Cottonwood	41.32849, -89.17917	
5	WB	1		24	Cottonwood	41.32812, -89.17900	
6	WB	1		17	Cottonwood	41.32812, -89.17900	
7	WB	1		32	Cottonwood	41.32812, -89.17900	
TOTALS		·		163			

	US 6/OAK STREET									
8	WB	1		23		41.32811, -89.17922	East of Spring Valley			
9	EB	1		25		41.32683, -89.18334	East of Spring Valley			
TOTALS				48						

			BUREAU COUNTY				
NUMBER AND DIRECTION		NUMBER	TREE	TREE	GENERAL	GIS	REMARKS/NOTES
		OF	REM DIA	REM DIA	TYPE OF	PIN	
		TREES/SIZE	6 TO 15	OVER 15	TREE		
DIREC	ION		UNIT	UNIT	SPECIES	LAT/LONG	LADD YARD - 347
						North of Ladd Rd	-
1	SB	1		27	Dead Ash	41.333730227330875, -89.21814963150413	Near Power Line West End of Spring Valley
2	SB	1		27	Dead Ash	41.333730227330875, -89.21814963150413	Near Power Line West End of Spring Valley
TOTALS				54			

SCALE:

USER NAME = Mohamed Yousif	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = \$SCALE\$	CHECKED -	REVISED -
PLOT DATE = 6/27/2024	DATE -	REVISED -

			BUREAU COUNTY								
NUMBER		NUMBER	TREE	TREE	GENERAL	GIS	REMARKS/NOTES				
V. 16-12-21-11-22-22-21		OF	REM DIA	REM DIA	TYPE OF	PIN					
AND DIRECTION		TREES/SIZE	6 TO 15	OVER 15	TREE						
DIREC	HON		UNIT	UNIT	SPECIES	LAT/LONG	LADD YARD - 347				
	Between I-180 and IL 26/IL 29 (Hiawatha Pioneer Trail)										
1	SB	1	·	42	cottonwood	41.267470601457894, -89.37409249436038	Pike Road				
2	SB	1		39	cottonwood	41.26772473633768, -89.37426473826324	Pike Road				
3	SB	1		36	cottonwood	41.267734326313764, -89.37428387647469	Pike Road				
4	SB	1		25	cottonwood	41.269009780582905, -89.37508130195086	Pike Road				
5	SB	1		48	cottonwood	41.26955160135972, -89.37541303094898	Pike Road				
6	SB	1		55	cottonwood	41.270227672306454, -89.37587872742708	Pike Road				
7	SB	1		56	cottonwood	41.27303257282104, -89.37763944299931	Pike Road				
8	SB	1		46	cottonwood	41.27733798044308, -89.38028689571829	Pike Road				
9	SB	1		44	cottonwood	41.2776544023112, -89.38053569246688	Pike Road				
10	SB	1		42	cottonwood	41.27688731634635, -89.3800317195659	Pike Road				
TOTALS				433							

			BUREAU COUNTY				
NUMBER		NUMBER	TREE	TREE	GENERAL	GIS	REMARKS/NOTES
13 1000-0-0-00000000000-0-0-0		OF	REM DIA	REM DIA	TYPE OF	PIN	
DIREC		TREES/SIZE	6 TO 15	OVER 15	TREE		
DIREC	HON		UNIT	UNIT	SPECIES	LAT/LONG	LADD YARD - 347
					IL 40 -	Buda @ Address 202 IL 40	
1	SB	1		43	Oak	41.3282013978017, -89.6835286248412	Just North of West North St. Address 202 IL 40
TOTALS				43			

				US	52		KENDALL COUNTY						
NUMBER		NUMBER	TREE	TREE	GENERAL	GIS	REMARKS/NOTES						
		OF TREES/SIZE	REM DIA REM DIA	TYPE OF	TYPE OF PIN	16243 US 52 Newark, IL							
AN	2000		6 TO 15	OVER 15	TREE		(nearest address)						
DIREC	TION		UNIT	UNIT	SPECIES	LAT/LONG	YORKVILLE YARD - 352						
	US 52 West of Roods Road												
1	EB	2		36	Dead	41.486558957816804, -88.56027862755512	South side of US 52, Double Trunk (16 + 20)						
2	EB	1		26	Dead	41.48656599027061, -88.5603966447466	South side of US 52						
3	EB	1	12			41.486559700314345, -88.56046408490836	South side of US 52						
4	EB	1		20	Dead	41.486553170177, -88.56068067329176	South side of US 52						
5	EB	1	12		Dead	41.486553170177, -88.56068067329176	South side of US 52						
6	EB	1		20		41.48655577236142, -88.560837925996	South side of US 52						
7	EB	1		18		41.48655577236142, -88.560837925996	South side of US 52						
8	EB	1		24		41.48655577236142, -88.560837925996	South side of US 52						
9	EB	1		20		41.48656280481558, -88.56099148245536	South side of US 52						
10	EB	2		32		41.48655844464024, -88.56118457213184	South side of US 52, Double Trunk (16 + 16)						
11	EB	1		16		41.48655844464024, -88.56118457213184	South side of US 52						
12	EB	1	14			41.48655844464024, -88.56118457213184	South side of US 52						
13	EB	1	12			41.48655174636086, -88.56140325980562	South side of US 52						
14	EB	1		18		41.48655174636086, -88.56140325980562	South side of US 52						
15	EB	1		24		41.48655174636086, -88.56140325980562	South side of US 52						
16	EB	1	12			41.486553424448736, -88.56169269649706	South side of US 52						
17	EB	1	14			41.486553424448736, -88.56169269649706	South side of US 52						
18	EB	1	14			41.486553424448736, -88.56169269649706	South side of US 52						
19	EB	1		30	Dead	41.48672069619321, -88.56178053883846	North side of US 52						
TOTALS			90	284									

USER NAME = Mohamed. Yousif	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = \$SCALE\$	CHECKED -	REVISED -
PLOT DATE = 6/27/2024	DATE -	REVISED -

				Interstate	e 80 (I-80)		GRUNDY COUNTY
NUMBER		NUMBER	TREE	TREE	GENERAL	GIS	REMARKS/NOTES
		OF	REM DIA	REM DIA	TYPE OF	PIN	16243 US 52 Newark, IL
AN		TREES/SIZE	6 TO 15	OVER 15	TREE		(nearest address)
DIREC	TION		UNIT	UNIT	SPECIES	LAT/LONG	LANDSCAPE YARD - 370
			EARDOOAI E TARD - 070				
1	WB	1		27	Buckeye	vers Rest Area - West Bound 41.447522622163966, -88.32728029753714	Too close to lift station enclosure
2	WB	2		56	Dying Oak	41.44724767033805, -88.32878264716898	NE side of playground, Double Trunk (28 + 28)
	****	_				vers Rest Area - East Bound	THE State of play greater, Beautiful Hariti (20 1 20)
3	EB	1		29	Silver Maple	41.431043142487425, -88.34509462230336	East of Playground
4	EB	1	-	51	Silver Maple	41.43084275428713, -88.34534385061644	East of Playground
5	EB	1		32	Silver Maple	41.43075228346237, -88.34565735953515	East of Playground
6	EB	1		32	Silver Maple	41.43072269017458, -88.34578817620628	South of Playground
7	EB	1		23	Silver Maple	41.43071761703818, -88.34592575925694	South of Playground
8	EB	1		33	Silver Maple	41.430718462560925, -88.3460351490595	South of Playground
9	EB	1		40	Silver Maple	41.430694787919435, -88.34611634561398	South of Playground
10	EB	1	13		Sugar Maple	41.43079540508616, -88.34591786514746	In Playground
11	EB	1		16	Maple	41.43077342151682, -88.34609153555567	South of Playground
12	EB	1		19	Linden	41.4307810312132, -88.34626746144325	West of Playground
13	EB	1	11		Pine	41.43075735659451, -88.346433237742	West of Playground
14	EB	1	11		Pine	41.430689714779305, -88.34660352496043	West of Playground
15	EB	1		19	Coffee Tree	41.430789486431756, -88.34680764408388	West of Playground
16	EB	1		20	Locust	41.43086304678941, -88.34649526289508	North of Playground
17	EB	1		18	Locust	41.431056670784876, -88.34627310007788	North of Playground
18	EB	1		18	Locust	41.431054134229775, -88.34610732377912	North of Playground
19	EB	1		18	Locust	41.431069353558904, -88.34603289360416	North of Playground
20	EB	1		21	Coffee Tree	41.431014394853555, -88.34617949849421	North of Playground
21	EB	1	14		Locust	41.43117757979653, -88.34642083269783	Entry Ramp Island Between Truck Lot and Car Lot
22	EB	1	12		Locust	41.43117842531328, -88.34637459577098	Entry Ramp Island Between Truck Lot and Car Lot
23	EB	1		17	Locust	41.431191108063544, -88.34625843958887	Entry Ramp Island Between Truck Lot and Car Lot
24	EB	1	7		Crab	41.43118941703032, -88.34613890021699	Entry Ramp Island Between Truck Lot and Car Lot
25	EB	1	9		Crab	41.431216473556596, -88.34611296242875	Entry Ramp Island Between Truck Lot and Car Lot
26	EB	1	9		Crab	41.43122070113781, -88.34605544820263	Entry Ramp Island Between Truck Lot and Car Lot
TOTALS	TOTALS			489			

		IROQUOIS COUNTY				
NUMBER	NUMBER	TREE	TREE	GENERAL	GIS	REMARKS/NOTES
	OF	REM DIA	REM DIA	TYPE OF	PIN	
DIRECTION	TREES/SIZE	6 TO 15	OVER 15	TREE		
DIRECTION		UNIT	UNIT	SPECIES	LAT/LONG	LANDSCAPE YARD - 370
				Main Line Sta	ation Rest Area (~Mile Marker 269)	
1 SB	1		18	Silver Maple	40.561035537316435, -88.06171283692437	Off SW Corner of Building, West of Walkway; Partially Dead
TOTALS			18			

			IROQUOIS COUNTY				
NUMBER AND DIRECTION		NUMBER	TREE	TREE	GENERAL	GIS	REMARKS/NOTES
		OF	REM DIA	REM DIA	TYPE OF	PIN	
		TREES/SIZE	6 TO 15	OVER 15	TREE		
DIKEC	IION		UNIT	UNIT	SPECIES	LAT/LONG	WATSEKA YARD - 322
				Betw	een County R	load 2600 N and Vermillion County Line	
1	NB	1		44	Dead Elm	40.858417180138886, -87.86515918236078	200' North of 2400 N Rd (East Side)
2	NB	1		35	Dead Ash	40.487738343760036, -87.89748773693275	500' North of 0 N Rd (Vermillion County Line)
TOTALS				79			

SCALE:

USER NAME = Mohamed, Yousif	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = \$SCALE\$	CHECKED -	REVISED -
PLOT DATE = 6/27/2024	DATE -	REVISED -

				IL	116		FORD COUNTY
.		NUMBER	TREE	TREE	GENERAL	GIS	REMARKS/NOTES
NUME	0	OF	REM DIA	REM DIA	TYPE OF	PIN	
AN		TREES/SIZE	6 TO 15	OVER 15	TREE		
DIREC	TION	TREEO/OILL	UNIT	UNIT	SPECIES	LAT/LONG	GIBSON CITY YARD - 336
			UNIT	UNIT	<u> </u>	ast Road to N 000 East Road	GIBSON CITT TAND - 350
1	EB	1		21	Sycamore	40.88036 -88.14127	Behind Guardrail South Side of IL 116, Okay to Leave Sturr
2	EB	1	_	16	Elm	40.88037 -88.13974	Behind Guardrail South Side of IL 116, Okay to Leave Sturr
3	EB	1	11	10	Sycamore	40.88040 -88.13843	Behind Guardrail South Side of IL 116, Okay to Leave Stur
4	EB	1	9		Sycamore	40.88040 -88.13843	Behind Guardrail South Side of IL 116, Okay to Leave Sturr
5	EB	1	3	21	Sycamore	40.88040 -88.13843	Behind Guardrail South Side of IL 116, Okay to Leave Sturr
6	EB	1	9	21	Sycamore	40.88040 -88.13843	Behind Guardrail South Side of IL 116, Okay to Leave Sturr
7	EB	1		21	Sycamore	40.88040 -88.13843	Behind Guardrail South Side of IL 116, Okay to Leave Sturn
8	EB	1	11	21	Elm	40.88040 -88.13843	Behind Guardrail South Side of IL 116, Okay to Leave Sturr
9	EB	1		16	Sycamore	40.88042 -88.1377	Behind Guardrail South Side of IL 116, Okay to Leave Sturr
10	EB	1		16	Sycamore	40.88042 -88.1377	Behind Guardrail South Side of IL 116, Okay to Leave Sturr
11	EB	1	9	10		40.88042 -88.1377	Behind Guardrail South Side of IL 116, Okay to Leave Sturr
12	EB	1		21	Sycamore Elm	40.88044 -88.13718	Behind Guardrail South Side of IL 116, Okay to Leave Sturi
13	EB	1	9	<u> </u>	Sycamore	40.88044 -88.13718	Behind Guardrail South Side of IL 116, Okay to Leave Sturi
14	EB	1	9	21	Elm	40.88044 -88.13686	Behind Guardrail South Side of IL 116, Okay to Leave Sturr Behind Guardrail South Side of IL 116, Okay to Leave Sturr
15	EB	1	9	21	Sycamore	40.88044 -88.13649	Behind Guardrail South Side of IL 116, Okay to Leave Stun
16	EB	1		21	Sycamore	40.88045 -88.13639	Behind Guardrail South Side of IL 116, Okay to Leave Sturi
17	EB	1	_	21	Sycamore	40.88045 -88.13639	Behind Guardrail South Side of IL 116, Okay to Leave Stun
18	EB	1		16		40.88046 -88.13618	Behind Guardrail South Side of IL 116, Okay to Leave Stun
19	EB	1	11	10	Sycamore	40.88046 -88.13588	Behind Guardrail South Side of IL 116, Okay to Leave Stun
20	EB	1	11		Sycamore	40.88046 -88.13588	Behind Guardrail South Side of IL 116, Okay to Leave Stun
21	EB	1	- 11	17	Sycamore	40.88046 -88.13588	
22	EB	1	9	17	Sycamore	40.88046 -88.13588	Behind Guardrail South Side of IL 116, Okay to Leave Stun Behind Guardrail South Side of IL 116, Okay to Leave Stun
23	EB	1	12		Sycamore	40.88046 -88.13588	Behind Guardrail South Side of IL 116, Okay to Leave Stun
	EB	1			Sycamore		
24 25	EB	1	11	26	Sycamore	40.88044 -88.13531	Behind Guardrail South Side of IL 116, Okay to Leave Stun
26	EB				Elm	40.88049 -88.13492	Behind Guardrail South Side of IL 116, Okay to Leave Stun
26	EB	1	11	21	Sycamore	40.88047 -88.13441	Behind Guardrail South Side of IL 116, Okay to Leave Stur
			11		Sycamore	40.88049 -88.13376 40.88049 -88.13376	Behind Guardrail South Side of IL 116, Okay to Leave Stun
28 29	EB EB	1	9		Sycamore		Behind Guardrail South Side of IL 116, Okay to Leave Stun
			9		Sycamore	40.88049 -88.13376	Behind Guardrail South Side of IL 116, Okay to Leave Stun
30	EB	1	9		Sycamore	40.88049 -88.13376	Behind Guardrail South Side of IL 116, Okay to Leave Stun
31	EB	1	10	40	Sycamore	40.88049 -88.13376	Behind Guardrail South Side of IL 116, Okay to Leave Stun
32	EB	1		16	Elm	40.8805 -88.13288	Behind Guardrail South Side of IL 116, Okay to Leave Stun
33	EB	1		16	Sycamore	40.88053 -88.13246	Behind Guardrail South Side of IL 116, Okay to Leave Stun
34	EB	1	8		Cedar	40.88054 -88.13195	Behind Guardrail South Side of IL 116, Okay to Leave Stun
35	EB	1	8		Cedar	40.88054 -88.13195	Behind Guardrail South Side of IL 116, Okay to Leave Stun
36	EB	1	8		Sycamore	40.88054 -88.13195	Behind Guardrail South Side of IL 116, Okay to Leave Stun
37	EB	1	8		Elm	40.88054 -88.13195	Behind Guardrail South Side of IL 116, Okay to Leave Stun
38	EB	1	9		Elm	40.88054 -88.13195	Behind Guardrail South Side of IL 116, Okay to Leave Stun
39	EB	1	11		Sycamore	40.88054 -88.13195	Behind Guardrail South Side of IL 116, Okay to Leave Stun
40	EB	1	9		Sycamore	40.88054 -88.13195	Behind Guardrail South Side of IL 116, Okay to Leave Stun
41	EB	1	9		Sycamore	40.88054 -88.13195	Behind Guardrail South Side of IL 116, Okay to Leave Stun
42	EB	1	_	16	Sycamore	40.88054 -88.1315	Behind Guardrail South Side of IL 116, Okay to Leave Stun
43	EB	1		16	Elm	40.88054 -88.1315	Behind Guardrail South Side of IL 116, Okay to Leave Stun
44	EB	1	9		Sycamore	40.88054 -88.13121	Behind Guardrail South Side of IL 116, Okay to Leave Stun
45	EB	1	11		Sycamore	40.88054 -88.13121	Behind Guardrail South Side of IL 116, Okay to Leave Stun
46	EB	1	9		Sycamore	40.88054 -88.13121	Behind Guardrail South Side of IL 116, Okay to Leave Stur
47	EB	1	9		Cedar	40.88056 -88.13068	Behind Guardrail South Side of IL 116, Okay to Leave Stur
48	EB	1	9	-	Sycamore	40.88056 -88.13068	Behind Guardrail South Side of IL 116, Okay to Leave Stur
49	EB	1		16	Sycamore	40.88056 -88.13068	Behind Guardrail South Side of IL 116, Okay to Leave Stun
50	EB	1		21	Elm	40.88056 -88.13068	Behind Guardrail South Side of IL 116, Okay to Leave Stur
TOTALS			286	376			

USER NAME = Mohamed, Yousif	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = \$SCALE\$	CHECKED -	REVISED -
PLOT DATE = 6/27/2024	DATE -	REVISED -

SCALE:

SHEET

			US 45/	US 52 (S. S	Schuyler A	venue)	KANKAKEE COUNTY					
NUM	BER	NUMBER	10 March 1980 Control of the Control		GENERAL	GIS	REMARKS/NOTES					
AN	ID	OF	REM DIA	500 A000 - 500 A000 - 500 A000 A000 A000	TYPE OF	PIN						
DIREC	200	TREES/SIZE	6 TO 15	OVER 15	TREE							
DIKEC	TION		UNIT	UNIT	SPECIES	LAT/LONG	KANKAKEE YARD - 321					
	Stationary Road to River Road											
1	NB	1	12	8	Dead	41.096648829310745, -87.86883052200598	Across from 1995 S. Schuyler Ave					
2	NB	1	13		Dead	41.096789310736646, -87.86882783980076	Across from 1995 S. Schuyler Ave					
3	NB	1	14		Dead	41.09682670502337, -87.86884125084684	Across from 1995 S. Schuyler Ave					
4	NB	1	13		Dead	41.096877237809444, -87.86883454532381	Across from 1995 S. Schuyler Ave					
5	NB	1	13		Dead	41.096928781211155, -87.86884527416066	Across from 1995 S. Schuyler Ave					
6	NB	1	13		Dead	41.09698265613511, -87.86885136078581	Across from 1995 S. Schuyler Ave					
7	NB	1	9		Dead	41.09703417422796, -87.86884490731269	Across from 1995 S. Schuyler Ave					
8	NB	1	10		Dead	41.09702651491118, -87.86884897278138	Across from 1995 S. Schuyler Ave					
9	NB	1	10		Dead	41.097133220337206, -87.86886131592996	Across from 1995 S. Schuyler Ave					
10	NB	1	8		Dead	41.09714831247241, -87.86885361330633	Across from 1995 S. Schuyler Ave					
11	NB	1	10		Dead	41.09718314046125, -87.86884899173256	Across from 1995 S. Schuyler Ave					
12	NB	1	9		Dead	41.097294401937155, -87.86886637698397	Across from 1995 S. Schuyler Ave					
13	NB	1	14		Dead	41.098179812337925, -87.86881645913228	Across from 1895 S. Schuyler Ave					
15	NB	1	12		Dead	41.09950732046416, -87.86887205346426	Across from 1895 S. Schuyler Ave					
14	NB	1		15	Dead	41.09962003219402, -87.86886431686304	Across from 1795 S. Schuyler Ave					
16	NB	1	14		Dead	41.09994750240686, -87.86889517296629	Across from 1735 S. Schuyler Ave (Ace Hardware)					
TOTALS		·	174	15								

			KANKAKEE COUNTY								
NUMBER		NUMBER	TREE	TREE	GENERAL	GIS	REMARKS/NOTES				
		OF	REM DIA	REM DIA	TYPE OF	PIN					
DIREC		TREES/SIZE	6 TO 15	OVER 15	TREE						
DIREC	IION		UNIT	UNIT	SPECIES	LAT/LONG	KANKAKEE YARD - 321				
	Mile Marker 310										
1	NB	1		27	Dead	41.14851306772852, -87.83807297926516	North Side of the North Street Overpass				
TOTALS				27							

USER NAME = Mohamed. Yousif	DESIGNED -	REVISED -
	DRAWN -	REVISED -
PLOT SCALE = \$SCALE\$	CHECKED -	REVISED -
PLOT DATE = 7/2/2024	DATE -	REVISED -

SCALE:

SHEET

				LASALLE COUNTY					
NUMBER AND DIRECTION		NUMBER OF TREES/SIZE	TREE REM DIA 6 TO 15	TREE REM DIA OVER 15	GENERAL TYPE OF TREE	GIS PIN	REMARKS/NOTES		
			UNIT	UNIT	SPECIES	LAT/LONG	LASALLE YARD - 344		
					_	North of N 29th Rd			
1 SB 1		1		36	Cottonwood	41.35424, -89.06238	58.2 mm along row fence		
2	SB	1		29	Cottonwood	41.35413, -89.06245	58.2 mm along row fence, 3 trees in same location		
3 SB 1		1		25	Cottonwood	41.35413, -89.06245	58.2 mm along row fence, 3 trees in same location		
4	SB	1		19	Cottonwood	41.35413, -89.06245 58.2 mm along row fence, 3 trees in same location			
TOTALS				109					

			LASALLE COUNTY						
NUMBER	NUMBER	TREE	TREE	GENERAL	GIS	REMARKS/NOTES			
NUMBER	OF	REM DIA	REM DIA	TYPE OF	PIN				
AND DIRECTIO	TREES/SIZE	6 TO 15	OVER 15	TREE					
DIRECTIO	Y	UNIT	UNIT	SPECIES	LAT/LONG	OTTAWA YARD - 343			
Between E Union Street and E14th Road									
1 WB 1			36	Dead	41.58546205678014, -88.90077441658111	Approximately 300' East of E Union Street Going to Earlville			
TOTALS			36						

				LASALLE COUNTY					
NII INA E) E D	NUMBER	TREE	TREE	GENERAL	GIS	REMARKS/NOTES		
NUMBER AND DIRECTION		TREES/SIZE 6 TO 15 OVER 15 TREE		PIN					
				15 OVER 15 TREE					
			UNIT	UNIT	SPECIES	LAT/LONG	LASALLE YARD - 344		
					South/Wes	st of E 1st Street in Cedar Point			
1 EB		2		52	Dead	41.26426544899534, -89.12087741377232	Across from Old Hotel, Double Trunk (16 + 36)		
TOTALS				52					

USER NAME = Mohamed. Yousif	DESIGNED -	REVISED -		SCHEDULES						SECTION	COUNTY	TOTAL SHEET
	DRAWN -	REVISED -	STATE OF ILLINOIS		CONEDUES					2025-01 TREE REMOVAL	VARIOUS	9 9
PLOT SCALE = \$SCALE\$	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION									T NO. 66P72
PLOT DATE = 6/27/2024	DATE -	REVISED -		SCALE:	SHEET	OF	SHEETS STA.	TO STA.		ILLINOIS FED.	AID PROJECT	