



ROOF PLAN

NOTES:

NOTES:

1. ROOF CONSTR: RIGID INSULATION ON 4'-0"X8" DP. (MAX.) PRESTRESSED HOLLCW CORE NORM. WT. CONC. SLAB. (TYPE 4HC8-66-S OR APPROVAL EQUAL), TOP OF SLAB VARIES DESIGN CRITERIA: DL = 20PSF

2. ALL EMBEDS ARE GALVANIZED WHERE EXPOSED.

3. PRECAST CONTRACTOR TO PROVIDE CONNECTION BETWEEN WALL PANEL TO WALL PANEL, WALL PANEL TO COL. FOR 200 lbs/ft IN BOTH DIRECTIONS.

4. PRECASTER IS RESPONSIBLE FOR COORDINATING FABRICATION OF CONCRETE PANELS WITH LOCATION OF ALL ELECTRICAL, NECHANICAL, AND PLUMBING DEVICES. PANELS SHOULD BE DESIGNED TO INCLIDE ALL KNOCKOUTS AND VOIDS REQUIRED FOR DUCTYORK AND JUNCTION BOXES. THEY SHOULD ALSO INCLUDE CONDUIT FOR THE WIRING OF ALL DEVICES.

FA-RTE SECTION COUNTY TOTAL SHEET NO 03-00026-00-PK MADISON 33 16

211 N. Broadway Suite 1900 St. Louis, MO 63102 (314) 241-8188 AX (314) 241-0125

phase 2B Lewis and clark memorial Tower Village of Hartford, Illinois Hartford, Ilinois 82049

ROOF PLAN

DATE						
REMARKS						
	1		l	l	ı	

£ ₹ KENNEDY PROJECT NO KAI: 10-02048

IBBUE DATE 03-JUNE-05 SHEET NO

S2.2B

SSE PROJECT NO: 02111 PHASE 2B