



# Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

September 15, 2006

SUBJECT: FAI Route 94/90  
Project ACIM-000S (518)  
Section (1919.15, 2021-922 PT1 & PT2)R-1  
Cook County  
Contract No. 60A62  
Item No. 1X, September 22, 2006 Letting  
Addendum C

## NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised pages 1 & 3 of the Schedule of Prices.
2. Revised page 49 of the Special Provisions.
3. Revised sheets 13 & 154 of the Plans.

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

Michael L. Hine  
Engineer of Design  
and Environment

A handwritten signature in black ink, appearing to read 'Ted B. Walschleger' followed by a small 'P.E.'.

By: Ted B. Walschleger, P. E.  
Engineer of Project Management

cc: Diane O'Keefe, Region 1, District 1; N. R. Stoner; Roger Driskell; R. E. Anderson; Estimates; Design & Environment File

TBW:MS:jc



ILLINOIS DEPARTMENT OF TRANSPORTATION  
 SCHEDULE OF PRICES  
 CONTRACT  
 NUMBER -

60A62

State Job # - C-91-090-06  
 PPS NBR - 1-74823-0523  
 County Name - COOK- -  
 Code - 31 - -  
 District - 1 - -  
 Section Number - (1919.15,2021-922PT1&PT2)R-1

Project Number  
 ACIM-000S/518/

Route  
 FAI 90  
 FAI 94

Item Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
X0325493	CBL CNDT TRX2#6, 1#8G	FOOT	840.000				
X0325494	GALV ST CON TREN 2 40	FOOT	25.000				
X0325495	REM EX ST LT UNIT/SAL	EACH	9.000				
X0325496	TR/BKFIL W/SCRNS SAND	FOOT	25.000				
*** DELETED							
X0325499	AER CABLE 2 1/C #4	FOOT	150.000				
X0325500	JUNC BOX SS EMB STR J	EACH	2.000				
X0325501	FAB REINF ELAS MAT	SQ FOOT	63.000				
X0325502	MEDIAN BAR GATE SYS	EACH	1.000				
X0325503	REM TEMP SOIL RET SYS	FOOT	926.000				
* X0325567	STAB SUB-BASE 4.5	SQ YD	42,709.000				
X0919000	TEMP PAVT REMOVAL	SQ YD	205.000				
X0945500	PAINT EX POLE COMPL	EACH	8.000				
X2020300	EXC & PL EX GRAN MATL	CU YD	1,660.000				
X2500322	SEEDING CL 5A MOD	ACRE	0.140				
X4210400	LUG SYSTEM REMOVAL	EACH	1.000				
							* REVISED : AUGUST 21, 2006
							*** REVISED : SEPTEMBER 14, 2006

Concrete Pavement (30 Year). The existing granular material is to be removed down to the top of the earthen subgrade or to depth of 42.5 inches below the proposed top of pavement, which ever depth is reached first. Any surplus materials not needed for the 12 inch layer or not meeting the gradation requirements shall be disposed of by the contractor according to Article 202.03 of Standard Specifications.

To be used in reconstruction, the reclaimed aggregate shall meet the minimum gradation requirements as follows:

<u>Sieve Size</u>	<u>Percent Passing</u>
3 inch	100
1 inch	60 - 100
½ inch	50 - 90
# 4 sieve	10 - 60
#16 sieve	10 - 50
#200 sieve	0 - 15

The reclaimed aggregate is to be placed below bottom of sub-base granular material type B-12” and compacted in accordance with applicable portions of Section 311 of the Standard Specifications. The reclaimed aggregate shall only be placed under mainline pavement consisting of continuously reinforced portland cement concrete pavement. No reclaimed aggregate shall be placed under portland cement concrete shoulder. Reclaimed aggregate may also be substituted for Porous Granular Embankment Subgrade. Use of this material will not be permitted in the Sub-base Granular Material Type B 12”. The contractor is responsible to prevent contamination during excavation and handling and is responsible for proper stockpiling procedures. In areas where the granular material does not extend down to a depth of 42.5 inches below the proposed top of pavement, the remaining earthen subgrade should be excavated to the grades shown in the plans in accordance with the applicable portions of Section 202 of Standard Specifications.

The Contractor shall submit to the Engineer a status report of existing granular material that has been excavated and planned to be re-used on a weekly basis to help in determining material quantity, availability, and assist in forecast production for the following week.

Method of Measurement. This work will be measured for payment in their final positions, as EXCAVATE AND PLACE EXISTING GRANULAR MATERIAL and the volumes computed in cubic yards by the method of average end areas.

EARTH EXCAVATION shall be measured for payment in accordance with Section 202 of the Standard Specifications.

Basis of Payment. The use of reclaimed sub-base granular material will be paid for at the contract unit price per cubic yard for EXCAVATE AND PLACE EXISTING GRANULAR MATERIAL, which price shall include excavation, stockpiling, placing, and compacting the granular material. Earth excavations will be paid for at contract unit price per cubic yard for EARTH EXCAVATION.

Revised 09/15/2006