SECTION COUNTY TOTAL SHEET NO.

NOTES

EXISTING PCC SHOULDERS

- TEMPORARY SOIL RETENTION SYSTEM

- PROPOSED DRAINAGE STRUCTURE

STORM SEWER PENETRATIONS THROUGH THE TEMPORARY SOIL RETENTION SYSTEM WILL NOT BE PAID FOR SEPARATELY, BUT WILL BE INCLUDED IN THE COST FOR THE TEMPORARY SOIL RETENTION SYSTEM.

LEGEND

TEMPORARY SOIL RETENTION SYSTEM

- SLEEVE SHAPE TO MATCH STORM SEWER. INSIDE DIMENSION OF SLEEVE SHALL BE MINIMUM 4" LARGER THAN OUTSIDE DIMENSION OF STORM SEWER. - STAY-IN-PLACE METAL FORMS (MIN. THICKNESS 0.5') FORMS & CONNECTIONS TO THE TEMPORARY SOIL RETENTION SYSTEM TO BE DESIGNED BY THE CONTRACTOR. THE CONTRACTOR MAY USE A SINGLE SECTION OF SHEETING WELDED TO THE TEMPORARY SOIL RETENTION SYSTEM WALL INSTEAD OF METAL PLATES. EXISTING STORM-SEWER ANNULAR SPACE BETWEEN SLEEVE AND STORM SEWER TO BE FILLED IN WITH NON-SHRINK GROUT.

-CLASS SI CONCRETE ENCASEMENT

SECTION A-A


EXISTING DRAINAGE STRUCTURE

EXISTING STORM SEWER-

В

VAR

PLAN VIEW



DDT-2

ILLINOIS DEPARTMENT OF TRANSPORTATION F.A.I. 90/94 (DAN RYAN EXPRESSWAY) GARFIELD BLVD TO 31ST STREET (SB LOCAL LANES)

DRAINAGE DETAILS TEMPORARY SOIL RETENTION SYSTEM

SCALE: NONE DATE: June 9, 2006

DRAWN BY: RMG CHECKED BY: XXX

CTE | AECOM