

September 13, 2023

SUBJECT FAI Route 57 (I-57) Project HSIP-SRPK(501) Section 2022 Traffic LT Cook County Contract No. 62U48 Item No. 21, September 22, 2023 Letting Addendum B

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

- 1. Revised the Schedule of Prices
- 2. Revised page ii of the Table of Contents to the Special Provisions
- 3. Added pages 132-134 to the Special Provisions
- 4. Revised sheets 4-6, 25, 26, 28-31, 39, 43 & 58 of the Plans

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

CLEG

Jack A. Elston, P.E. Bureau Chief, Design and Environment

MTS

MAINTENANCE OF LIGHTING SYSTEMS (D-1)	90
BLENDED FINELY DIVIDED MINERALS (BDE)	94
COMPENSABLE DELAY COSTS (BDE)	95
CONSTRUCTION AIR QUALITY – DIESEL RETROFIT (BDE)	99
DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (BDE)	101
PORTLAND CEMENT CONCRETE (BDE)	111
SEEDING (BDE)	111
SOURCE OF SUPPLY AND QUALITY REQUIREMENTS (BDE)	116
STEEL COST ADJUSTMENT (BDE)	117
SUBCONTRACTOR AND DBE PAYMENT REPORTING (BDE)	120
SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)	120
SUBMISSION OF PAYROLL RECORDS (BDE)	
TRAFFIC SPOTTERS (BDE)	122
TRAINING SPECIAL PROVISIONS (BDE)	123
IDOT TRAINING PROGRAM GRADUATE ON-THE-JOB TRAINING SPECIAL PROVISION	126
VEHICLE AND EQUIPMENT WARNING LIGHTS (BDE)	128
WEEKLY DBE TRUCKING REPORTS (BDE)	129
WORK ZONE TRAFFIC CONTROL DEVICES (BDE)	129
REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (PROJECT SPECIFIC)	132

Revised 9/13/2023

REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (PROJECT SPECIFIC)

Description. This work shall consist of the removal and disposal of regulated substances according to Section 669 of the Standard Specifications as revised below.

<u>Contract Specific Sites</u>. The excavated soil and groundwater within the areas listed below shall be managed as either "uncontaminated soil", hazardous waste, special waste or non-special waste. For stationing, the lateral distance is measured from centerline and the farthest distance is the offset distance or construction limit, whichever is less.

Soil Disposal Analysis. When the waste material requires sampling for landfill disposal acceptance, the Contractor shall secure a written list of the specific analytical parameters and analytical methods required by the landfill The Contractor shall collect and analyze the required number of samples for the parameters required by the landfill using the appropriate analytical procedures. A copy of the required parameters and analytical methods (from landfill email or on landfill letterhead) shall be provided as Attachment 4A of the BDE 2733 (Regulated Substances Final Construction Report). The price shall include all sampling materials and effort necessary for collection and management of the samples, including transportation of samples from the job site to the laboratory. The Contractor shall be responsible for determining the specific disposal facilities to be utilized; and collect and analyze any samples required for disposal facility acceptance using a NELAP certified analytical laboratory registered with the State of Illinois.

<u>All excavated soils shall remain onsite and will be used to backfill the construction excavations.</u> No soil is anticipated to be hauled off for disposal.

Regulated substances monitoring during regulated substances management activities shall be performed at all soil excavation areas in accordance with Section 669.04 of the Standard Specifications for Road and Bridge Construction. Should soils be encountered that cannot remain onsite, the soils shall be disposed offsite as a non-special waste according to Section 669 of the Specifications.

I-57 NB/SB from US 30 to 183rd Street, Cook County

• Station 61+00 to Station 214+00 (Existing CL I-57 NB/SB Median), 150 feet LT, 150 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Vollmer Road at Intersection with I-57, Cook County

• Station 13+00 to Station 49+00 (Existing CL Vollmer Road), 150 feet LT, 150 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Added 9/13/2023

Ramp from NB I-57 to EB Vollmer Road, Cook County

- Station 10+00 to Station 28+00 (CL Ramp from NB I-57 to EB Vollmer Road), 100 feet LT, 100 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 10+00 to Station 16+00 (CL Connector from Ramp to access WB Vollmer Road), 100 feet LT, 100 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Ramp from WB Vollmer Road to NB I-57, Cook County

• Station 10+00 to Station 25+00 (CL Ramp from WB Vollmer Road to NB I-57), 50 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Ramp from EB Vollmer Road to NB I-57, Cook County

 Station 10+00 to Station 22+00 (CL Ramp from EB Vollmer Road to NB I-57), 100 feet LT, 100 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Ramp from SB I-57 to WB Vollmer Road, Cook County

• Station 10+00 to Station 25+00 (CL Ramp from SB I-57 to WB Vollmer Road), 100 feet LT, 100 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Ramp from SB I-57 to EB Vollmer Road, Cook County

Station 10+00 to Station 20+00 (CL Ramp from SB I-57 to EB Vollmer Road), 100 feet LT, 100 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Ramp from EB Vollmer Road to SB I-57 to, Cook County

- Station 10+00 to Station 27+00 (CL Ramp from EB Vollmer Road to SB I-57), 100 feet LT, 100 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 10+00 to Station 20+00 (CL Connector from WB Vollmer Road to access Ramp to SB I-57), 100 feet LT, 100 feet RT. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Added 9/13/2023

Work Zones

Three distinct OSHA HAZWOPER work zones (exclusion, decontamination, and support) shall apply to projects adjacent to or within sites with documented leaking underground storage tank (LUST) incidents, or sites under management in accordance with the requirements of the Site Remediation Program (SRP), Resource Conservation and Recovery Act (RCRA), or Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), or as deemed necessary. For this project, the work zones apply for the following ISGS PESA Sites: **None**

Added 9/13/2023