
TEMPORARY CABLE DIAGRAM LEGEND

(V) VENDOR'S CABLE.

F.A.P. RTE. SECTION COUNTY TOTAL SHEET NO. SHEET NO. 1303 134(B &B-2)R-1 LAKE 137 44 STA. 26+090 TO STA. 26+625 FED. ROAD DIST. NO. 1 | ILLINOIS | FED. AID PROJECT CONTRACT NO. 62037



TEMPORARY SEQUENCE OF OPERATION

MOVEMENT	N				1 -				-	- 2	F L A
PHASE						1			2		S
INTERVAL					1	2 _, A	2B	3	4 A	4B	
CHANGE TO						2	2		1	l	Н
ILL 173 ALL SIGNALS				EB	G	Υ	R	R	R	R	R
ILL 173 ALL SIGNALS		 	1.	WB	R	R	R	G	Υ	R	R

QUANTITIES

doni-11120										
89000100	TEMPORARY TRAFFIC SIGNAL INSTALLATION	EACH	1							
X0325737	TEMPORARY TRAFFIC SIGNAL TIMING	EACH	1							

I.D.O.T.								
TRAFFIC SIGNAL INSTALLATION ELECTRICAL SERVICE REQUIREMENTS								
TYPE	PE NO. OF LAMPS X INCAND. LED X % OPERATION							
SIGNAL (RED)	4	-	17	0.50	34.0			
(YELLOW)	4	_	25	0.25	25.0			
(GREEN)	4	-	. 15	0.25	15.0			
ARROW	_	_	12	0.10				
PED. SIGNAL	_	_	25	1.00				
CONTROLLER	1	_	100	1.00	100.0			
ENERGY COSTS	TO:			TOTAL =	174.0			

RESTORATION OF WORK AREA. RESTORATION OF THE TRAFFIC SIGNAL WORK AREA SHALL BE INCIDENTAL TO THE RELATED PAY ITEM SUCH AS FOUNDATION, CONDUIT, HANDHOLE, TRENCH AND BACKFILL, ETC., AND NO EXTRA COMPENSATION SHALL BE ALLOWED. ALL ROADWAY SURFACES SUCH AS SHOULDERS, MEDIANS, SIDEWALKS, PAYEMENT, ETC. SHALL BE REPLACED IN KIND. ALL DAMAGE TO MOWED LAWNS SHALL BE REPLACED WITH AN APPROVED SOD, AND ALL DAMAGE TO UNMOWED FIELDS SHALL BE SEEDED IN ACCORDANCE WITH STANDARD SPECIFICATIONS 252 AND 250 RESPECTIVELY.

ŀ	ENERGY COSTS 1	in:			TOTAL =	174.0	FOUNDATION (DEPTH)	FT.	(m)	CABLE SLACK	FT.		VERTICAL	FT.	(m)
١						L	TYPE A - POST	4	(1.2)	HANDHOLE	6.5	(2.0)	ALL FOUNDATIONS	3.5	(1.0)
-	THINOIS	DEPARTME	ENT O	F TRA	NSPORTATI	ON	D - CONTROLLER	4	(1.2)	DOUBLE HANDHOLE	13		MAST ARM (L) POLE	20′+L	
Į							C - M. ARM POLE			SIGNAL POST	2	(1.0)		(6m+L-(
ı	DIVISION OF HI						24" (600mm)		(3.0)	CONTROLLER CAB.			BRACKET MOUNTED	13	(4.0)
١	201 WEST CENTE	ER COURT/SCHA	LUMBURG	G. ILLIM	NOIS 60196-10	096	30" (750mm)	15	(4.6)	FIBER OPTIC	13		PED. PUSHBUTTON	4	(1.2)
١	ENERGY SUPPLY:	CONTACT. DO	DOTUV I	DOCEM						ELECTRIC SERVICE	1		ELECTRIC SERVICE	13.5	(4.1)
	ENERGY SUPPLY									GROUND CABLE	1	(0.5)	SERVICE TO GROUND	13.5	(4.1)
- 1	· ·	PHONE: (8	47) 816	5-5323									POST MOUNTED	6	(1.8)
		COMPANY: CO	MED											T	
			47) 816 DMED	5-5323						ONOGNO OADEL				6	(1.8

Applied Technologies



505 N. LaSalle Street, Suite 250 Chicago, IL 60610. (312) 467-0123

REVISIONS	ILLINOIS DEPARTMENT OF TRANSPORTATION							
NAME DATE								
	IL ROUTE 173 OVER EAST BOAT CHANNEL							
]							
	TEMPORARY CABLE PLAN, SEQUENCE OF							
	OPERATION AND COURDING OF CHANTITIES							

ICE OF OPERATION AND SCHEDULE OF QUANTITIES

DRAWN BY: GAO SCALE: N.T.S. CHECKED BY: TCM DATE: 3-8-10