

DESIGNED DRAWN JA₩ CHECKED JWH

Engineering Associates, Inc. 7282 Argus Drive (815) 398–2332 Rockford, Illinois 61107-583 Fax (815) 398-249

5 SHEETS

1. It Shall be the responsibility of the Contractor to verify all dimensions and conditions existing in the field prior to construction and ordering materials.

2. The concrete shall be constructed as shown in accordance with Section 503 of the "Standard Specifications for Road and Bridge Construction".

3. All exposed edges of concrete walls shall have a $\frac{3}{4}$ " x 45° chamfer, except as shown otherwise. Chamfers on vertical edges shall be continued a minimum of one foot below finished ground level.

Stair tread edges shall be protected with Balco, Inc Model P-200 or equal installed according to manufactures instructions.

5. Reinforcement bars shall all be epoxy coated.

See Landscape Architect sheet 137 for handrail

Refer to Electrical Plan sheet 40 for lighting insets. Provide box-out in sidewalls for flush panels.

8. Stair Tread Nosings shall be installed in two halves to allow for a scored or sawed contraction joint along the centerline of the stairs. The joint shall be sealed with a premium polyurethane sealant in accordance with the Standard Specifications.

Handrail, Each Side INDEX OF STAIRWAY SHEETS Modular Retaining Wall No. 3 1. General Plan and Elevation at Overlook No. 2 2. General Plan and Elevation at Boat House 3. South Stairs at Overlook No. 2 Stairway Details 4. North Stairs at Boat House Stairway Details 5. North Stairs at Boat House Stairway Details SOUTH STAIRS AT OVERLOOK NO. 2 PLAN AND ELEVATION PEDESTRIAN RIVERWALK ALONG THE ROCK RIVER WINNEBAGO COUNTY SECTION NO. 06-00543-00-BT 9/7/10 STATION 208+17.78

F.A. RTE.	SECTION			COUNTY	TOTAL SHEETS	SHEET NO.
	06-00543-00-BT		1	WINNEBAGO	148	46
				CONTRACT NO.		85521
FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT						