

(Showing dimensions)



<u>SECTION</u> (Showing reinforcement clearances for slip forming and additional reinforcement bars)



GFRP REBAR STIFFENING DETAIL (Place as shown in parapet section at each parapet joint location.)

DESIGNED - P.S.L.	
CHECKED - M.D.C.	
DRAWN D.A.B.	
CHECKED - M.D.C.	
SFP-34	5-16-08

HAMPTON, LENZINI & RENWICK, INC. CIVIL & STRUCTURAL ENGINEERS LAND SURVEYORS SH **101** 3085 STEVENSON DRIVE, SUITE 201 SPRINGFIELD, ILLINOIS 62703 (217) 546-3400 20 PROJECT NUMBER: 12-37-0003-1 DATE: 07/31/08

<u>GENERAL NOTES</u>

All dimensions shall remain the same as shown on contract plans, except dimensions A and B which are to be revised as shown to provide additional clearance. Additional concrete needed to revise dimension A and B=

0.0165 cu. yds./ft. of parapet. Place aluminum sheet in curb portion at and near piers. Full thickness saw cut at all joint locations in lieu of cork joint filler.



#3 (E) BAR

CONCRETE PARAPET SLIPFORMING OPTION STRUCTURE NO. 029-0066

HEET NO.11	F.A.P.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
	665	(144 - B)BR	FULTON	67	27	
ØSHEETS	HEETS IL 116 OVER LITTLERS CREEK		CONTRACT	NO. 68091		
FED. ROAD DIST. NO. 4 ILLINOIS FED. AID PROJECT						